
DOCUMENT
DE TRAVAIL
N° 492

**SMALL AND LARGE PRICE CHANGES AND
THE PROPAGATION OF MONETARY SHOCKS**

Fernando Alvarez, Hervé Le Bihan and Francesco Lippi

June 2014



**SMALL AND LARGE PRICE CHANGES AND
THE PROPAGATION OF MONETARY SHOCKS**

Fernando Alvarez, Hervé Le Bihan and Francesco Lippi

June 2014

Les Documents de travail reflètent les idées personnelles de leurs auteurs et n'expriment pas nécessairement la position de la Banque de France. Ce document est disponible sur le site internet de la Banque de France « www.banque-france.fr ».

Working Papers reflect the opinions of the authors and do not necessarily express the views of the Banque de France. This document is available on the Banque de France Website “www.banque-france.fr”.

Small and large price changes and the propagation of monetary shocks *

Fernando Alvarez

University of Chicago

Hervé Le Bihan

Banque de France

Francesco Lippi

EIEF & University of Sassari

*We benefited from the comments of Manuel Amador, Saroj Bhattarai, Ricardo Caballero, V.V. Chari, Mike Dotsey, Jordi Galí, Aubik Kahn, Ricardo Caballero, Virgiliu Midrigan, Daniel Levy, Nicola Pavoni, Giorgio Primiceri, Jon Steinsson, Silvana Tenreyro, Julia Thomas, Michael Waterson, Ivan Werning, and seminar participants at the 2014 NBER EF&G meeting in NY, Banque de France, Chicago Fed, Minneapolis Fed, and the following universities: Bocconi, Bologna, Firenze, MIT, Ohio State, HECER and Lausanne. We are grateful to Alberto Cavallo, Pete Klenow, Oleksiy Kryvtsov, and Joseph Vavra for providing us with several statistics not available in their papers. We thank David Argente and Fredrik Wulfsberg for proving us with evidence for the US scanner data and Norway's CPI (respectively). We thank the INSEE and the SymphonyIRI Group, Inc. for making the data available. All estimates and analysis in this paper, based on data provided by SymphonyIRI Group, Inc. are by the authors and not by SymphonyIRI Group, Inc. We thank the Fondation Banque de France for supporting this project. Part of the research for this paper was sponsored by the ERC advanced grant 324008. The views expressed in the paper are of the authors and do not necessarily reflect those of the Banque de France. Roberto Robatto provided excellent research assistance.

Résumé Nous documentons, pour différentes bases de données individuelles de relevés de prix à la consommation, à la fois en France et aux Etats-Unis, la présence simultanée de petits et de grands changements de prix. Nous établissons que la distribution en coupe des changements de prix est leptokurtique même après corrections pour erreur de mesure et hétérogénéité. Nous proposons un modèle de “menu cost”, qui inclut comme cas particuliers les modèles classiques de Taylor (1980), Calvo (1983), Reis (2006) et Golosov et Lucas (2007), et rend compte de ces faits microéconomiques. Nous montrons que le ratio entre kurtosis et fréquence des changements de prix est une statistique “suffisante” pour capturer les effets réels des chocs monétaires dans une large classe de modèles.

Codes JEL : E3, E5

Mots clés: formation des prix, résultats microéconomiques empiriques, distribution des changements de prix, kurtosis des variations de prix, modèles de coût de menu, modèle de Calvo, réponse de la production aux chocs de politique monétaire.

Abstract We document the presence of both small and large price changes in individual price records from the CPI in France and the US. After correcting for measurement error and cross-section heterogeneity, the size-distribution of price changes has a positive excess kurtosis. We propose an analytical menu cost model that encompasses several classic models, as Taylor (1980), Calvo (1983), Reis (2006), Golosov and Lucas (2007) and accounts for observed cross-sectional patterns. We show that the ratio of kurtosis to the frequency of price changes is a sufficient statistics for the real effects of monetary policy in a large class of models.

JEL Classification Numbers: E3, E5

Key Words: price setting, micro evidence, size-distribution of price changes, kurtosis of price changes, menu-cost, Calvo pricing rule, output response to monetary shocks.

Non-technical summary

This paper provides an analytical characterization of the steady state equilibrium and of the response of output to an unexpected monetary shock for a class of models with sticky prices. By combining the assumptions of multiproduct firms and random menu costs the model is able to produce, in various degrees, both the small and large price changes that have been documented in the micro data. Different sticky price set-ups, spanning the models of [Taylor \(1980\)](#), [Calvo \(1983\)](#), [Golosov and Lucas \(2007\)](#), some versions of the “CalvoPlus” model by [Nakamura and Steinsson \(2010\)](#), the “rational inattentiveness” model by [Reis \(2006\)](#), as well as the multi-product models of [Midrigan \(2011\)](#), [Bhattarai and Schoenle \(2014\)](#) and [Alvarez and Lippi \(2014\)](#), are nested by our unified framework.

The main analytical result of the paper is that, in a large class of models that extends those listed above, the total cumulative output effect of a small unexpected monetary shock depends on the ratio between two steady-state statistics: the kurtosis of the size-distribution of price changes and the average number of price changes per year. The impact of the frequency on the real output effect is understood in the literature, and motivates a large body of empirical literature. The main novelty is that the effect of kurtosis is equally important, and motivates our interest to review and extend the evidence on its measurement. For a symmetric distribution kurtosis is a scale-free statistic describing its shape, specifically its peakedness: the extent to which “large” and “small” observations (in absolute value) appear relative to intermediate values. We show that this statistic embodies the extent to which “selection” of price changes occurs.

A more detailed overview of the paper is as follows. We begin with a review of the micro evidence on price setting behavior, across several micro datasets. The empirical contribution documents the presence of small and large price changes, i.e. a very peaked distribution of price changes, using a dataset of price records underlying the French CPI as well as several US datasets. This finding persists even at a very disaggregate level of product-outlet-type, ruling out an explanation based on pure cross-section heterogeneity, and it is similar to [Klenow and Kryvtsov \(2008\)](#) analysis of the US CPI data. We also acknowledge that the CPI data may contain measurement error that tends to distort the measure of peakedness of the distribution of price changes, an issue emphasized by [Eichenbaum et al. \(2014\)](#). We estimate that –after taking into consideration measurement error and cross-sectional heterogeneity– the shape of the size-distribution of price changes is in between a Normal and a Laplace distribution, with a kurtosis that is about 4 for the US and about 5 for France.

We develop an analytical model that matches these patterns, featuring both the small and large price changes which lead to excess kurtosis. The model extends the multi-product setup developed in [Alvarez and Lippi \(2014\)](#), where the fixed menu cost applies to a bundle

of n goods sold by each firm. Each good is subject to idiosyncratic cost shocks that create a motive for price adjustment. The shocks are uncorrelated across goods and we assume zero inflation. The multi-product assumption generates the extreme price changes, both small and large. We extend that setup by introducing random menu costs, a feature that produces a positive excess kurtosis of the size-distribution of price changes. In particular, we assume that at an exogenous rate a firm receives an opportunity to adjust its price at no cost, as in a Calvo setup. The model has four fundamental parameters: the size of the menu cost relative to curvature of the profit function μ , the volatility of idiosyncratic cost shocks σ , the number of products n and the arrival rate of free adjustments λ .

The model yields four new theoretical results. First we characterize how the inaction set behaves as a function of the parameters. In particular, for a small menu cost the model behaves as in Barro (1972), Dixit (1991) and Golosov and Lucas (2007): the size of the inaction set displays the usual high sensitivity. Second, the model provides a mapping between the cost of price adjustment and the model parameters: we give an analytical characterization of the menu cost implied by observable statistics such as the frequency and the variance of price changes.

Third, by aggregating the optimal decision rules across firms we characterize the frequency $N(\Delta p_i)$, standard deviation, and shape of the distribution of the price changes, e.g. its kurtosis: $Kur(\Delta p_i)$. The shape of the distribution of price changes is shown to depend exclusively on n and on the fraction of free-adjustments $\ell \equiv \lambda/N(\Delta p_i)$. These parameters can be pinned down by the shape of the distribution of price changes, e.g. by its kurtosis, and by the data on the costs of price adjustment. In our model the shape of the distribution of price changes ranges from bimodal (for the model where $\ell = 0$ and $n = 1$ as in the Golosov-Lucas model) to Normal (for $n = \infty$ and $\ell = 0$, our version of Taylor or Reis (2006)'s model), and Laplace (in the case $\ell = 1$ for any n , our version of the Calvo model). In those three models the kurtosis of price changes is, respectively, 1, 3 and 6. For any given ℓ the level of kurtosis is increasing in n . Likewise, for a given n the level of kurtosis is increasing in ℓ .

Fourth, we use the model to characterize analytically the impulse responses of the aggregate economy to a once-and-for-all unexpected permanent increase of the money supply. The aggregate effect of a monetary shock depends on the shock size, the frequency, and the kurtosis of price adjustments. The dependence on the size of the shock is a hallmark of menu cost models: monetary shocks that are large lead to almost all firms adjusting prices and hence imply neutrality. Instead, small shocks yield real output effects whose size crucially depends on $N(\Delta p_i)$ as well as on the kurtosis of price changes, $Kur(\Delta p_i)$, an aforementioned result that is new in the literature.

1 Introduction

This paper provides an analytical characterization of the steady state equilibrium and of the response of output to an unexpected monetary shock for a class of models with sticky prices. By combining the assumptions of multiproduct firms and random menu costs the model is able to produce, in various degrees, both the small and large price changes that have been documented in the micro data starting with [Kashyap \(1995\)](#). Different sticky price set-ups, spanning the models of [Taylor \(1980\)](#), [Calvo \(1983\)](#), [Goloso and Lucas \(2007\)](#), some versions of the “CalvoPlus” model by [Nakamura and Steinsson \(2010\)](#), the “rational inattentiveness” model by [Reis \(2006\)](#), as well as the multi-product models of [Midrigan \(2011\)](#), [Bhattarai and Schoenle \(2014\)](#) and [Alvarez and Lippi \(2014\)](#), are nested by our model. This unified framework allows us to unveil which assumptions are required to obtain each of them as an optimal mechanism.

The main analytical result of the paper is that, in a large class of models that extends those listed above, the total cumulative output effect of a small unexpected monetary shock depends on the ratio between two steady-state statistics: the kurtosis of the size-distribution of price changes $Kur(\Delta p_i)$ and the average number of price changes per year $N(\Delta p_i)$. Formally, given the labor supply elasticity $1/\epsilon$ and a small monetary shock δ , we show that the cumulative output \mathcal{M} , namely the area under the output impulse response function, is given by

$$\mathcal{M} = \frac{\delta}{6\epsilon} \frac{Kur(\Delta p_i)}{N(\Delta p_i)} \quad (1)$$

The impact of the frequency $N(\Delta p_i)$ on the real output effect is understood in the literature, albeit not in such a stark fashion as in [equation \(1\)](#), and motivates a large body of empirical literature. The main novelty is that the effect of $Kur(\Delta p_i)$ is equally important, and motivates our interest to review and extend the evidence on its measurement. For a symmetric distribution kurtosis is a scale-free statistic describing its shape, specifically its peakedness: the extent to which “large” and “small” observations (in absolute value) appear relative to intermediate values. We show that this statistic embodies the extent to which “selection” of price changes occurs. The selection effect, a terminology introduced by [Goloso and Lucas \(2007\)](#), indicates that the *size* of the price changes after the shock is not taken at random in the cross section of firms: in their menu cost model the price changes immediately after a shock are also the largest, so that the CPI response is fast. Instead, in Calvo the size of the average price change following a shock is constant, so that the CPI rises more slowly and the real effects are six times larger. Surprisingly, these features are fully captured by kurtosis, as in [equation \(1\)](#), since it is the mass in the proximity of the adjustment barriers

that determines the nature of the price changes following a monetary shock.

We show that a selection effect also operates relative to the *timing*, not just the size, of price changes. For instance in the models of Taylor and Calvo, calibrated to the same frequency $N(\Delta p_i)$, the size of the price changes is the same (so there is no selection in the Golosov-Lucas sense). Yet the real cumulative output effect in Calvo is twice the effect in Taylor. This happens because in Taylor the distribution of times until adjustment is uniform, but in Calvo it is exponential, with a thicker right tail of firms that adjust very late. This selection effect concerning the times of adjustment is also captured by [equation \(1\)](#), since a more dispersed distribution of times to adjust produces a distribution of price changes that is a mixture of normals with different variances, and hence a higher kurtosis.

The main advantage of [equation \(1\)](#) is robustness: the formula allows us to discuss the output effects of small monetary shocks without having to solve for the whole general equilibrium or providing details about several other modeling choices. We see this result in the spirit of the sufficient statistic approach introduced in the public finance literature by [Chetty \(2009\)](#) and applied to the new trade literature by [Arkolakis, Costinot, and Rodriguez-Clare \(2012\)](#): in a nutshell, the identification of a robust relationship that contains useful economic information independently of many details of the model and is, at least in principle, observable in the data. Of course [equation \(1\)](#) does not hold in all models. For instance, it does not hold in models where the steady state distribution of price changes is not informative about the cost and benefits of changing prices. The simplest example is a model with no menu costs in which (with zero inflation) the distribution of price changes mirrors the distribution of the underlying cost shocks. Yet, if there is a monetary shock, all prices change immediately, and there is no effect on output.¹ In those models additional information is needed to identify the parameters and assess the effects of monetary shocks.

Overview

We begin the paper with a review of the micro evidence on price setting behavior, across several micro datasets, and then develop a theoretical model that is able to qualitatively replicate the observed patterns. The empirical contribution documents the presence of small and large price changes, i.e. a very peaked distribution of price changes, using a dataset of price records underlying the French CPI as well as several US datasets. This finding, reminiscent of [Kashyap \(1995\)](#) seminal investigation of selected catalog retail goods, persists even at a very disaggregate level of product-outlet-type, ruling out an explanation based on

¹While this example is extreme, the same logic applies in a model with a small menu cost and infrequent shocks to production costs that are similar to those observed in empirical distribution of price changes (see [Appendix H](#) for details).

pure cross-section heterogeneity, and it is similar to [Klenow and Kryvtsov \(2008\)](#) analysis of the US CPI data. We also acknowledge that the CPI data may contain measurement error that tends to distort the measure of peakedness of the distribution of price changes, an issue emphasized by [Eichenbaum et al. \(2014\)](#). We estimate that –after taking into consideration measurement error and cross-sectional heterogeneity– the shape of the size-distribution of price changes is in between a Normal and a Laplace distribution, with a kurtosis that is about 4 for the US and about 5 for France.

We develop an analytical model that matches these patterns, featuring both the small and large price changes which lead to excess kurtosis. The model extends the multi-product setup developed in [Alvarez and Lippi \(2014\)](#), where the fixed menu cost applies to a bundle of n goods sold by each firm. Each good is subject to idiosyncratic cost shocks that create a motive for price adjustment. The shocks are uncorrelated across goods and we assume zero inflation, i.e. lack of a common drift. The multi-product assumption generates the extreme price changes, both small and large. We extend that setup by introducing random menu costs, a feature that produces a positive excess kurtosis of the size-distribution of price changes.² In particular, we assume that at an exogenous rate λ a firm receives an opportunity to adjust its price at no cost, as in a Calvo setup. The model has four fundamental parameters: the size of the menu cost relative to curvature of the profit function ψ/B , the volatility of idiosyncratic cost shocks σ^2 , the number of products n and the arrival rate of free adjustments λ .

The model yields four new theoretical results. First we characterize how the inaction set behaves as a function of the parameters. For a small menu cost ψ/B the model behaves as in [Barro \(1972\)](#), [Dixit \(1991\)](#) and [Goloso and Lucas \(2007\)](#): the size of the inaction set displays the usual high sensitivity (i.e. a “quartic root”) with respect to the cost and the volatility of the shocks σ^2 (the option value effect). Interestingly, the decision rule is unaffected by the presence of the free adjustments as long as the menu cost is small. The decision rule changes substantially for large menu costs, an assumption that is useful to generate behavior that approaches that of a Calvo model. In this case the size of the inaction set changes with the square root of the menu cost and the arrival rate, and somewhat surprisingly it becomes unresponsive to the volatility of idiosyncratic shock σ^2 , so that changes in the uncertainty faced by firms induce no change in behavior (i.e. there is no option value). This result can be used to analyze the effects of “uncertainty shocks” which have received a lot of attention recently, as in e.g. [Vavra \(2013\)](#). Second, the model provides a mapping between the cost of price adjustment and the model parameters: we give a complete analytical characterization of the menu cost implied by observable statistics such as the frequency and the variance of price changes. This mapping can be used to quantify a value of ψ/B consistent with the

²Absent random menu cost the multi-product model can at most produce a zero excess kurtosis.

evidence on the costs of price adjustment, as measured by e.g. [Levy et al. \(1997\)](#). It thus provides a new dimension to assess the plausibility of previous models, such as Calvo pricing, by inspecting the magnitude of their implied adjustment costs.

Third, by aggregating the optimal decision rules across firms we characterize the frequency $N(\Delta p_i)$, standard deviation $Std(\Delta p_i)$, and shape of the distribution of the price changes, e.g. its kurtosis: $Kur(\Delta p_i)$. We show that for any pair of parameters $\{n, \lambda\}$, the two remaining parameters $\{\psi/B, \sigma\}$ map one-to-one onto the observables $N(\Delta p_i), Std(\Delta p_i)$. This mapping is convenient for the analysis because it allows us to “freeze” the two observables $N(\Delta p_i)$ and $Std(\Delta p_i)$, which one can take from the data, while retaining the flexibility to accommodate various shapes for the size-distribution of price changes as well as various data on the cost of price adjustment. In particular, we show that the shape of the distribution of price changes can be written exclusively in terms of n and the fraction of free-adjustments $\ell \equiv \lambda/N(\Delta p_i)$. To summarize, the parameterization of the model can be thought as follows: the parameters ψ/B and σ are pinned down by the observations on $N(\Delta p_i), Std(\Delta p_i)$, while the parameters (n, ℓ) are pinned down by the shape of the distribution of price changes, e.g. by its kurtosis, and by the data on the costs of price adjustment. In our model the shape of the distribution of price changes ranges from bimodal (for the model where $\ell = 0$ and $n = 1$ as in the Golosov-Lucas model) to Normal (for $n = \infty$ and $\ell = 0$, our version of Taylor or [Reis \(2006\)](#)’s model), and Laplace (in the case $\ell = 1$ for any n , our version of the Calvo model). In those three models the kurtosis of price changes is, respectively, 1, 3 and 6. For any given ℓ the level of kurtosis is increasing in n . Likewise, for a given n the level of kurtosis is increasing in ℓ .³

Fourth, we use the model to characterize analytically the impulse responses of the aggregate economy to a once-and-for-all unexpected permanent increase of the money supply. The aggregate effect of a monetary shock depends on the shock size, the frequency, and the kurtosis of price adjustments. The dependence on the size of the shock is a hallmark of menu cost models: monetary shocks that are large (relative to the size of price adjustments) lead to almost all firms adjusting prices and hence imply neutrality. We provide a detailed analysis of the minimum size of the shock that delivers this neutrality (full price flexibility). Instead, small shocks yield real output effects whose size crucially depends on $N(\Delta p_i)$ as well as on the kurtosis of price changes, $Kur(\Delta p_i)$, a result that is new in the literature and was discussed in [equation \(1\)](#).⁴

Although the model assumes a zero steady-state inflation, we show analytically that a

³In our set-up a given kurtosis may be obtained by different combinations of n and ℓ , yet we argue that models with high n yield a better representation of the cross-sectional data because it eliminates the predominant mass of large price changes that arises in models where n is small.

⁴ Furthermore, our decomposition of the determinants of the real output effect shows how to measure and aggregate across heterogenous sectors, see [Appendix R](#).

small inflation has only a second order effect on both the kurtosis of the price changes, the frequency of price changes as well as on the cumulative real output effect. Hence the model can be applied to economies with a positive (but small) inflation rate, as observed in most industrialized economies.

Other related literature

In addition to the papers cited above, our analysis relates to a large literature on the propagation of monetary shocks in sticky price models, unifying earlier results that compare the propagation in the Calvo model with the propagation in either the Taylor or the menu cost model of sticky prices.⁵ We show that introducing a random adjustment costs serves a similar role as that of fat-tailed shocks in [Midrigan \(2011\)](#), increasing the real effect of monetary shocks and bringing the model behavior closer to a Calvo model (yet there are some differences, see the concluding remarks in [Section 5](#) for a discussion).

Our model is related to CalvoPlus model of [Nakamura and Steinsson \(2010\)](#) who consider firms facing idiosyncratic cost shocks as well as a menu cost that oscillates randomly between a high and a small value. In their model, like in ours, the random menu cost makes the adjustment decision state dependent, a feature that dampens substantially the real effect of monetary shocks relative to the Calvo model. Our paper also relates to the analysis of [Dotsey, King, and Wolman \(1999\)](#) who study numerically the propagation of shocks when firms face a menu cost that is drawn from a distribution with a smooth density, but face no idiosyncratic shocks and more recently the work by [Vavra \(2013\)](#).⁶ Given the numerical nature of these contributions, these papers do not provide an explicit map between the model fundamentals, the steady state statistics and the propagation of shocks. We see our results as complementary to theirs. Our model allows for an analytical characterization of the firm's decision rule, the economy's steady state statistics, the identification of the key model parameters, as well as a characterization of the relationship between these parameters/statistics and the size of the output effect of monetary shocks.

The paper is organized as follows: the next section presents the cross section evidence on price setting behavior for France and the US. [Section 3](#) presents the theoretical model and its cross section predictions: it is shown that the model has fundamentally four parameters and

⁵ A selected list is [Chari, Kehoe, and McGrattan \(2000\)](#), [Kiley \(2002\)](#), [Caballero and Engel \(2007\)](#), [Golosov and Lucas \(2007\)](#). [Chari, Kehoe, and McGrattan \(2000\)](#) and [Kiley \(2002\)](#) obtain that, controlling for the frequency of price changes, the response of output is stronger and more persistent under Calvo than under Taylor contracts. [Golosov and Lucas \(2007\)](#) compare a monetary shock in a menu cost and a Calvo model, with similar frequencies of price change, and find that the half-life of the response to the shock in the Calvo set-up is about five times larger than in the menu cost model.

⁶ [Dotsey, King, and Wolman \(2009\)](#) extend their previous contribution of a random menu cost model to incorporate idiosyncratic shocks.

we discuss the mapping between those and observable measures of price setting behavior. [Section 4](#) derives the model predictions on the effect of an unexpected monetary shock. [Section 5](#) discusses the robustness and scope of our main results.

2 The distribution of price changes: micro-evidence

A vast amount of research has investigated the patterns of price changes at the microeconomic level in the past decade. A recurring fact that emerges from those studies is that the size distribution of price changes exhibits a large amount of small price changes, as noted by [Klenow and Malin \(2010\)](#); [Cavallo \(2010\)](#); [Klenow and Kryvtsov \(2008\)](#); [Chen et al. \(2008\)](#) and [Midrigan \(2009, 2011\)](#) using selected samples of micro data from the US as well as many other industrial countries. This section revisits this evidence using a detailed dataset of price quotes underlying the French Consumer Price Index (about 65% of the CPI weights from 2003 to 2011). We discuss measurement error by comparing the CPI data with other sources, presumably less affected by measurement error. Finally, we compare our evidence with comparable evidence for the US.

Two issues that are investigated in detail concern heterogeneity and measurement error. Heterogeneity across type of goods and of outlets is pervasive in price data. A well known result is that a mixture of distributions with different variances and the same kurtosis will have a larger kurtosis. For this reason we standardize the data at levels at which we suspect there is heterogeneity in the variances and focus on the kurtosis of the pooled data. We define the standardized price changes, z , by demeaning and dividing by the standard deviation of price changes at fine cell levels. A cell is a category of good and of outlet type. We then compute the statistics for the pooled standardized data.⁷ The nature of the correction for measurement error is to compare the CPI statistics with data for similar goods and outlet types that are less affected by measurement error, as in the internet store scraped data from [Cavallo \(2010\)](#), and the scanner data sets used by [Midrigan \(2011\)](#), [Eichenbaum et al. \(2014\)](#) among others. We also analyze the effect of outliers by looking at the differential effect of trimming across datasets. The practice of normalizing the data as well as removing outliers has been used before, as in e.g. [Klenow and Kryvtsov \(2008\)](#); [Midrigan \(2009\)](#).

We find it useful to compare the empirical distribution of price changes to three parametric distributions ordered in terms of increasing frequency of “extreme” price changes: the binomial, the Normal, and the Laplace distribution. Our analysis shows that, after removing the (time invariant) cross section heterogeneity and correcting for measurement error, the size distribution of price changes still features a considerable mass of large as well as small

⁷The model of [Section 3](#) allows for sector (and/or good or outlet) heterogeneity and discusses aggregation.

price changes, relative to the binomial distribution implied by the standard menu cost model. Overall we conclude that, after taking into account heterogeneity and measurement error, the shape of the empirical distribution of price changes lays in between a Normal and a Laplace distribution. To quantify the presence of extreme price changes we focus on statistics that are informative about the shape of the size distribution, that are appropriate for symmetric, zero-mean, distributions and that are scale-free. These statistics measure the frequency of extreme (i.e. large and small) observations relative to the standard deviation of the distribution. Because of its prominent role in our theoretical analysis we will focus especially on kurtosis whose value, for the benchmark Binomial, Normal and Laplace distribution, is 1, 3 and 6 respectively.

2.1 The French microeconomic data underlying the CPI

The data are a longitudinal dataset of monthly price quotes collected by the INSEE in order to compute the French CPI, over the period 2003:4 to 2011:4.⁸ Each record relates to a precisely defined product sold in a particular outlet in a given month. It contains the price level of the product, as well as limited additional information such as an outlet identifier, an index (when relevant) for package size (say 1 liter) and flags indicating the presence of sales. The raw dataset contains around 11 million price quotes and covers about 65% of the CPI weights.⁹ The dataset also includes CPI weights, which we use to compute aggregate statistics. Price changes are computed as 100 times the log-difference in prices per unit. To minimize the presence of measurement errors we discarded observations with item substitutions (which might give rise to spurious price changes) and removed “outliers” which, in our baseline analysis, we defined as price changes whose absolute value is smaller than 0.1 percent, or larger than (about) 120 percent.¹⁰

An important issue with the data on price changes is the treatment of sales. The relevance of dealing with sales in analyzing price stickiness was emphasized by Nakamura and Steinsson (2008); Kehoe and Midrigan (2007) and Midrigan (2011) inter alia. The INSEE dataset contains an indicator variable that identifies whether a given observed price corresponds to a sales promotion discount (either seasonal sale or temporary discounts).¹¹ Price changes that


⁸The dataset is documented in details in Berardi, Gautier, and Le Bihan (2013).

⁹Some categories of goods and services are not available in our sample: fresh foods, rents, and prices centrally collected by the statistical institute - among which car prices and administered and public utility prices (e.g. electricity). Note that, while rents are out of our dataset, cost of owner-occupied housing is not incorporated in the French CPI, so the share of housing in the CPI is lower than in some other countries.

¹⁰Some sales involve large discounts, up to 70%, e.g. in clothing. The upper threshold $100 \cdot \log(10/3)$, which is about 120 percent log points, allows us to accommodate the after-sale price to return to the original level. See Appendix B for more information and several robustness checks.

¹¹The flag is documented by the field agent rather than constructed using a statistical filter. Baudry et al.

Figure 1: Histogram of Standardized Price Adjustments: French CPI 2003-2011



The figures use the elementary CPI data from France (2003-2011). Price changes are the log difference in price per unit, standardized by good category (272) and outlet type (11) and pooled. Price changes equal to zero are discarded. The upper panel uses about 1.5 million data points, the lower panel about 1.1 million.

result from sales (including price changes from a sales price to a regular one) account for approximately 17% of all the price changes. Overall, the incidence of sales on the frequency of price change is less important than in the US where according to Nakamura and Steinsson (2008) the share of price change due to sales is 21.5%. In the following, as a robustness check, we report results both with and without sales observations.

We now document the patterns on the peakedness and thick tails of the distribution of price changes. As those patterns vary considerably across sectors and outlet types, a concern already mentioned is that a large variance and kurtosis of price changes may essentially reflect that observations of price changes are drawn from a mixture of distributions, and thus may be artefacts. We consider a breakdown of the data into J “cells”, where each cell is defined by a good category and outlet type (for instance, one cell will be bread in supermarkets). We will here use the finest partition possible in our data (each cell is a COICOP category at the 6-digit level in an outlet type) and have around 1,500 cells.¹² In each cell j the standardized price change at date t for good i is defined as $z_{jit} = (\Delta p_{jit} - m_j) / \sigma_j$ where m_j and σ_j are the mean and standard deviation of price changes in cell j , and price changes equal to zero are disregarded (index i reflects that there is typically more than one store or good type per cell

(2007) investigate the extent of “undetected” sales and conclude this is a limited concern.

¹²There are 11 outlet types and 272 CPI categories. Not every category of good is sold in every outlet type so there are about half of the potential 2,992 cells.

e.g., different types of bread or different stores selling bread in the sample at a given date).

Figure 1 is a weighted histogram of the standardized price changes. On the same graph we superimpose the density of the standard Normal distribution as well as the standardized Laplace distribution (both have unit variance). The Laplace distribution has a kurtosis of 6 and is thus more peaked than the Normal. It is apparent that the empirical distribution of standardized price changes is closer to the Laplace distribution than to the Normal.¹³ We also consider the statistic $\mathbb{E}[|\Delta p_i|]/Std(\Delta p_i)$ as a (reverse) measure of the frequency of extreme price changes. The main difference of this statistic with respect to kurtosis is that it is less sensitive to extreme outliers. For the Binomial, Normal and Laplace distributions the reference values for this statistic are: 1, 0.80 and 0.70.

Table 1 reports the frequency of price changes as well as selected moments of the distribution of price changes. The frequency of price change is around 17% per month, or about 2 price changes per year. The fraction of price decreases among price changes is around 40%. The average *absolute* price change (not reported in the table) is sizable (9.2%), as is the standard deviation of price changes (16.6%). These patterns match those documented by [Alvarez et al. \(2006\)](#) for the Euro area. With the qualification that the frequency of price changes is typically found to be smaller in the Euro area than in the US, they also broadly match the US evidence by e.g. [Nakamura and Steinsson \(2008\)](#). The kurtosis and peakedness of the distribution of price changes have not been quantitatively documented so far on European data. The kurtosis of non-standardized price changes is very high: 12.8. This level of kurtosis is of same order of magnitude as that documented by [Klenow and Malin \(2010\)](#) for the US. As argued above, a high kurtosis is likely the consequence of a mixture of observations taken from distributions with different variances. Considering the standardized price changes, i.e. correcting for cross-section heterogeneity in the variances, reduces kurtosis to 8.9 (also, kurtosis is halved on data excluding sales). Unfortunately the information available in the CPI data prevents us from correcting heterogeneity at a finer level (e.g., we do not know the UPC of the product or the store where it is sold). In other databases where more information is available the reduction in the measured kurtosis is even more prominent, as shown using US scanner dataset in [Appendix B.1](#). It is shown that kurtosis falls by another 30 to 40% when moving to the product-store level.

The fraction of extreme (small or large) price changes is noticeable. The fraction of absolute standardized price changes lower than one fourth of the mean is 22.2 percent. Also 12.9 percent of absolute normalized price changes are larger than 2 times the mean of the absolute standardized price change. Overall, it appears that these figures are very close to the

¹³In [Appendix B.2](#) we provide similar histograms by groups of good at a disaggregated level. Most of them have the same pattern as [Figure 1](#), that is a distribution that is more peaked than the gaussian, and often more peaked than the Laplace.

Table 1: Selected moments from the distribution of price changes

	Data		Benchmarks	
	all records	exc.sales	Normal	Laplace
Frequency of price changes	17.1	14.7		
Fraction of price changes that are decreases	39.2	35.7		
Moments for the size of price changes: Δp_i				
Average	0.3	1.1		
Standard deviation	16.6	8.0		
Kurtosis	12.8	20.9		
Moments of standardized price changes: z				
Kurtosis	8.89	10.40	3	6
Moments for the absolute value of standardized price changes: $ z $				
Average: $\mathbb{E}(z)$	0.70	0.69	0.80	0.70
Fraction of observations $< 0.25 \cdot \mathbb{E}(z)$	22.2	20.7	15.8	22.1
Fraction of observations $< 0.5 \cdot \mathbb{E}(z)$	39.3	38.6	31.0	39.4
Fraction of observations $> 2 \cdot \mathbb{E}(z)$	12.9	12.5	11.1	13.5
Fraction of observations $> 4 \cdot \mathbb{E}(z)$	1.8	2.0	0.0	1.8
Number of obs. with $\Delta p_i \neq 0$	1,544,829	1,080,183		

Source is INSEE, monthly price records from French CPI, data from 2003:4 to 2011:4. Coverage is around 65% of CPI weight since rents, and prices of fresh food and centrally collected items (e.g. electricity, train and airplane tickets) are not included in the dataset. Frequency of price change is the average fraction of price changes per month, in percent. Size of price change is the first-difference in the logarithm of price per unit, expressed in percent. Observations with imputed prices or quality change are discarded. Observations outside the interval $0.1 \leq |\Delta p_i| \leq 100 \cdot \log(10/3)$ are removed as outliers. “Exc. sales” exclude observations flagged as sales by the INSEE data collectors. Moments are computed aggregating all prices changes using CPI weights at the product level. The third and fourth panels report moments for the standardized price change $z_{ijt} = \frac{\Delta p_{ijt} - m_j}{\sigma_j}$ where m_j and σ_j are the mean and standard deviation of price changes in category j (see the text). The Normal and Laplace distributions used in the last two columns have a zero mean and standard deviation equal to one.

ones that would be produced by a (standardized) Laplace distribution. Consistently, the size of the average absolute standardized price change in the data is equal to 0.70, the same value that obtains for the statistic $\mathbb{E}[|\Delta p_i|]/Std(\Delta p_i)$ if Δp_i follows a Laplace distribution. There is a mass of large price changes, say larger than 4 standard deviations, that are virtually absent in the Gaussian case.

Removing sales has a large effect on the variance of price changes, as indicated by the results reported in the second column of Table 1.¹⁴ However, removing sales does not affect our findings on the peakedness of the distribution. Kurtosis actually increases when sales

¹⁴We remove the observations flagged as sales as well as the subsequent increase back to the “regular” price. To compute the standardized non-sales price changes, we first discard sales-related observations, then standardize the data.

observations are removed both in the raw data as well as in the standardized data. This is also visible in the right panel of [Figure 1](#) which plots the distribution of standardized (ex-sales) price changes.

2.2 Measurement error and the estimation of kurtosis

In this section we discuss evidence on the magnitude of both very large and very small price changes due to measurement error, and discuss its effect on measures of kurtosis. [Eichenbaum et al. \(2014\)](#) warned that the small price changes recorded in the data may reflect measurement error. [Appendix B.3](#) explores the concerns raised by [Eichenbaum et al. \(2014\)](#) and concludes that they also apply to the French data, albeit to a lesser extent. We analyze here the consequences of one particular type of measurement error and derive a simple correction for kurtosis. We show that a small amount of this measurement error, inconsequential for measuring the aggregate the cost of living, may have sizeable consequences for the measurement of the descriptive statistics displayed in [Table 1](#), such as kurtosis, and suggest a procedure to correct for it.

Let the observed price changes Δp_m be given by a mixture of two distributions:

$$\Delta p_m = \begin{cases} \Delta p_u & \text{with prob. } \zeta \\ \epsilon & \text{with prob. } 1 - \zeta \end{cases}$$

where we interpret ϵ as measurement error and Δp_u as a “true” price change. This assumption aims to capture that, even at the finest level of disaggregation, some price changes in the CPI data are the consequence of small product substitutions (e.g. different brands for a given good being recorded) which do not reflect an actual change in the good’s price. Likewise, in scanner dataset, spuriously small price changes may originate from the weekly nature of the prices being recorded, which e.g. averages customers with and without discount coupons. Assume the distribution of Δp_u has standard deviation σ_u and kurtosis k_u . Likewise the distribution of ϵ has standard deviation σ_e and kurtosis k_e . Both distributions are assumed to have zero expected value. One interpretation is that quality changes (not recorded by the statistical office) generate “artificial” price changes. We assume that these price changes are small, i.e. that σ_e is small, and that the process for the unreported change in quality is independent of the “true” changes in prices. The kurtosis of the observed price changes, $Kur(\Delta p_m)$, is then equal to: $Kur(\Delta p_m) = k_u \frac{\zeta \sigma_u^4 + (k_e/k_u) \sigma_e^4}{\zeta^2 \sigma_u^4 + (1-\zeta)^2 \sigma_e^4 + 2\zeta(1-\zeta) \sigma_e^2 \sigma_u^2}$. Letting σ_e go to zero we obtain that kurtosis measured over the (observed) price changes is: $\lim_{\sigma_e \downarrow 0} Kur(\Delta p_m) = k_u/\zeta$. Thus, if the sample includes a fraction ζ of true price changes and the rest are spuriously imputed small price changes the kurtosis will increase by a factor $1/\zeta$, relative to the kurtosis of the

true distribution.¹⁵ The limit $Kur(\Delta p_m) = k_u/\zeta$ suggests to quantify ζ by comparing the observed kurtosis across a sample with measurement error and one without. We now turn to addressing this issue empirically.

We match a subset of our French CPI data with the prices for several French retailers taken from the Billion Price Project (BPP) dataset (see Cavallo (2010)). The BPP data are “scraped” on-line, thus they are arguably less contaminated by measurement errors.¹⁶ We compare the results obtained using the scraped BPP data from two large retailers with our results based on the CPI data for a similar type of outlet: to this end we restrict our dataset to CPI price records in “hypermarkets”, excluding gasoline. We also compare with the BPP data from a large French retailer specialized in electronic and appliances. In that case we restrict the CPI dataset to goods in the category of appliances and electronic using the Coicop nomenclature, collected in outlets type “hypermarkets”, “supermarkets”, and “large area specialists”. Comparing the values of kurtosis from both data sets suggests that $\zeta \cong 0.5$. We can apply this magnitude to the full sample of CPI data of Table 1, for which no “measurement error-free” counterpart like the BPP exists, to obtain a corrected kurtosis. The number thus obtained for the kurtosis ranges between 4 and 5 (using the kurtosis of 8.9 of standardized price changes), so it lays in between the kurtosis of the Normal and the Laplace distribution.

Sensitivity to trimming. To assess the hypothesis that large price changes are due to measurement error we compare the differential effect on kurtosis of trimming large (absolute value) price changes in CPI vs trimming them in scanner data. For the French CPI we find that excluding (log percent) price changes for which $|\Delta p_i| \geq 100 \log(2)$, instead of just excluding those that are $|\Delta p_i| \geq 100 \log(10/3)$, decreases kurtosis from 8.9 to 7.2 (see lines 4 and 8 of Table 6). We interpret this as evidence of measurement error under the hypothesis that large price changes in the CPI are due to transcription data errors, which are virtually absent in internet scraped data.¹⁷ Similar evidence on the effects of trimming using US scanner data is presented in the next section.

¹⁵Under this interpretation the number of measured price changes, denoted by N_{am} will be higher than the number of true price changes per unit of time, say N_{au} . Let’s denote N_{ae} the expected number of incorrectly imputed price changes. We have: $N_{am} = N_{au} + N_{ae} = \zeta N_{am} + (1 - \zeta)N_{am}$. Thus if we have two estimates of $Kur(\Delta p_i)$ and of $N(\Delta p_i)$ and we assume that one has no measurement error and the other has a fraction ζ of small imputed price changes as described above, can estimate ζ using either the ratio of the two estimates of kurtosis or the ratio of the two estimates of the number of price changes per unit of time.

¹⁶ We are extremely grateful to Alberto Cavallo for sharing part of his data with us.

¹⁷In the French CPI we have observed cases where a single large price change which reverts to its original value, which corresponds to consecutive prices that are equal except for the transposition of a digit, which is almost surely a clerical error.

Table 2: Comparison of the CPI vs. the BPP data in France

Statistic	BPP retailer 1	BPP retailer 5	CPI Hypermarkets	BPP retailer 4	CPI Large ret. electr.
duration (months)	8.58	8.06	4.82	6.44	7.24
Statistics for standardized price changes: z					
mean $ z $	0.71	0.70	0.65	0.78	0.70
% below 0.5 mean $ z $	37.8	40.9	45.5	29.2	41.7
% below 0.25 mean $ z $	17.5	25.3	26.2	15.3	23.1
kurtosis of z	5.5	4.3	10.1	2.8	6.3

Note: The BPP data are documented in [Cavallo \(2010\)](#). Results were communicated by the author. For CPI data source is INSEE, monthly price records from French CPI, data from 2003:4 to 2011:4. Sub-sample in column (3) is price records in outlet type “hypermarkets”. Sub-sample in column (5) is goods in the category of appliances and electronic, as identified using the Coicop nomenclature, collected in the following outlets type: “hypermarkets”, “supermarkets”, and “large area specialists”. Data are standardized within each subsample using Coicop categories.

2.3 A comparison with the US data


This section compares the French evidence with the US evidence presented, respectively, in [Klenow and Kryvtsov \(2008\)](#) and in the scanner data used by [Eichenbaum, Jaimovich, and Rebelo \(2011\)](#), as well as other scanner datasets. [Figure 2](#) plots four histograms: two are price changes from the US and French CPI data, while the other two are theoretical benchmarks. The first one (in red) is the distribution of standardized (weighted) price changes (excluding sales) for the US based on [Figure 3 of Klenow and Kryvtsov \(2008\)](#).¹⁸ Since the distribution is truncated at -3 and +3, its standard deviation is 0.83 instead of 1. Its kurtosis is 6.95. The second histogram (in blue) is the distribution of the standardized price changes (excl. sales) for the French CPI, constructed using the trimming criteria used for the US. This distribution has a standard deviation 0.95 and a kurtosis of 4.42. The smaller standard deviation and much smaller kurtosis than in [Table 1](#) are due to the discretization and truncation. To see the effect of these treatment of the data, note that [Klenow and Malin \(2010\)](#) report a kurtosis of 10 for posted prices and 17.4 for regular prices, without discretizing, censoring, or standardizing the data. For comparison [Vavra \(2013\)](#) finds that after trimming the data in a way similar to our treatment of the French data, but without standardizing it, the kurtosis of US CPI price changes is 6.4. On the other hand, Vavra finds that the kurtosis of standardized price changes is 4.9.¹⁹ The figure also reports the standardized Normal and Laplace distri-

¹⁸The histogram has twenty four bins, spaced every 0.25 units, of the distribution of standardized regular price changes (excl. sales). The standardization was done by ELI, the narrowest categories of goods. After standardization the distributions are weighed according to the CPI weight.

¹⁹See [Table IV](#) and footnote 6 of [Vavra \(2013\)](#) for the specifics on the trimming. We thank Vavra for providing this statistics which is not available in his paper.

butions (discretized and truncated). The main message of [Figure 2](#) is that the histogram of standardized, non-sales, price change are rather similar in France and the US. Furthermore, in both cases the shape is closer to that of a Laplace distribution than to a Gaussian one (and consistently with previous sub-section, in both cases we conjecture measurement error explains why these distributions are actually more peaked than the Laplace).

Figure 2: Histogram of Standardized Price Adjustments: US and French CPI



Sales data are excluded. Data for France are from the CPI as in [Figure 1](#). The CPI data for the US are taken from Figure 3 in [Klenow and Kryvtsov \(2008\)](#). Price changes equal to zero are discarded.

[Table 3](#) provides a further comparison based on datasets presumably less subject to measurement errors. For France we use data from the BPP, and those from hypermarkets in the CPI dataset. For the US we use the scanner data evidence reported by [Eichenbaum, Jaimovich, and Rebelo \(2011\)](#), [Midrigan \(2011\)](#), as well as our own analysis of the Symphony-IRI scanner dataset. As reflected by the summary statistics, the distribution is somewhat more peaked in France; for instance the kurtosis is 5 in the BPP against values between 3 and 4 in US scanner datasets described below. Overall, we find that the share of small price changes is non-negligible in both countries. For completeness we report complementary evidence taken from scanner data sets, described in more detail in the online [Appendix B.1](#). While generally immune to measurement errors due to transcription and product substitutions, even scanner price data are affected by measurement error since they report average weekly prices for an item, so that observed prices are an average of prices paid by customers with and without discounts. We hypothesize, as [Midrigan \(2011\)](#) and [Eichenbaum et al.](#)

(2014) among others, that the weekly averaging introduces spurious small price changes. The EJR column of Table 3 uses the data from Eichenbaum, Jaimovich, and Rebelo (2011): after standardizing at the good-store level and removing very extreme price changes (smaller than 0.1% or larger than 120% (log points) as in our benchmark for France), yields a kurtosis of 3.0. Alternatively, trimming price changes smaller than one dollar cent, certainly due to measurement error, the kurtosis falls little below the one of the Normal. Likewise, using the larger Symphony-IRI dataset (see Bronnenberg, Kruger, and Mela (2008)), shows that removing extreme price changes and standardizing the data reduces kurtosis from a level of about 30 to 4.3. Finally, we notice that the effect of extreme price changes on the measurement of kurtosis is also present in the CPI. For the French CPI excluding (log percent) price changes for which $|\Delta p_i| \leq 1$ as opposed to only excluding those price changes for which $|\Delta p_i| \leq 1/10$, reduces kurtosis from 7.2 to 6.3 (see lines 4 vs 11 of Table 6). For the Norwegian CPI Wulfsberg (2010) finds that kurtosis is also sensitive to both large and small price changes, removing the 1 and 99 percentiles decreases kurtosis from 8.1 to 5.7.

Table 3: Comparison across datasets for large Hypermarkets in France and the US

	France		US (scanner data)		
	CPI	BPP	EJR	Symphony IRI	Midrigan (2009)
Statistics for standardized price changes: z					
mean of $ z $	0.65	0.70	0.78	0.73	-
% below 0.50 mean $ z $	45	39	33	39	29
% below 0.25 mean $ z $	24	21	23	25	13
kurtosis of z	10	5	3.0	4.3	3.5

All price changes including sales. The BPP statistics for France are an average of the ones reported in Table 2. The EJR scanner data are from Eichenbaum, Jaimovich, and Rebelo (2011), the IRI scanner data are from the Symphony-IRI database described in Appendix B.1. For both scanner data sets individual observations are average weekly prices. We remove price changes outside the interval $0.1 \leq |\Delta p_i| \leq 100 \cdot \log(10/3)$ and standardize the data at the good (upc) store level (see Appendix B.1). The data from Midrigan (2009) are taken from his Table 1 and 2b, using simple averages of the AC Nielsen and Dominick’s scanner data. Midrigan standardizes price changes by dividing by the mean absolute value of the price changes at the product-store-month level. He also removes price changes smaller than 1 cent or larger than 100%.

Overall we conclude that, after accounting for heterogeneity and measurement error, the presence of both small and large price changes appears relevant in France as well as in the US. The shape of the standardized empirical distribution of price changes lays in between a Normal and a Laplace distribution. The distribution appears close to a Normal in the US and closer to Laplace in France. We summarize the results of this section by stating that the standardized distribution of price changes, after taking measurement error and heterogeneity into account, has kurtosis of about 4 for US and of about 5 for France.

3 A tractable menu cost model

This section presents a menu cost model aimed at qualitatively matching the patterns documented above. In the canonical menu cost model price adjustments occur when a threshold is hit, so that the implied distribution of price changes fails to generate the small changes that appear in the data (see the discussion in [Midrigan \(2011\)](#); [Cavallo \(2010\)](#); [Alvarez and Lippi \(2014\)](#)). The model that we propose here is able to produce a large mass of small price changes and the positive excess kurtosis that we documented above. Two ingredients are key to this end: (i) the random menu costs and that (ii) the menu cost faced by the firm, ψ , applies to a bundle of n goods, so that after paying the fixed cost the firm can reprice one or all goods at no extra cost. Each of these assumptions individually is capable to generate some small price changes and higher kurtosis than in a canonical model where $n = 1$ and where menu costs are constant. The assumption of random menu costs is key to generate a positive excess kurtosis in the distribution of price changes. The combination of the two is important: in the models where $n = 1$ (with or without random menu costs) the distribution of price changes has a mass point at the adjustment threshold, a feature that is in stark contrast with the evidence discussed above. The prominence of “large” price changes (i.e. a “U shaped” distribution) persists even in a model with $n = 2$, as in [Midrigan \(2011\)](#) where the distribution of price changes asymptotes near the adjustment threshold, or $n = 3$ as in [Bhattarai and Schoenle \(2014\)](#). We show below that in order to generate a shape of the size distribution that is comparable to the one in the data one needs $n \geq 6$.

3.1 A random menu cost problem for a firm selling $n = 1$ good.

Consider a firm whose profit-maximizing price at time t , $p^*(t)$, follows the process $dp^*(t) = \sigma dW(t)$ where $W(t)$ is a standard brownian motion with no drift, and σ is the standard deviation of the iid innovations to p^* . The technology to change prices is as follows: to change the price at will the firm needs to incur a fixed menu cost of size ψ . However, with some probability the firm receives an opportunity to adjust the price “for free”. Assume this probability is Poisson, i.e. that the free-adjustments have a constant hazard rate per unit of time, equal to λ . Let $p(t)$ denote the “price gap” at time t , i.e. the difference between the actual sale price $P(t)$ and the profit maximizing price $p^*(t)$, i.e. $p(t) \equiv P(t) - p^*(t)$. The instantaneous firm losses (i.e. reduction in profits) created by the price gap are given by the quadratic function: $B p^2(t)$. Let $V(p)$ be the present-value cost function for a firm with price gap p . Upon the arrival of a free adjustment opportunity the firm optimally resets the price

gap to zero, hence the Bellman equation for the range of inaction reads:

$$r V(p) = Bp^2 + \lambda [V(0) - V(p)] + \frac{\sigma^2}{2} V''(p), \quad \text{for } p \in (-\bar{p}, \bar{p}),$$

where \bar{p} is the threshold rule defining the region where inaction is optimal (see [Appendix O](#) for the calculations of this section). This equation states that the flow value of the Bellman equation is given by the instantaneous losses, Bp^2 , plus the expected change in the value function, which is due either to a free adjustment (with rate λ in which case the price gap is reset to zero) or to the volatility of shocks σ^2 (there is no first order derivative of the value function since the price gaps have no drift). The value-matching and smooth-pasting conditions are given by $V(\bar{p}) = V(0) + \psi$ and $V'(\bar{p}) = 0$. Two properties of the optimal threshold \bar{p} are worth noticing (proved later for any n): the value function, and the optimal decision rules, are a function of $\lambda + r$, as opposed to each of them separately. Intuitively this is because when a free adjustment opportunity occurs the price gap is adjusted, so that λ acts as an addition to the discount factor. Second, for a small value of ψ/B or a small value of $\lambda + r$, the value of \bar{p} is insensitive to $\lambda + r$. More precisely, the derivative of \bar{p} with respect to $\lambda + r$ is zero as ψ/B or $\lambda + r$ tend to zero. A Taylor expansion of the value function yields the following approximate optimal threshold $\bar{p} = \left(\frac{6\psi\sigma^2}{B}\right)^{\frac{1}{4}}$ which is accurate when ψ/B is small.²⁰

Computing the expected time between adjustments yields an expression for the average number of adjustments per period, $N(\Delta p_i)$, which we use to measure the fraction of free adjustments over the total number of adjustments, a variable we call ℓ , as

$$\ell \equiv \frac{\lambda}{N(\Delta p_i)} = \frac{e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}} - 2}{e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}}} \in (0, 1) \quad \text{where we define} \quad \phi \equiv \frac{\lambda \bar{p}^2}{\sigma^2}$$

which shows that the fraction of free adjustments ℓ depends only on the parameter ϕ . The parameter ϕ can be interpreted as the ratio between λ , the number of free adjustments, and σ^2/\bar{p}^2 , the number of adjustments in a model where $\lambda = 0$ and the threshold policy \bar{p} is followed.

The distribution of price changes $w(\Delta p_i)$ is symmetric around $\Delta p_i = 0$. This distribution has a mass point at $\Delta p_i = \pm \bar{p}$ with probability $1 - \ell$, i.e. this is the fraction of price changes that occurs because the price gap reaches the boundaries of the inaction region. The remaining fraction of price changes, ℓ , occurs when a free adjustment opportunity arrives, at which time the price gap is set to zero. Price changes in the range $p \in (-\bar{p}, \bar{p})$ have a density

²⁰ Exactly the same expression was established by [Barro \(1972\)](#) and [Dixit \(1991\)](#) for the case in which $\lambda = 0$. Below we discuss an approximate threshold for the case in which ψ is large.

$\ell g(p)$ where $g(p)$ denotes the density of the invariant distribution of price gaps given by

$$g(p) = \frac{\sqrt{2\phi}}{2\bar{p}(e^{\sqrt{2\phi}} - 1)^2} \left(e^{\sqrt{2\phi}(2 - \frac{|p|}{\bar{p}})} - e^{\sqrt{2\phi}\frac{|p|}{\bar{p}}} \right) \quad \text{for } p \in [-\bar{p}, \bar{p}] . \quad (2)$$

Thus the distribution of price changes is given by

$$\begin{cases} \Pr(\Delta p_i = -\bar{p}) = \Pr(\Delta p_i = \bar{p}) &= \frac{1}{2}(1 - \ell) \\ \Pr(\Delta p_i \in dp) &= \ell g(p)dp \equiv w(\Delta p_i)dp \quad \text{for } p \in (-\bar{p}, \bar{p}) \end{cases}$$

which is a symmetric “tent shaped” distribution in the $(-\bar{p}, \bar{p})$ interval with the two mass points at the boundaries $\pm\bar{p}$. As detailed below the kurtosis of this distribution is increasing in λ , and in particular the distribution of price changes is more peaked than that of a standard menu cost model where $\lambda = 0$.

We make two remarks about this simple model which will hold, and be generalized, in the more general model developed next. The first one is that the shape of the distribution of price changes depends *only* on the fraction of free adjustments ℓ (or, equivalently, on ϕ). This means that two economies, or sectors, that differ in the standard deviation of price changes $Std(\Delta p_i)$ and/or in the frequency of price adjustment $N(\Delta p_i)$ will display a distribution of price changes with exactly the same shape (once its scale is adjusted) provided that they have the same value of ℓ . This property is useful to aggregate the sectors of an economy that are heterogenous in their steady state features $N(\Delta p_i)$, $Std(\Delta p_i)$. Because of this property the ratio of moments from the size distribution of price changes, such as kurtosis, are scale free and can be used to retrieve information on ϕ . The second property, which we state here and prove below for the more general economy, is that the “shape” of the impulse response function of this economy to a (once and for all) monetary shock depends *only* on ℓ . We will show how one can simply scale (or relabel) one or both axes of an impulse function to analyze economies with the same ℓ that differ in either $N(\Delta p_i)$ or $Std(\Delta p_i)$.

3.2 Extending the model to multi-product firms

This section incorporates the model with free adjustment opportunities discussed above into the model of [Alvarez and Lippi \(2014\)](#) where the firm is selling n goods, so that p is now a vector in \mathbb{R}^n , but pays a single fixed adjustment cost to change the n prices. We incorporate this feature for several reasons. First, as explained above, in the model with $n = 1$ good there is a mass point on price changes of size $|\Delta p_i| = \bar{p}$. For $n = 2$ the mass point disappears but the distribution of price changes still features the largest mass of observations (the highest density) near the adjustment thresholds. There is no evidence of this in any data set we can

find. Values of $n \geq 3$ eliminate this problem. Second, the model with $\lambda = 0$ has a kurtosis that increases with n , hence providing an alternative to random menu costs. Third, for large n and $\lambda = 0$ the distribution of price changes tends to the Normal distribution, which is both a nice benchmark and an accurate description of the price changes for some sectors. Finally, the multi-product model with ($n > 1$) has an alternative, broader, “rational inattentiveness” interpretation for the adjustment cost ψ . In particular, one can assume that the firm freely observes its total profits but not the individual ones (for each product), unless it either pays the cost ψ or a free observation opportunity arrives, in which case it is able to set the optimal price to each of them. This is useful because it allows a broader interpretation of the menu cost, including not only the physical cost of changing prices but also the cost related to gathering and processing the information for individual products.²¹

We now briefly describe the setup of the firm problem with n products. As before the free adjustment opportunities are independent of the driving processes $\{W_i(t)\}$ for price gaps, and arrive according to a Poisson process with constant intensity λ . In between price adjustments each of the price gaps evolves according to a Brownian motion $dp_i(t) = \sigma dW_i(t)$. It is assumed that all price gaps are subject to the same variance σ^2 and that the innovations are independent across price gaps.²²

We assume that, when the opportunity arrives, the firm can adjust all prices without paying the cost ψ . The analysis of the multi product problem can be greatly simplified by using the sum of the squared price gaps, $y \equiv ||p||^2$ as a state variable, instead of the vector $p = (p_1, \dots, p_n)$, as done in [Alvarez and Lippi \(2014\)](#). The scalar y summarizes the state because the period objective function can be written as a function of it and because, from an application of Ito’s lemma, one can derive a one dimensional diffusion which describes its law of motion, namely

$$dy = n\sigma^2 dt + 2\sigma\sqrt{y}dW$$

where W is a standard Brownian motion.

Using $N(\Delta p_i)$ and $Var(\Delta p_i)$ to denote the frequency and the (cross sectional) variance of the price changes of product i the next proposition establishes a useful relationship that holds in a large class of models for *any policy* for price changes, which we describe by a stopping time rule:

²¹As an example, see [Chakrabarti and Scholnick \(2007\)](#) who argue that for stores as Amazon or Barnes and Noble physical menu cost are small, yet prices change infrequently, and thus conclude that the cost may be of a different nature. Interestingly, they find that for such retailers price changes are synchronized across products, which is an implication of the multi-product model.

²²[Alvarez and Lippi \(2014\)](#) discuss the case with correlated price gaps. Intuitively, as correlation increase the model becomes more similar to the $n = 1$ case, since the price changes of a firm become more similar.

Proposition 1 *Let τ describe the time at which a price change takes place, so that all price gaps are closed. Assume the stopping time treats each of the n price gaps symmetrically. For any finite stopping time τ we have:*

$$N(\Delta p_i) \cdot \text{Var}(\Delta p_i) = \sigma^2 . \quad (3)$$

The proposition highlights the trade-off for the firm's policy: more frequent adjustments are required to have smaller price gaps. We underline that [equation \(3\)](#) holds for any stopping rule, not just for the optimal one. See [Appendix A](#) for the proof, where the reader can verify that the key assumptions are the random walks and symmetry; indeed [equation \(3\)](#) holds for a larger class of models, for instance those with correlated price gaps and a richer class of random adjustment cost.

Upon the arrival of a free adjustment opportunity the firm will set the price gap to zero, hence the Bellman equation for the range of inaction reads:

$$r v(y) = B y + \lambda [v(0) - v(y)] + n\sigma^2 v'(y) + 2\sigma^2 y v''(y), \quad \text{for } y \in (0, \bar{y}) , \quad (4)$$

where $B y$ is the sum of the deviation from the optimal profits from the n goods.

We note that given the symmetry of the problem after an adjustment of the n prices the firm will set each of the price gap to zero, i.e. will set $\|p\|^2 = y = 0$. The value matching condition is then $v(0) + \psi = v(\bar{y})$, which uses that when y reaches a critical value, denoted by \bar{y} , by paying the fixed cost ψ the firm can change the n prices. The smooth pasting condition is $v'(\bar{y}) = 0$.

The next lemma establishes how to solve for \bar{y} using the solution of a simpler problem where $\lambda = 0$ discussed in [Alvarez and Lippi \(2014\)](#). It turns out that a simple change of variables allows us to use the solution for the case of $\lambda = 0$ to compute the solution for the case of interest in this paper. The change of variables consists in using $r + \lambda$ as the interest rate in the solution of the problem with $\lambda = 0$. We have:

Lemma 1 *Let $v(y; r, \lambda)$ and $\bar{y}(r, \lambda)$ be the optimal value function and adjustment threshold for a problem with discount rate r and arrival rate λ . Then $v(y; r, \lambda) = v(y; r + \lambda, 0) + \frac{\lambda}{r} v(0; r + \lambda, 0)$ for all $y \geq 0$ and thus $\bar{y}(r, \lambda) = \bar{y}(r + \lambda, 0)$.*

The proof of this lemma follows immediately from a guess and verify strategy. The lemma allows us to use the characterization of \bar{y} with respect to r given in Proposition 4 of [Alvarez and Lippi \(2014\)](#) to study the effect of $r + \lambda$ on \bar{y} . In [Appendix F](#) we write the analytical solution for the value function, and give more details on it. The next proposition summarizes that result and extends the characterization of the optimal threshold to the case where ψ

is large, a case that is useful to understand the behavior of an economy with a lot of free adjustments opportunity as in a Calvo mechanism (see [Appendix A](#) for the proof).

Proposition 2 *Assume $\sigma^2 > 0$, $n \geq 1$, $\lambda + r > 0$ and $B > 0$, and let \bar{y} be the threshold for the optimal decision rule. We then have that:*

1. *As $\psi \rightarrow 0$ then $\frac{\bar{y}}{\sqrt{2(n+2)\sigma^2\frac{\psi}{B}}} \rightarrow 1$ or $\bar{y} \approx \sqrt{2(n+2)\sigma^2\frac{\psi}{B}}$.*
2. *As $\psi \rightarrow \infty$ we have $\frac{\bar{y}}{\psi} \rightarrow (r + \lambda)/B$ or $\bar{y} \approx \frac{\psi}{B}(r + \lambda)$. Moreover this also holds for large n and large $\frac{\psi}{n}$, namely $\lim_{\psi/n \rightarrow \infty} \lim_{n \rightarrow \infty} \frac{\bar{y}/n}{\psi/n} = (r + \lambda)/B$ or $\frac{\bar{y}}{n} \approx \frac{\psi/n}{B}(r + \lambda)$.*

The proposition shows that \bar{y} is approximately constant with respect to λ for small values of ψ , so that for small menu costs the result is the well known quartic root formula (recall that y has the units of a squared price gap) and the inaction region is increasing in the variance of the shock, due to the higher option value. Interestingly, and novel in the literature, the second part of the proposition shows that for large values of the adjustment cost the rule becomes a square root and that the optimal threshold does not depends on σ , which shows that for large adjustment costs the option value component of the decision becomes negligible. Moreover, when the menu costs are large the threshold \bar{y} is increasing in λ : the prospect of receiving a free adjustment tomorrow increases inaction today.

We now turn to the discussion of the model implications for the frequency of price changes. We let $N(\Delta p_i)$ be the expected number of adjustments per unit of time of a model with a given λ and \bar{y} . We establish the following (see [Appendix A](#) for the proof):

Proposition 3 *Let Γ denote the gamma function. The fraction of free adjustments is $\ell = \lambda/N(\Delta p_i)$, where*

$$\ell = \frac{\sum_{i=1}^{\infty} \frac{\Gamma(\frac{n}{2})}{i! \Gamma(\frac{n}{2}+i)} \left[\frac{n}{2}\right]^i \phi^i}{\sum_{i=0}^{\infty} \frac{\Gamma(\frac{n}{2})}{i! \Gamma(\frac{n}{2}+i)} \left[\frac{n}{2}\right]^i \phi^i} \equiv \mathcal{L}(\phi, n), \text{ where } \phi \equiv \frac{\lambda \bar{y}}{n \sigma^2} \quad (5)$$

The proposition shows that ℓ is a function only of two variables: n and ϕ , and that it is increasing in ϕ . As was the case for the model with $n = 1$, the parameter ϕ can be interpreted as the ratio between λ , the number of free adjustments, and $n\sigma^2/\bar{p}^2$, the number of adjustments in a model where $\lambda = 0$ and the threshold policy \bar{y} is followed. For a given n there is a one to one and onto mapping between ϕ and ℓ : as $\phi \rightarrow 0$ then $\ell \rightarrow 0$, and as $\phi \rightarrow \infty$ then $\ell \rightarrow 1$.

We now turn to characterizing the invariant distribution of y for the case where $\lambda > 0$, a key ingredient to compute the size-distribution of price changes. The density of the invariant

distribution solves the Kolmogorov forward equation: $\frac{\lambda}{2\sigma^2}f(y) = f''(y)y - (\frac{n}{2} - 2)f'(y)$ for $y \in (0, \bar{y})$, with the two boundary conditions $f(\bar{y}) = 0$ and $\int_0^{\bar{y}} f(y)dy = 1$. It is clear from these conditions that $f(\cdot)$ is uniquely defined for a given triplet: $\bar{y} > 0$, $n \geq 1$ and $\lambda/\sigma^2 \geq 0$. The general solution of this ODE is

$$f(y) = \left(\frac{\lambda y}{2\sigma^2}\right)^{\left(\frac{n}{4}-\frac{1}{2}\right)} \left[C_1 I_\nu \left(2\sqrt{\frac{\lambda y}{2\sigma^2}}\right) + C_2 K_\nu \left(2\sqrt{\frac{\lambda y}{2\sigma^2}}\right) \right] \quad (6)$$

where I_ν and K_ν are the modified Bessel functions of the first and second kind, C_1, C_2 are two arbitrary constants and $\nu = |\frac{n}{2} - 1|$, see [Zaitsev and Polyanin \(2003\)](#) for a proof. The constants C_1, C_2 are chosen to satisfy the two boundary conditions.²³ While the density in [equation \(6\)](#) depends on 3 constants n , ϕ and \bar{y} , its shape depends only on 2 constants, namely n and ϕ , as formally stated in [Lemma 2](#) in [Appendix A](#). The lemma shows that one can normalize \bar{y} to 1 and compute the density for the corresponding ϕ . Finally we also use [equation \(6\)](#) to find a closed form expression for f in terms of a power series displayed in [equation \(32\)](#), derived in [Appendix C](#).

We denote the marginal distribution of price changes by $w(\Delta p_i)$. Recall that a firm changes all prices when y first reaches \bar{y} or when a free adjustment opportunity occurs even though $y < \bar{y}$. Therefore to characterize the price changes Δp_i of good i belonging to the vector of price gaps p we need three objects: the fraction of free adjustments ℓ , the invariant distribution $f(y)$ and the marginal distribution of price changes *conditional on a value of y* , $\omega(\Delta p_i; y)$ which, following Proposition 6 of [Alvarez and Lippi \(2014\)](#) when $n \geq 2$, is

$$\omega(\Delta p_i; y) = \begin{cases} \frac{1}{Beta\left(\frac{n-1}{2}, \frac{1}{2}\right) \sqrt{y}} \left(1 - \left(\frac{\Delta p_i}{\sqrt{y}}\right)^2\right)^{(n-3)/2} & \text{if } (\Delta p_i)^2 \leq y \\ 0 & \text{if } (\Delta p_i)^2 > y \end{cases} \quad (7)$$

where $Beta(\cdot, \cdot)$ denotes the Beta function. In this case the (cross-sectional) standard deviation of the price changes is $Std(\Delta p_i; y) = \sqrt{y/n}$. The marginal distribution of price changes $w(\Delta p_i)$ is given by

$$w(\Delta p_i) = \omega(\Delta p_i; \bar{y}) (1 - \ell) + \left[\int_0^{\bar{y}} \omega(\Delta p_i; y) f(y) dy \right] \ell \quad \text{for } n \geq 2 \quad . \quad (8)$$

For the case when $n = 2$ the density of the price changes diverges at the boundaries of the domain where $\Delta p_i = \pm \sqrt{\bar{y}/n}$, as can be seen in [Figure 3](#). This feature echoes the two mass

²³ We note that both modified Bessel functions are positive, that $I_\nu(y)$ is exponentially increasing with $I_\nu(0) \geq 0$, and that $K_\nu(y)$ is exponentially decreasing with $K_\nu(0) = +\infty$.


points that occur in the $n = 1$ case where a non-zero mass of price changes occurs exactly at the boundaries. For $n \geq 6$ the shape of the density takes a tent-shape, similar to the one that is seen in the data. As the fraction of free adjustments approaches 1 the shape of the density function converges to the shape of the Laplace distribution. The next proposition shows that n and ℓ completely determine the shape of the distribution of price changes (see [Appendix A](#) for the proof):

Proposition 4 *Let $w(\Delta p_i; n, \ell, 1)$ be the density function for the price changes Δp_i in an economy with n goods, a share ℓ of free adjustments, and a unit standard deviation of price changes $\text{Std}(\Delta p_i) = 1$. This density function is homogenous of degree -1 in Δp_i and $\text{Std}(\Delta p_i)$, which implies*

$$w(a \Delta p_i; n, \ell, a) = \frac{1}{a} w(\Delta p_i; n, \ell, 1) \quad \text{for all } a > 0. \quad (9)$$

The proposition establishes that the “shape” of the size distribution of price changes has 2 parameters: n and ℓ . Every two economies sharing these parameters will have the same size distribution of price changes once the scale is adjusted. The proposition implies that we can aggregate firms or industries that are heterogenous in terms of frequency $N(\Delta p_i)$ and standard deviation of price changes $\text{Std}(\Delta p_i)$ provided that n and ℓ are the same. Notice in particular that the frequency of price changes $N(\Delta p_i)$ does not have an independent effect on the distribution of price changes as long as ℓ remains constant.

Figure 3: Size distribution of price changes



Note: All distributions are zero mean with unit standard deviation. As stated in [Proposition 4](#) the shape of this distribution only depends on ℓ and n .

Notice that the distribution $w(\Delta p_i)$ is a mixture of the $\omega(\Delta p_i, y)$ densities. These densities are scaled versions of each other with different standard deviations. This increases the kurtosis of the distribution of price changes compared to the case where $\lambda = 0$. In particular Proposition 6 in [Alvarez and Lippi \(2014\)](#) shows that the variance and kurtosis of $\omega(\Delta p_i, y)$ are given by y/n and $3n/(n+2)$ respectively. Using that Δp_i is distributed as a mixture of the $\omega(\Delta p_i, y)$, we can compute several moments of interest, such as

$$\begin{aligned} Var(\Delta p_i) &= (1-\ell) \frac{\bar{y}}{n} + \ell \int_0^{\bar{y}} \frac{y}{n} f(y) dy \\ Kur(\Delta p_i) &= \frac{3n}{2+n} \frac{(1-\ell) \bar{y}^2 + \ell \int_0^{\bar{y}} y^2 f(y) dy}{\left[(1-\ell) \bar{y} + \ell \int_0^{\bar{y}} y f(y) dy \right]^2} > \frac{3n}{2+n} \end{aligned} \quad (10)$$

It is immediate from [Proposition 4](#) that the value of the kurtosis $Kur(\Delta p_i)$ depends only on two parameters: n and ℓ . For instance, if one were to change the parameters $\psi/B, \lambda$ and σ^2 keeping the same values for ℓ and n , the kurtosis of the price changes would not change. Moreover, kurtosis is increasing in both n and ℓ , as can be seen in [Figure 5](#) which plots the value of $Kur(\Delta p_i)/6$ for various combinations of n and ℓ , the only two parameters determining kurtosis. For small values of ℓ kurtosis is increasing in n up to a level of 3. For instance, if $\ell = 0$ and $n \rightarrow \infty$, the kurtosis converges to 3 since the distribution of price changes at the time of adjusting for each firm becomes normal; this value is the highest that the *purely* multi-product model with $\ell = 0$ can produce. For any n , as the fraction of free adjustments ℓ increases, the kurtosis increases towards 6, the maximum value achieved in our model when $\ell = 1$.²⁴ The inequality that appears in the second line is a well known result: the mixture of distributions with the same kurtosis but with different variances has higher kurtosis, which follows from Jensen's inequality. [Equation \(33\)](#) in [Appendix D](#) displays a closed form solution for kurtosis which does not involve solving for $f(y)$.

To conclude the description of the model we summarize a few special cases nested by our setup. The Golosov-Lucas model is obtained when $n = 1$ and $\ell = 0$, implying a kurtosis of 1. The Taylor model, or equivalently “rational inattentiveness” model by Reis, is obtained when $n = \infty$ and $\ell = 0$, implying a kurtosis of 3. The Calvo model is obtained for $\ell \rightarrow 1$, for all values of n , implying a kurtosis of 6. Additionally, two recent models can be proxied: the “CalvoPlus” model by [Nakamura and Steinsson \(2010\)](#) for the special case of no intermediate goods ($s_m = 0$ using their notation), is obtained assuming $n = 1$ and $\ell \in (0, 1)$. The multiproduct model of [Midrigan \(2011\)](#) is obtained assuming $n = 2$ and modeling the fat

²⁴The relationship between the fraction of free adjustment and the “mass of small price changes”, a statistic that is closely related to kurtosis, was noticed in the numerical simulations of [Nakamura and Steinsson \(2010\)](#) (see their footnote 15, where their “frequency of low repricing opportunities”, $1 - \alpha$, is essentially our ℓ).

tailed shock by assuming $\ell \in (0, 1)$.²⁵ Depending on the parameter choice for ℓ , the last two models can generate a kurtosis between 1 and 6. It is shown in [Section 4.1](#) that higher values of kurtosis are essential in both models to explain why the real effects in those models are closer to Calvo than to Golosov-Lucas.

The map between the fundamental parameters and observables. Our model has four independent parameters: the scaled menu cost ψ/B , the volatility of shocks σ , the number of goods n and the rate of free adjustment opportunities λ . We find it convenient to pin down two of these parameters, namely ψ/B and σ by matching observable statistics that are available in micro datasets: the frequency $N(\Delta p_i)$ and the variance $Var(\Delta p_i)$ of price changes. Given these statistics the model has two residual parameters: n and λ , with the latter mapping one-to-one and onto $\ell = \lambda/N(\Delta p_i)$. The parametrization of the model can thus be usefully interpreted as choosing n and ℓ to match two empirical observations, in addition to $N(\Delta p_i)$, $Var(\Delta p_i)$. It was shown in [Proposition 4](#) how ℓ and n shape the distribution of price changes, in particular its kurtosis. In the next section we show how ℓ and n map into the cost of price adjustments, for given values of $N(\Delta p_i)$ and $Var(\Delta p_i)$. Kurtosis and the costs of price adjustments can thus be used to discipline the parameterization of the model, as we discuss next.

3.3 On the implied cost of price adjustment

In this section we give a characterization of the model implications for the size of the menu cost, i.e. a mapping between observable statistics and the value of ψ/B or ψ (we also discuss how to measure B). We consider two measures for the cost of price adjustment: the first one is the cost of a single price adjustment as a fraction of profits: ψ/n . Recall that ψ is the cost that a firm must pay if it decides to adjust all prices instantaneously (i.e. without waiting for a free adjustment). Measuring this cost as a fraction of profits transforms these magnitudes into units that have an intuitive interpretation. The second measure is the average flow cost of price adjustment given by: $N(\Delta p_i) \frac{\psi}{n} (1 - \ell)$. This cost measures the average amount of resources that the firm pays to adjust prices per period. The difference between the two measures should be clear: when all price adjustments are costly, as in a model where $\ell = 0$, the relevant measure of price adjustments is ψ/n , so that the total flow cost of price adjustment borne by a firm per year is $N(\Delta p_i) \psi/n$. Allowing for a fraction of adjustments to be free the total flow cost must be multiplied by $1 - \ell$, as some of the adjustments that occur during the period are free. The latter measure is useful because it relates more directly to

²⁵Yet it differs in that the fat-tailed shocks mainly contribute to large price changes, see [Appendix H](#) for a formal discussion.

what has been measured in the data by [Levy et al. \(1997\)](#); [Zbaracki et al. \(2004\)](#), namely the “average” cost of a price adjustment. The next proposition analyzes the mapping between the scaled menu cost ψ/n , and $B, \ell, n, N(\Delta p_i)$ and $Var(\Delta p_i)$.

Proposition 5 *Fix the number of products $n \geq 1$ and let $r \downarrow 0$. There is a unique triplet $(\sigma^2, \lambda, \psi)$ consistent with any triplet $\ell \in [0, 1], Var(\Delta p_i) > 0$ and $N(\Delta p_i) > 0$. Moreover, fixing any value ℓ , the menu cost $\psi \geq 0$ can be written as:*

$$\frac{\psi}{n} = B \frac{Var(\Delta p_i)}{N(\Delta p_i)} \Psi(n, \ell) \quad (11)$$

where Ψ is only a function of (n, ℓ) . For all $n \geq 1$ the function $\Psi(n, \cdot)$ satisfies:

$$\lim_{\ell \rightarrow 0} \Psi(n, \ell) = \frac{n}{2(n+2)}, \quad \lim_{\ell \rightarrow 1} \Psi(n, \ell) = \infty, \quad \lim_{\ell \rightarrow 1} \Psi(n, \ell)(1 - \ell) = 0, \quad (12)$$

$$\lim_{\ell \rightarrow 1} \frac{\Psi(n', \ell)/n'}{\Psi(n, \ell)/n} \leq 1 \text{ for } n' \geq n, \text{ and } \lim_{n \rightarrow \infty} \frac{\Psi(n, \ell)/n}{\Psi(1, \ell)/1} \rightarrow 0 \text{ as } \ell \rightarrow 1. \quad (13)$$


Equation (11) shows that for any fixed $n \geq 1$ and $\ell \in [0, 1]$ the menu cost ψ is proportional to the ratio $Var(\Delta p_i)/N(\Delta p_i)$. This is intuitive: economies with higher frequency of price changes are obtained by having a proportionally lower menu cost, and economies with more extreme price changes, are obtained with a proportionally higher menu cost. Second, equation (11) shows that the menu cost is proportional to B , which measures the benefits of closing a (unit square) price gap. The parameter B is related to the curvature of the profit function, and thus it relates to demand elasticities and mark-ups. Using a fully specified microeconomic problem where firms face a constant demand elasticity η (equal across products) gives that $B = \eta(\eta - 1)/2$, which can be written in terms of the (net) markup over marginal costs $\mathbf{m} \equiv 1/(\eta - 1)$ so that $B = (1 + \mathbf{m})/(2\mathbf{m}^2)$.²⁶ The last expression is useful to calibrate the model using empirical estimates of the markup such as the ones by [Christopoulou and Vermeulen \(2012\)](#): the estimated markups average around 28% for the US manufacturing sector, and around 36% for market services (slightly smaller values are obtained for France, see their Table 1).²⁷ A similar value for the US, namely a markup rate of about 33%, is used by [Nakamura and Steinsson \(2010\)](#).

The left panel of [Figure 4](#) illustrates the comparative static effect of ℓ and n on the implied menu cost, fixing $B Var(\Delta p_i)/N(\Delta p_i)$, i.e. it plots the function $\Psi(n, \ell)$. Fixing

²⁶[Nakamura and Steinsson \(2010\)](#) notice that lower markups (higher values of demand elasticity) η must imply higher menu costs, as shown by [equation \(11\)](#). Footnote 14 in their paper discusses evidence on the markup rates across several microeconomic studies and macro papers.

²⁷ The evidence for the US services is consistent with the gross margins, based on accounting data, reported in the Annual Retail Trade Survey by the US Census (see <http://www.census.gov/retail/>).

Figure 4: Implied cost of price adjustment



All economies in the figures feature $Std(\Delta p_i) = 0.10$ and a markup of 25%. For those in the left panel we set $N(\Delta p_i) = 1.5$.

a value of n it can be seen that the menu cost ψ/n is increasing in ℓ . This is intuitive: a larger fraction of free adjustments ℓ requires a higher menu cost, since firms must choose not to adjust prices even when the current price is far away from their ideal price. Indeed [equation \(12\)](#) shows that as $\ell \rightarrow 1$, the implied menu cost diverges to $+\infty$. This happens because, in our version of *Calvo's* model, the menu cost must prevent any price change, and since the underlying shocks are assumed to follow a random walk in some instances there are arbitrarily large benefits of changing prices. On the other hand, for $\ell = 0$ and $n = 1$, our version of *Golosov-Lucas's* model, the menu cost attains its smallest (strictly positive) value. Fixing ℓ and moving across lines shows that the implied fixed cost ψ/n is not monotone in the number of products n . Indeed, as stated in [equation \(12\)](#) for a very small share ℓ the values of ψ/n are increasing in n . On the other hand, for larger value of the share ℓ , the order of the implied fixed cost is reversed.

The model also has clear predictions about the per period (say yearly) cost of price adjustments borne by the firms: $(1-\ell) N(\Delta p_i) \psi/n$. In spite of the fact that the cost of a single deliberate price adjustment diverges as $\ell \rightarrow 1$, the total yearly cost of adjustment converge to zero continuously. This can be seen in the right panel of [Figure 4](#). A simple transformation gives the yearly cost of price adjustments as a fraction of revenues: $\frac{(1-\ell)N(\Delta p_i) \psi/n}{\eta}$, where the scaling by η transforms the units from fraction of profits into fraction of revenues.²⁸ This

²⁸Since $R = \eta \Pi$ where R is revenues per good and Π profits per good.

statistic is useful because it has empirical counterparts, studied e.g. by Levy et al. (1997). Using [equation \(11\)](#) and the previous definition for the markup yields

$$\frac{\text{Yearly costs of price adjustment}}{\text{Yearly revenues}} = \frac{1}{2} \frac{\text{Var}(\Delta p_i)}{\mathbf{m}} (1 - \ell) \Psi(n, \ell) \quad (14)$$

[Figure 4](#) plots the two cost measures in [equation \(11\)](#) and [\(14\)](#) as functions of ℓ, n for an economy with $N(\Delta p_i) = 1.5$, $Std(\Delta p_i) = 0.10$ and a markup $\mathbf{m} \approx 25\%$ (i.e. $B = 10$). We see this parametrization as being consistent with the US data on price adjustments, markups, and the size distribution of price changes discussed above. Alternative parametrizations are readily computed, as discussed below. The figure illustrates how observations on the costs of price adjustments can be used to parametrize the model. [Levy et al. \(1997\)](#) and [Dutta et al. \(1999\)](#) (Table IV and Table 3, respectively) document that for multi-product stores (a handful of supermarkets chain and one drugstore chain) the average cost of price adjustment is around 0.7 percent of revenues. For an economy with $n = 10$ (a reasonable parametrization to fit the size-distribution of price changes) the right panel of the figure shows that the model reproduces the yearly cost of 0.7% of revenues when the fraction of free adjustments ℓ is around 60%. The upper panel indicates that at this level of ℓ the cost of one price adjustment is around 5% of profits.

4 The cumulative output effect of a monetary shock

In this section we discuss the response of the economy's aggregate output to an unexpected (once and for all) increase of the money supply of size δ , starting from a steady state with zero inflation. Our main objective is to characterize the total cumulative output effect of the monetary shock, namely the area under the output's impulse response, as a function of the 4 fundamental model parameters: the frequency $N(\Delta p_i)$, standard deviation $Std(\Delta p_i)$, the number of products in the firm's bundle n , and the fraction of free adjustments ℓ .²⁹ While the main focus of this section is on the cumulative output effect of a monetary shock, in [Appendix G](#) we also provide a characterization of the whole impulse response of the aggregate price level (and hence of output).

²⁹ [Caballero and Engel \(2007\)](#) perform a related exercise using the Caplin Spulber (S,s) model augmented with a random opportunity of price change, which occurs at rate λ . They study how increasing λ affects the response of the price level (see their Figure 3). There are two channels through which this works: by affecting the frequency of price adjustment and by changing the size and mass of price adjusters. One important difference with respect to them is that our comparative static analysis of a higher λ is done keeping $N(\Delta p_i)$ and $Std(\Delta p_i)$ constant. As discussed at the beginning of [Section 3.3](#) this implies adjusting the parameters σ and ψ/B accordingly.

General Equilibrium Setup. The general equilibrium set up is essentially the one in [Goloso and Lucas \(2007\)](#), adapted to multi-product firms as in [Alvarez and Lippi \(2014\)](#) (see their Appendix B). Each firm produces n goods, each with a linear labor only technology, subject to idiosyncratic productivity shocks independent across products, whose logs follows a BM with instantaneous variance σ^2 . As in the previous sections, a firm is subject to a random menu cost to simultaneously change the price of its n products. In a period of length dt this cost equals ψ_ℓ units of labor with probability $1 - \lambda dt$, or zero. Also each firm faces a demand with constant elasticity $\eta > 1$ for each of its n products, coming from households's CES utility function for the consumption aggregate. To keep the expenditure shares stationary across goods, in the face of the permanent idiosyncratic shocks, we assume an offsetting preference shocks. The $p_i(t)$ in our previous sections are the logs of the markups in each product of the firm relative to the static optimal markup, and our quadratic objective function can be taken to be a second order expansion on the firm's profits with $B = (1/2)\eta(\eta - 1)$. Households' have a constant discount rate r and an instantaneous utility function which is additively separable: log in real balances, linear in leisure, and has constant intertemporal elasticity of substitution $1/\epsilon$ for the consumption aggregate, so that the labor supply elasticity to real wages is $1/\epsilon$.

Area under output's impulse response. We focus on the cumulative sum (integral) of the output above the steady-state level after a monetary shock of size $\delta > 0$. This measure is closely related to the output variance due to monetary shocks, which is sometimes used in the literature.³⁰ We define the cumulative output effect \mathcal{M} after a shock δ as:

$$\mathcal{M}(\delta) = \frac{1}{\epsilon} \int_0^\infty (\delta - \mathcal{P}(\delta, t)) dt \quad (15)$$

where $\mathcal{P}(\delta, t)$ is the cumulative effect of the monetary shock δ on the (log) of the aggregate price level t periods after the shock (see [Appendix G](#) for a rigorous definition of $\mathcal{P}(\delta, t)$ and a characterization of the impulse response). Intuitively, the argument of the integral gives the aggregate real wages at time t , which are then mapped into output according to the labor supply elasticity $1/\epsilon$. Integrating over time gives the total cumulative effect.

To characterize $\mathcal{M}(\delta)$ we consider the expected cumulative output deviation from steady state of a firm with a vector of price gaps p :

$$m(p_1, \dots, p_n) = -\mathbb{E} \left[\int_0^\tau \sum_{i=1}^n p_i(t) dt \mid p(0) = p \right] \quad (16)$$

³⁰ For more discussion and evidence on this equivalence see footnote 21 of [Nakamura and Steinsson \(2010\)](#).

where τ is the stopping time associated with the optimal decision rule described as the first time that $\|p(t)\|^2$ reaches threshold \bar{y} or that a free adjustment opportunity arrives. Note that, by definition, if $\|p\|^2 \geq \bar{y}$ then $m(p) = 0$. Intuitively, a firm with a price gap $-p_i(t)$ for good type i is producing $p_i(t)/\epsilon$ percent excess output compared to its steady state at time t . Thus, integrating over time until the (random) time of adjustment τ , $m(p)/n$ gives the expected total excess output produced by a firm that immediately after the monetary shock has a vector of price gaps equal to p . Three remarks about this solution are in order. First, given the GE structure, identical to the one in [Goloso and Lucas \(2007\)](#), a once and for all increase in money supply is followed by a once and for all increase in nominal wages, and leaves nominal interest rates unaltered. Second, by using the steady state decision rule, \bar{y} , we are ignoring the general equilibrium feedback effects. In Proposition 7 of [Alvarez and Lippi \(2014\)](#) we showed that, given a combination of the general equilibrium set-up in [Goloso and Lucas \(2007\)](#) and the lack of the strategic complementarities, these effects are of second order.³¹ Third, we use that *after* the first price change the expected contribution to output of each firm is zero since positive and negative output contributions are equally likely, i.e. $m(0) = 0$. This is convenient since it allows us to characterize the propagation of the monetary shocks without having to keep track of the time evolution for the whole distribution of price gaps.

The function $m(p)$ defined in [equation \(16\)](#) is extremely useful: exploiting the knowledge about the infinitesimal changes of the state, and properties of the period payoffs, yields a full characterization of the cumulative impulse response without having to solve for (or simulate) the whole impulse response function. The idea, which is novel in the macroeconomics literature, follows the same logic used to compute expected values using a Bellman (or Kolmogorov) equation and maps the characterization of $m(p)$ into the solution of a differential equation. For example in the $n = 1$ case, where p is a scalar price gap in $(-\bar{p}, \bar{p})$, a Bellman-equation type of logic gives $\lambda m(p) = -p + m''(p)\sigma^2/2$ with boundary condition $m(\bar{p}) = 0$ and negative symmetry $m(p) = -m(-p)$, with closed form solution:

$$m(p) = -\frac{p}{\lambda} + \frac{\bar{p}}{\lambda} \left(\frac{e^{\sqrt{2\phi}\frac{p}{\bar{p}}} - e^{-\sqrt{2\phi}\frac{p}{\bar{p}}}}{e^{\sqrt{2\phi}} - e^{-\sqrt{2\phi}}} \right) \quad \text{for all } p \in [-\bar{p}, \bar{p}] \quad \text{where } \phi \equiv \lambda \bar{p}^2 / \sigma^2. \quad (17)$$

The final element to define $\mathcal{M}(\delta)$ is the density of the invariant distribution $g(p)$ for a vector of price gaps $p \in \mathbb{R}^n$ which is directly implied by the invariant density of the squared price gaps $f(y)$, given in [equation \(6\)](#), and by the observation that in steady state the distribution of price gaps with $\|p\|^2 = y$ is uniform on the n dimensional hypersphere of

³¹This proposition can be extended in a straightforward way to this paper using the logic of [Lemma 1](#).

square radius y , whose closed form expression is given by:

$$g(p_1, \dots, p_n) = f(p_1^2 + \dots + p_n^2) \frac{\Gamma(n/2)}{\pi^{n/2} (p_1^2 + \dots + p_n^2)^{(n-2)/2}} \quad (18)$$

Thus we can write

$$\mathcal{M}(\delta) = \frac{1}{\epsilon n} \int \dots \int m(p_1 - \delta, \dots, p_n - \delta) g(p_1, \dots, p_n) dp_1 \dots dp_n \quad (19)$$

Note that \mathcal{M} takes $g(p)$ firms with price gap vector p in steady state, shifts them down by δ , which amounts to increasing the marginal nominal cost on impact, and then computes their contribution $m(p_1 - \delta, \dots, p_n - \delta)$.

Recall that, for any $n \geq 1$ we can index the steady state of an economy by three numbers, $N(\Delta p_i)$, $Std(\Delta p_i)$, and ℓ , for which we can always find the values of $(\lambda, \psi, \sigma^2)$ to rationalize them. The next proposition shows that \mathcal{M} can be normalized, i.e. written in terms of the values of an economy with one price change per year, and where the monetary shock is measured in terms of steady-state size of price changes.

Proposition 6 *Consider an economy whose firms produce $n > 1$ products, with steady-state statistics $(N(\Delta p_i), Std(\Delta p_i), \ell)$. Then*

$$\mathcal{M}(\delta; N(\Delta p_i), Std(\Delta p_i), n, \ell) = \frac{Std(\Delta p_i)}{N(\Delta p_i)} \mathcal{M}\left(\frac{\delta}{Std(\Delta p_i)}; 1, 1, n, \ell\right) \quad (20)$$

Equation (20) shows that keeping (n, ℓ) fixed, \mathcal{M} can be scaled by the steady state frequency of price changes $N(\Delta p_i)$, and that the size of the monetary shock should be measured relative to steady state size of price changes $Std(\Delta p_i)$.

4.1 The case of a small monetary shock

To focus on a small shock δ , a realistic standard in this literature, we take the first order approximation to **equation** (15), using **equation** (20) we obtain $\mathcal{M}(\delta; N(\Delta p_i), Std(\Delta p_i), n, \ell) \approx \delta / N(\Delta p_i) \mathcal{M}'(0; 1, 1, n, \ell)$. Thus for a small monetary shock, $Std(\Delta p_i)$ has no effect on the cumulative output effect. The usefulness of the approach developed in this section is easily seen in the $n = 1$ case. Using the closed form solution for $g(p)$ in **equation** (2) and the expression for $m(p)$ in **equation** (17) we can now analytically compute the cumulative effect of a small monetary shock of size δ using **equation** (19) and the approximation

$\mathcal{M}(\delta) \approx \delta/N(\Delta p_i) \mathcal{M}'(0)$ which yields

$$\delta \mathcal{M}'(0) = \frac{\delta}{\epsilon N(\Delta p_i)} \frac{e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}}}{(e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}} - 2)^2} \left(e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}} - 2 - 2\phi \right). \quad (21)$$

This formula can be used to compare a Calvo model where $\ell \rightarrow 1$ (or $\phi \rightarrow \infty$, see [equation \(5\)](#)) with a Golosov-Lucas model, where $\ell \rightarrow 0$ (or $\phi \rightarrow 0$). Simple analysis shows that in Calvo we have $\delta \mathcal{M}'(0) = \frac{\delta}{\epsilon N(\Delta p_i)}$, whereas in Golosov-Lucas we have $\delta \mathcal{M}'(0) = \frac{\delta}{6\epsilon N(\Delta p_i)}$, so that the cumulative output effect in these models differs by a factor of 6. Interestingly, the number 6 is exactly the ratio between the kurtosis of price changes in each of these models. The next result shows that this result is general and applies to any $n \geq 1$ and $\ell \in (0, 1)$.

Proposition 7 *Consider an economy whose firms produce $n > 1$ products, with steady-state statistics $N(\Delta p_i), Std(\Delta p_i), \ell$ and a steady-state kurtosis of price changes $Kur(\Delta p_i)$. For a small monetary shock δ we have the following first order Taylor expansion:*

$$\mathcal{M}(\delta; N(\Delta p_i), Std(\Delta p_i), n, \ell) \approx \frac{\delta}{\epsilon} \frac{Kur(\Delta p_i)}{6 N(\Delta p_i)} = \frac{\delta}{\epsilon} \frac{\sum_{i=2}^{\infty} \frac{1}{i! \Gamma(\frac{n}{2} + i)} \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i}{\lambda \sum_{i=1}^{\infty} \frac{1}{i! \Gamma(\frac{n}{2} + i)} \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i} \quad (22)$$


This proposition is quite useful to explain what produces the different results that are found in the literature on the real effects of monetary policy. The proposition illustrates how it is possible for two models sharing similar features, e.g. calibrated to the same observables $N(\Delta p_i), Std(\Delta p_i)$ and sharing the same preference specification (labor elasticity $1/\epsilon$), to produce different predictions about the output effect: what is needed is that the model predicts a different kurtosis of price changes.

Recall from [Proposition 4](#) that the shape of the size distribution of price changes, and hence kurtosis, depends only on n and ℓ . For a fixed n , kurtosis is increasing in ℓ . Indeed, as ℓ goes to 1 then kurtosis goes to 6, and hence we obtain $\mathcal{M}(\delta) \cong \delta/(\epsilon N(\Delta p_i))$, which is the result produced by the Calvo pricing model. On the other extreme, as $\ell = 0$ kurtosis equals $3n/(n+2)$. This implies that, for instance, in the Golosov and Lucas case of $n = 1$, the impact of monetary policy is $1/6$ of Calvo. Also, keeping $\ell = 0$ and varying n from 1 to ∞ , the effect goes from $1/6$ to $1/2$ of Calvo. Note that in the case of $\ell = 0$ and $n = \infty$ the model becomes Taylor's staggered price model or, equivalently, [Reis \(2006\)](#) model. Thus the purely multi product Taylor-Reis case ($\ell = 0, n = \infty$) delivers only half of the real effects compared to a purely Calvo model ($\ell = 1$), as further discussed below.

The discussion above makes clear that the assumption of non-gaussian shocks in [Midrigan \(2011\)](#) is quite crucial to obtain real effects that are closer to Calvo than to Golosov-Lucas.

What is needed for the effects to be large is a large kurtosis, which Midrigan obtains by assuming a process for the shocks hitting the firm's costs that are fat-tailed. It can indeed be shown that introducing fat-tails in our version of the Golosov-Lucas model, through shocks to the marginal cost occurring with a Poisson intensity, leads to a formally similar problem to that of the model with free adjustment opportunities, as we do in [Appendix H](#).

Figure 5: Cumulative output effect relative to Calvo pricing: $Kur(\Delta p_i)/6$



[Figure 5](#) offers a richer systematic comparison of the real effects of monetary shocks as n and ℓ vary: the vertical axis plots the real output effect produced by a small monetary shock relative to the effect produced by a Calvo model where $\ell = 1$. Four curves are plotted in the figure, corresponding to $n = 1, 2, 10, \infty$. It appears that the model behavior for $n = 2$ remains quite close to the case where $n = 1$, as was also seen from the analysis of the distribution of price changes. Instead, the model behavior for $n = 10$ is quite close to that of a model where $n = \infty$. This is useful because the latter is quite tractable analytically, as discussed below. [Figure 5](#) shows that at any level of ℓ the real output effect are smallest for $n = 1$. As explained in [Alvarez and Lippi \(2014\)](#) a larger number of goods dampens the selection effect of monetary policy increasing the real output consequences of a monetary shock. Indeed at any level of ℓ the effect is increasing in n . The figure shows that fixing n the output effect is increasing in ℓ . In the limit, as $\ell \rightarrow 1$ the economy converges to a Calvo model where the real effects are largest and independent of n .

It is interesting to notice that the curves plotted in the figure are convex. In particular, some analysis reveals that the slope of the curve as $\ell \rightarrow 1$ diverges to $+\infty$ for any level of n (see the formula for \mathcal{M} in the special case when $n = \infty$ in [Appendix P](#)). The economic implication of this property is that a small deviation from Calvo pricing, i.e. a fraction of adjustment ℓ that is slightly below 1 is going to give rise to a large deviation from the real effects predicted by the Calvo pricing. That the relatively large real effects in Calvo are very sensitive to the introduction of a small amount of selection by firms regarding the timing of price changes, is also apparent in the CalvoPlus model of [Nakamura and Steinsson \(2010\)](#) (see their figure VII). Hence the finding seems robust as these models, and measure of real effects, are similar but not identical.

Additionally, [equation \(22\)](#), together with [equation \(3\)](#) and [equation \(5\)](#), completes the closed form solutions for $N(\Delta p_i)$, $Std(\Delta p_i)$, $Kur(\Delta p_i)$ and $\mathcal{M}'(0)$ given parameters n, λ, σ^2 and threshold \bar{y} , which instead can be solved explicitly using [Lemma 1](#) and [Proposition 2](#).

We finish this section discussing the economic intuition of why there is a systematic relationship between kurtosis and the cumulative output effect of an monetary shock. As it is remarked in the literature, at least since the analysis in [Goloso and Lucas \(2007\)](#), the small output effect of a monetary shock in menu cost models is related to the degree to which the firms that change prices right after the shock are of a “selected” type. In particular, in Goloso and Lucas’s model those firms are more likely to increase prices, and hence the aggregate price level adjusts fast initially. Instead, in Calvo’s model the average price change of firms at any horizon t of the impulse response is always the same, equal to δ . We refer to this effect as “selection on size of price changes”. This is captured in the steady state kurtosis of the distribution of price changes, since it is the proximity to the adjustment barriers that produces price changes that are platykurtic in menu-cost models. Yet this cannot be the full story, since all the models for which $n = \infty$ have that the average price changes of the firms at any horizon in the impulse response is equal to δ . Nevertheless, the model with $\ell = 0$ (Taylor’s) produces half the cumulative output than the one with $\ell = 1$ (Calvo). The difference across these models is in the timing of when firms adjust: in Taylor the distribution of times until adjustment is uniform, but in Calvo it is exponential, with a thicker right tail of firms that adjust very late. We refer to this effect as to the “selection in the times of price changes”. This effect is also clearly captured by the steady state kurtosis, since a wider distribution of times to adjust produces a distribution of price changes that is a mixture of normals with different variances. Indeed our result in [Proposition 7](#) extends to a more general class of models where selection concerns exclusively the times of adjustment (not the size), as in [Carvalho and Schwartzman \(2012\)](#) and [Alvarez, Lippi, and Paciello \(2012\)](#).

Lack of sensitivity to inflation. While the model we have written is based on an economy which has a zero steady-state inflation, we argue that the characterization of kurtosis as well as the key result on the effect of monetary policy in [Proposition 7](#) apply also for low rates of inflation. Indeed steady-state inflation has only second order effect on both the kurtosis of the price changes as well as the area under the IRF of output for a small monetary shock. In particular, we show that both the left and right hand side of [equation \(22\)](#) have a zero derivative with respect the steady-state inflation, evaluated at zero inflation. For this we consider an economy where the money supply grows at the rate μ and the steady state inflation rate and the growth rate of nominal wages both equal μ . In this case the price gaps will evolve as $dp_i(t) = -\mu dt + \sigma dW_i(t)$ where the negative sign of the drift reflects that wages grow at a constant rate. For this model we let $Kur(\Delta p_i; \mu)$, $N(\Delta p_i; \mu)$ be the kurtosis and frequency of price changes at steady state as a function of inflation μ . Likewise, we consider a once and for all (unanticipated) increase in the level of money supply of size δ , so that the path continues to grow at rate μ right after. We let $\mathcal{M}(\delta; \mu)$ be the area-under the IRF of output after such monetary shock δ , also indexed by the steady state inflation. We have the following result:

Proposition 8 *Let μ be the steady state inflation rate. Then:*

$$0 = \left. \frac{\partial Kur(\Delta p_i; \mu)}{\partial \mu} \right|_{\mu=0} = \left. \frac{\partial N(\Delta p_i; \mu)}{\partial \mu} \right|_{\mu=0} = \left. \frac{\partial \mathcal{M}'(0; \mu)}{\partial \mu} \right|_{\mu=0} \quad (23)$$

and hence the derivative of both sides of equation (22) with respect to μ evaluated at $\mu = 0$ is zero.

Hence, even though we have developed the result for zero inflation, this proposition shows that the results provide a good benchmark for a low inflation economy. We think this is important since developed economies have low but positive inflation rates. The idea behind the proof is to exploit the symmetry of both kurtosis $Kur(\Delta p_i; \mu)$ and the cumulative IRF $\mathcal{M}'(0; \mu)\delta$ with respect to inflation μ around $\mu = 0$.

To summarize, we showed that adding a small inflation has a negligible effect on the findings of the paper, including the main result in [equation \(1\)](#). This theoretical prediction is consistent with evidence on the small elasticity of several price setting statistics (such as the frequency, variance and kurtosis) provided in [Gagnon \(2009\)](#) and [Alvarez et al. \(2011\)](#).

4.2 The case of a large monetary shock

The dependence of the output effect on the size of the monetary shock is a hallmark of a menu cost models. The next proposition characterizes the smallest value of the monetary

shock $\underline{\delta}$ for which all firms adjust prices immediately, in which case the impact response of the aggregate price level equal the monetary shock, $\mathcal{P}(\delta, 0) = \delta$ so that prices are flexible and there is no effect on output, $\mathcal{M}(\delta) = 0$. The value of this threshold for the monetary shock is proportional to the $Std(\Delta p_i)$ which properly scales the “size” of the monetary shocks, and to a constant of proportionality that is increasing in ℓ .

Proposition 9 *Define $\underline{\delta}$ as the smallest once-and-for-all monetary shock for which there is full price flexibility, i.e. $\mathcal{M}(\delta) = 0$ for any $\delta \geq \underline{\delta}$. We have*

$$\underline{\delta} = 2 \sqrt{\frac{\bar{y}}{n}} = 2 Std(\Delta p_i) \sqrt{\frac{\mathcal{L}^{-1}(\ell; n)}{\ell}},$$

where $\mathcal{L}(\cdot; n)$ is given by equation (5). Fixing any $n \geq 1$, the ratio $\underline{\delta}/(2Std(\Delta p_i))$ is a strictly increasing function of ℓ , ranging from 1 to ∞ as ℓ varies from 0 to 1.

Note that for $\ell = 0$, we have $\underline{\delta} = 2 Std(\Delta p_i)$ for all $n \geq 1$, so the minimum shock is simply twice the standard deviation of prices. In general this threshold is increasing in ℓ , becoming unbounded as the model gets closer to Calvo, i.e. $\lim_{\ell \rightarrow 1} \underline{\delta} = +\infty$ for all $n \geq 1$. This is intuitive since as ℓ increases more of the price changes are due to the (exogenous) free opportunity to adjust. Computing the value of $\underline{\delta}$ is immediate given the closed form expressions in Proposition 3 and Proposition 9. The analysis shows that: (i) for a given ℓ the threshold $\underline{\delta}$ is decreasing in n , and (ii) for all $n \geq 1$, even for $\ell = 0.85$ the values for $\underline{\delta}$ are smaller than twice the corresponding value for $\ell = 0$. In other words, $\underline{\delta}$ is a steep convex function of ℓ , with an infinite positive slope as $\ell \rightarrow 1$. This finding implies that workings of a Calvo model are substantially different from the workings of a model that is close, but slightly below, the Calvo specification with $\ell = 1$ (see Appendix G for a rigorous definition and analysis of the impact effect on the aggregate price level; Appendix J for more documentation and a proof of the proposition).

5 Robustness and scope of results

Our main results, namely equation (1), applies more generally. First, while the paper focused on an economy with ex-ante identical firms, we show in Appendix R that a straightforward modification of equation (1) holds in a model with ex ante heterogenous sectors that differ in the frequency of adjustment and/or the kurtosis of price changes. Second, equation (1) holds also in models with different price setting frictions. For instance, a small variation of our model assumes that the cost of a price adjustment upon a random opportunity is not free, but is just cheaper than the regular menu cost (see Appendix S). This setup is closer to the

original CalvoPlus model by Nakamura and Steinsson (2010) than the one in the main text. Interestingly we found that equation (1) holds in that model too. Another variation considers a different class of models, within a “rational inattentiveness” setup where individual firms can observe their state only after paying a fixed “observation” cost. In Alvarez, Lippi, and Paciello (2011) we consider the case where firms face both observation and menu costs – so that both Reis (2006) and Golosov and Lucas (2007) are special cases. It turns out that equation (1) holds in this model. In Alvarez, Lippi, and Paciello (2012) we consider the case where firms face random observation cost and no menu costs. This setup produces random adjustment times at the firm level, whose consequences for the propagation of monetary shocks have been studied by Mankiw and Reis (2002) and Carvalho and Schwartzman (2012). The last class of models does not feature any selection in the size of price changes but only in the times of adjustment. Moreover, while kurtosis is between 1 and 6 in our menu cost model, it is unbounded in these models. Interestingly, one can show that equation (1) holds in these class of models too.

Finally, we explored a setting where the cost shocks that trigger the price changes are not continuous, but occur infrequently and are “large”. We refer to this setting as fat-tailed shocks, a setup that is close to the model of Gertler and Leahy (2008) and the version of Midrigan (2011) with non-gaussian shocks (see Appendix H for details). This setting introduces a wedge between the timing of price changes and the size-distribution of price changes that impairs equation (1): kurtosis is not anymore a sufficient statistic about the price setting behavior, because it also reflects the assumptions about the shape of the large (infrequent) shocks. Compared to our model, these models require more observations to be identified, such as direct information on the shape of the cost shocks faced by firms. We leave this exploration for future work. Yet another extension which we leave for the future consists in solving the model under the assumption that the cost shocks that hit the goods sold by the firm are partially correlated.

References

- Alvarez, Fernando, Martin Gonzalez-Rozada, Andres Neumeyer, and Martin Beraja. 2011. “From Hyperinflation to Stable Prices: Argentinas evidence on menu cost models.” manuscript, University of Chicago.
- Alvarez, Fernando E. and Francesco Lippi. 2013. “The demand of liquid assets with uncertain lumpy expenditures.” *Journal of Monetary Economics* 60 (7):753–770.
- . 2014. “Price setting with menu costs for multi product firms.” *Econometrica* 82 (1):89–135.
- Alvarez, Fernando E., Francesco Lippi, and Luigi Paciello. 2011. “Optimal price setting with observation and menu costs.” *The Quarterly Journal of Economics* 126 (4):1909–1960.
- . 2012. “Monetary Shocks in a Model with Inattentive Producers.” Eief working papers series, Einaudi Institute for Economics and Finance (EIEF).
- Alvarez, Fernando E., Francesco Lippi, and Andrea Pozzi. 2014. “A note on the size-distribution of price changes in a large US dataset.” Available on Lippi’s website, EIEF.
- Alvarez, Luis J., Emmanuel Dhyne, Marco Hoeberichts, Claudia Kwapil, Herve Le Bihan, Patrick Lunnemann, Fernando Martins, Roberto Sabbatini, Harald Stahl, Philip Vermeulen, and Jouko Vilmunen. 2006. “Sticky Prices in the Euro Area: A Summary of New Micro-Evidence.” *Journal of the European Economic Association* 4 (2-3):575–584.
- Arkolakis, Costas, Arnaud Costinot, and Andres Rodriguez-Clare. 2012. “New Trade Models, Same Old Gains?” *American Economic Review* 102 (1):94–130.
- Barro, Robert J. 1972. “A Theory of Monopolistic Price Adjustment.” *Review of Economic Studies* 39 (1):17–26.
- Baudry, L., H. Le Bihan, P. Sevestre, and S. Tarrieu. 2007. “What do Thirteen Million Price Records have to Say about Consumer Price Rigidity?” *Oxford Bulletin of Economics and Statistics* 69 (2):139–183.
- Berardi, Nicoletta, Erwan Gautier, and Hervé Le Bihan. 2013. “More facts about prices: France before and during the great recession.” Working Paper 425, Banque de France.
- Bhattarai, Saroj and Raphael Schoenle. 2014. “Multiproduct Firms and Price-Setting: Theory and Evidence from U.S. Producer Prices.” *Journal of Monetary Economics* forthcoming.
- Bronnenberg, Bart J., Michael W. Kruger, and Carl F. Mela. 2008. “The IRI marketing data set.” *Marketing Science* 27 (4):745–748.
- Caballero, Ricardo J. and Eduardo M.R.A. Engel. 2007. “Price stickiness in Ss models: New interpretations of old results.” *Journal of Monetary Economics* 54 (Supplement):100–121.

- Calvo, Guillermo A. 1983. “Staggered prices in a utility-maximizing framework.” *Journal of Monetary Economics* 12 (3):383–398.
- Carvalho, Carlos. 2006. “Heterogeneity in Price Stickiness and the Real Effects of Monetary Shocks.” *The B.E. Journal of Macroeconomics* 6 (3):1–58.
- Carvalho, Carlos and Felipe Schwartzman. 2012. “Selection and Monetary Non-Neutrality in Time-Dependent Pricing Models.” Tech. rep., FRB of Richmond.
- Cavallo, Alberto. 2010. “Scraped Data and Sticky Prices.” Tech. rep., MIT Sloan.
- Chakrabarti, Rajesh and Barry Scholnick. 2007. “The mechanics of price adjustment: new evidence on the (un) importance of menu costs.” *Managerial and Decision Economics* 28 (7):657–668.
- Chari, V. V., Patrick J. Kehoe, and Ellen R. McGrattan. 2000. “Sticky Price Models of the Business Cycle: Can the Contract Multiplier Solve the Persistence Problem?” *Econometrica* 68 (5):1151–1180.
- Chen, Haipeng, Daniel Levy, Sourav Ray, and Mark Bergen. 2008. “Asymmetric price adjustment in the small.” *Journal of Monetary Economics* 55 (4):728–737.
- Chetty, Raj. 2009. “Sufficient Statistics for Welfare Analysis: A Bridge Between Structural and Reduced-Form Methods.” *Annual Review of Economics* 1 (1):451–488.
- Christopoulou, Rebekka and Philip Vermeulen. 2012. “Markups in the Euro area and the US over the period 19812004: a comparison of 50 sectors.” *Empirical Economics* 42 (1):53–77.
- Dixit, Avinash. 1991. “Analytical Approximations in Models of Hysteresis.” *Review of Economic Studies* 58 (1):141–51.
- Dotsey, Michael, Robert G. King, and Alexander L. Wolman. 1999. “State-Dependent Pricing And The General Equilibrium Dynamics Of Money And Output.” *The Quarterly Journal of Economics* 114 (2):655–690.
- . 2009. “Inflation and Real Activity with firm-level productivity shocks.” Tech. rep., Federal Reserve Bank of Richmond.
- Dutta, Shantanu, Mark Bergen, Daniel Levy, and Robert Venable. 1999. “Menu Costs, posted prices and multiproduct retailers.” *The Journal of Money, Credit and Banking* 31 (4):683–703.
- Eichenbaum, Martin, Nir Jaimovich, and Sergio Rebelo. 2011. “Reference Prices, Costs, and Nominal Rigidities.” *American Economic Review* 101 (1):234–62.
- Eichenbaum, Martin S., Nir Jaimovich, Sergio Rebelo, and Josephine Smith. 2014. “How Frequent Are Small Price Changes?” *American Economic Journal: Macroeconomics* 6 (2):137–155.

- Gagnon, Etienne. 2009. "Price Setting During Low and High Inflation: Evidence from Mexico." *Quarterly Journal of Economics* 124 (3):1221–1263.
- Gertler, Mark and John Leahy. 2008. "A Phillips Curve with an Ss Foundation." *Journal of Political Economy* 116 (3):533–572.
- Golosov, Mikhail and Robert E. Jr. Lucas. 2007. "Menu Costs and Phillips Curves." *Journal of Political Economy* 115:171–199.
- Kashyap, Anil K. 1995. "Sticky Prices: New Evidence from Retail Catalogs." *The Quarterly Journal of Economics* 110 (1):245–74.
- Kehoe, Patrick J. and Virgiliu Midrigan. 2007. "Sales and the real effects of monetary policy." Working Papers 652, Federal Reserve Bank of Minneapolis.
- Kiley, Michael. 2002. "Partial Adjustment and Staggered Price Setting." *Journal of Money, Credit and Banking* 34 (2):283–98.
- Klenow, J. Peter and Benjamin Malin. 2010. "Microeconomic Evidence on Price-Setting." *Handbook of monetary economics* 3:231–284.
- Klenow, Peter J. and Oleksiy Kryvtsov. 2008. "State-Dependent or Time-Dependent Pricing: Does It Matter for Recent U.S. Inflation?" *The Quarterly Journal of Economics* 123 (3):863–904.
- Levy, Daniel, Mark Bergen, Shantanu Dutta, and Robert Venable. 1997. "The Magnitude of Menu Costs: Direct Evidence from Large U.S. Supermarket Chains." *The Quarterly Journal of Economics* 112 (3):791–825.
- Mankiw, N. Gregory and Ricardo Reis. 2002. "Sticky Information Versus Sticky Prices: A Proposal To Replace The New Keynesian Phillips Curve." *The Quarterly Journal of Economics* 117 (4):1295–1328.
- Midrigan, Virgiliu. 2009. "Menu Costs, Multi-Product Firms, and Aggregate Fluctuations." Working paper, NYU.
- . 2011. "Menu Costs, Multi-Product Firms, and Aggregate Fluctuations." *Econometrica*, 79 (4):1139–1180.
- Nakamura, Emi and Jon Steinsson. 2008. "Five Facts about Prices: A Reevaluation of Menu Cost Models." *The Quarterly Journal of Economics* 123 (4):1415–1464.
- . 2010. "Monetary Non-Neutrality in a Multisector Menu Cost Model." *The Quarterly Journal of Economics* 125 (3):961–1013.
- Reis, Ricardo. 2006. "Inattentive producers." *Review of Economic Studies* 73 (3):793–821.
- Taylor, John B. 1980. "Aggregate Dynamics and Staggered Contracts." *Journal of Political Economy* 88 (1):1–23.

- Vavra, Joseph. 2013. "Inflation Dynamics and Time-Varying Volatility: New Evidence and an Ss Interpretation." *The Quarterly Journal of Economics* (forthcoming).
- Wulfsberg, F. 2010. "Price adjustments and inflation-evidence from Norwegian consumer price data 1975-2004." Working paper, Bank of Norway.
- Zaitsev, V.F. and A.D. Polyanin. 2003. *Handbook of Exact Solutions for Ordinary Differential Equations*. Chapman and Hall, CRC Press.
- Zbaracki, Mark J., Mark Ritson, Daniel Levy, Shantanu Dutta, and Mark Bergen. 2004. "Managerial and Customer Costs of Price Adjustment: Direct Evidence from Industrial Markets." *The Review of Economics and Statistics* 86 (2):514-533.

A Proofs

Proof. (of Proposition 1). Let $p(0) = 0$. Define $x(t) \equiv ||p(t)||^2 - n\sigma^2 t$ for $t \geq 0$. Using Ito's lemma we can verify that the drift of $||p||^2$ is $n\sigma^2$, and hence $x(t)$ is a Martingale. By the optional sampling theorem $x(\tau)$, the process stopped at τ , is also a martingale. Then $\mathbb{E}[x(\tau) \mid p(0)] = \mathbb{E}[||p(\tau)||^2 \mid p(0)] - n\sigma^2 \mathbb{E}[\tau \mid p(0)] = x(0) = 0$ and since $N(\Delta p_i) = 1/\mathbb{E}[\tau \mid p(0)]$ and $Var(\Delta p_i) = \mathbb{E}[||p(\tau)||^2 \mid p(0)]/n$ we obtain the desired result. \square

Proof. (of Lemma 1). First, note that since two value functions differ by a constant, then all their derivatives are identical. Hence, if the one for the discount rate and arrival rate of free adjustment $(r + \lambda, 0)$ satisfies value matching and smooth pasting, so does the one for discount rate and arrival rate of free adjustment $(r, \lambda, 0)$, for the same boundary. Second, consider the range of inaction, subtracting the value function for the problem with parameters $(r + \lambda, 0)$ from the one with parameters (r, λ) , and using that all the derivatives are identical, one verifies that if the Bellman equation holds for the problem with $(r + \lambda, 0)$, so it does for the problem with (r, λ) . \square

Proof. (of Proposition 2). The first part is straightforward given Lemma 1 and Proposition 3 in Alvarez and Lippi (2014). The second part is derived from the following implicit expression determining \bar{y} (see the proof of Proposition 3 in Alvarez Lippi for the derivation):

$$\psi = \frac{B}{r + \lambda} \bar{y} \left[1 - \frac{\frac{2\sigma^2(n+2)}{r+\lambda} \bar{y} + \bar{y}^2 + \bar{y}^2 \sum_{i=1}^{\infty} \kappa_i (r + \lambda)^i \bar{y}^i}{\frac{2\sigma^2(n+2)}{r+\lambda} \bar{y} + 2\bar{y}^2 + \bar{y}^2 \sum_{i=1}^{\infty} \kappa_i (i + 2) (r + \lambda)^i \bar{y}^i} \right] \quad (24)$$

where $\kappa_i = (r + \lambda)^{-i} \prod_{s=1}^i \frac{1}{\sigma^2(s+2)(n+2s+2)}$. So we can write this expression as: $\psi = \frac{B}{r+\lambda} \bar{y} [1 - \xi(\sigma^2, r + \lambda, n, \bar{y})]$ where $\xi(\sigma^2, r + \lambda, n, \bar{y})$ is given by:

$$\xi(\sigma^2, r + \lambda, n, \bar{y}) \equiv \frac{\frac{2\sigma^2(n+2)}{r+\lambda} \bar{y} + \bar{y}^2 + \bar{y}^2 \sum_{i=1}^{\infty} \kappa_i (r + \lambda)^i \bar{y}^i}{\frac{2\sigma^2(n+2)}{r+\lambda} \bar{y} + 2\bar{y}^2 + \bar{y}^2 \sum_{i=1}^{\infty} \kappa_i (i + 2) (r + \lambda)^i \bar{y}^i}$$

Since $\bar{y} \rightarrow \infty$ as $\psi \rightarrow \infty$ then we can define the limit:

$$\lim_{\psi \rightarrow \infty} \frac{\psi}{\bar{y}} = \frac{B}{r + \lambda} \left[1 - \lim_{\bar{y} \rightarrow \infty} \xi(\sigma^2, r + \lambda, n, \bar{y}) \right]$$

Simple analysis can be used to show that $\lim_{\bar{y} \rightarrow \infty} \xi(\sigma^2, r + \lambda, n, \bar{y}) = 0$ which gives the expression in the proposition (see the Online Appendix E for a detailed derivation). \square

Proof. (of Proposition 3). To characterize $N(\Delta p_i)$ we write the Kolmogorov backward equation for the expected time between adjustments $\mathcal{T}(y)$ which solves: $\lambda \mathcal{T}(y) = 1 + n\sigma^2 \mathcal{T}'(y) + 2y\sigma^2 \mathcal{T}''(y)$ for $y \in (0, \bar{y})$ and $\mathcal{T}(\bar{y}) = 0$ (see Appendix F for a discussion of the solution to this equation). Then the expected number of adjustments is given by $N(\Delta p_i) = 1/\mathcal{T}(0)$, subject to $\mathcal{T}(0) < \infty$.

The solution of the second order ODE for $\mathcal{T}(y)$ has a power series representation: $\mathcal{T}(y) = \sum_{i=0}^{\infty} \alpha_i y^i$, for $y \in [0, \bar{y}]$, with the following conditions on its coefficients $\{\alpha_i\}$: $\alpha_1 = \frac{\lambda\alpha_0 - 1}{n\sigma^2}$, $\alpha_{i+1} = \frac{\lambda}{(i+1)\sigma^2(n+2i)} \alpha_i$, for $i \geq 1$ and where $0 < \alpha_0 < 1/\lambda$ is chosen so that $0 \geq \alpha_i$ for $i \geq 1$, $\lim_{i \rightarrow \infty} \frac{\alpha_{i+1}}{\alpha_i} = 0$ and $0 = \sum_{i=0}^{\infty} \alpha_i \bar{y}^i$. Moreover, $\mathcal{T}(0) = \alpha_0$ is an increasing function of \bar{y} since α_0 solves:

$$0 = \alpha_0 + \frac{(\alpha_0 - 1/\lambda)}{n} \left(\frac{\bar{y}\lambda}{\sigma^2} \right) \left[1 + \sum_{i=1}^{\infty} \left(\prod_{k=1}^i \frac{1}{(k+1)(n+2k)} \right) \left(\frac{\bar{y}\lambda}{\sigma^2} \right)^i \right]$$

Note that for $i \geq 1$: $\alpha_i = \alpha_i / [i! (n/2 + i)] (\lambda/(2\sigma^2))$, and using the properties of the Γ function

$$\alpha_i = \Gamma(n/2) / (\Gamma(n/2 + i) (\lambda/(2\sigma^2))^i (\alpha_0 - 1/\lambda)) .$$

Solving for α_0 and using $\mathcal{L} \equiv \lambda/N(\Delta p_i) = \lambda\mathcal{T}(0) = \lambda\alpha_0$. Thus

$$\ell = \left(\sum_{i=1}^{\infty} \frac{\Gamma(\frac{n}{2})}{i! \Gamma(\frac{n}{2} + i)} \left(\frac{\lambda\bar{y}}{2\sigma^2} \right)^i \right) / \left(\sum_{i=0}^{\infty} \frac{\Gamma(\frac{n}{2})}{i! \Gamma(\frac{n}{2} + i)} \left(\frac{\lambda\bar{y}}{2\sigma^2} \right)^i \right)$$

which is [equation \(5\)](#). \square

Proof. (of [Proposition 4](#)). We first state a lemma about the density $f(y)$.

Lemma 2 *Let $f(y; n, \frac{\lambda}{\sigma^2}, \bar{y})$ be the density of $y \in [0, \bar{y}]$ in [equation \(6\)](#) satisfying the boundary conditions. For any $k > 0$ we have: $f(y; n, \frac{\lambda}{\sigma^2}, \bar{y}) = \frac{1}{k} f(\frac{y}{k}; n, \frac{\lambda k}{\sigma^2}, \frac{\bar{y}}{k})$.*

Proof. (of [Lemma 2](#)). Consider the function $f(y; n, \frac{\lambda}{\sigma^2}, \bar{y})$ solving [equation \(6\)](#) (and boundary conditions) for given $n, \frac{\lambda}{\sigma^2}, \bar{y}$. Without loss of generality set $\sigma' = \sigma$ and consider $\bar{y}' = \bar{y}/k$ and $\lambda' = \lambda k$. Notice that by setting $C'_1 = C_1 k$ and $C'_2 = C_2 k$ we verify that the boundary conditions hold (because $C'_1/C'_2 = C_1/C_2$) and that [\(6\)](#) holds (which is readily verified by a change of variable). \square

We now prove the proposition. Let $w(\Delta p_i; n, \ell, Std(\Delta p_i))$ be the density function in [equation \(8\)](#). Next we verify [equation \(9\)](#). From the first term in [equation \(8\)](#) notice that

$$(1 - \ell) \omega(\Delta p_i; \bar{y}) = s (1 - \ell) \omega(s \Delta p_i; s^2 \bar{y})$$

where the first equality uses the homogeneity of degree -1 of $\omega(\Delta p_i; y)$ (see [equation \(7\)](#)). From the second term in [equation \(8\)](#) for $n \geq 2$

$$\ell \int_0^{\bar{y}} \omega(\Delta p_i; y) f(y; n, \frac{\lambda}{\sigma^2}, \bar{y}) dy = \ell \int_0^{\bar{y}} s \omega(s \Delta p_i; s^2 y) s^2 f\left(y s^2; n, \frac{\lambda}{s^2 \sigma^2}, \bar{y} s^2\right) dy$$

where the first equality follows from [Lemma 2](#) for $k = 1/s^2$, and the homogeneity of degree -1 of $\omega(\cdot, \cdot)$. Further we note

$$\ell \int_0^{\bar{y}} s \omega(s \Delta p_i; s^2 y) s^2 f\left(y s^2; n, \frac{\lambda}{s^2 \sigma^2}, \bar{y} s^2\right) dy = s^3 \ell \int_0^{\bar{y}} \omega(s \Delta p_i; s^2 y) f\left(y s^2; n, \frac{\lambda'}{\sigma'^2}, \bar{y}'\right) dy$$

where $\frac{\lambda' \bar{y}'}{\sigma'^2} = \frac{\lambda \bar{y}}{\sigma^2}$, so that ℓ is the same across the two economies. Using $z = y s^2$

$$s^3 \ell \int_0^{\bar{y}} \omega(s \Delta p_i; s^2 y) f\left(y s^2; n, \frac{\lambda'}{\sigma'^2}, \bar{y}'\right) dy = s \ell \int_0^{\bar{y}'} \omega(s \Delta p_i; z) f\left(z; n, \frac{\lambda'}{\sigma'^2}, \bar{y}'\right) dz .$$

where $\bar{y}' = s^2 \bar{y}$, which completes the verification of [equation \(9\)](#). \square

Proof. (of [Proposition 5](#)). To obtain the expression in [equation \(11\)](#) we use the characterization of $\ell = \mathcal{L}\left(\frac{\lambda \bar{y}}{n \sigma^2}, n\right)$ of [Proposition 3](#), it is equivalent to fix a value of $\phi \equiv \frac{\lambda \bar{y}}{n \sigma^2}$. We let the optimal decision rule be $\bar{y}(\psi/B, \sigma^2, r + \lambda, n)$ so that we have:

$$\bar{y}\left(\frac{\psi}{B}, \sigma^2, r + \lambda, n\right) \frac{\lambda}{n \sigma^2} = \phi$$

To be consistent with $Var(\Delta p_i)$ and $N(\Delta p_i)$ we have, using [Proposition 1](#) and $\ell = \mathcal{L}(\phi, n)$:

$$N(\Delta p_i) = \lambda / \mathcal{L}(\phi, n) \quad \text{and} \quad \frac{\lambda}{\sigma^2} = \mathcal{L}(\phi, n) / Var(\Delta p_i) .$$

Thus, after taking $r \downarrow 0$ and using the expression above we can write:

$$\bar{y}\left(\frac{\psi}{B}, N(\Delta p_i) Var(\Delta p_i), \ell N(\Delta p_i), n\right) \frac{\ell}{n Var(\Delta p_i)} = \mathcal{L}^{-1}(\ell; n)$$

Fixing n and ℓ and totally differentiating this expression with respect to $(\psi/B, N(\Delta p_i), Var(\Delta p_i))$, and denoting by $\eta_\psi, \eta_{\sigma^2}, \eta_\lambda$ the elasticities of \bar{y} with respect to $\psi/B, \sigma^2, \lambda$ we have:

$$\eta_\psi \hat{\psi} + \eta_{\sigma^2} (\hat{N}(\Delta p_i) + \hat{Var}(\Delta p_i)) + \eta_\lambda \hat{N}(\Delta p_i) = \hat{Var}(\Delta p_i)$$

where a *hat* denotes a proportional change. Using Proposition 3-(iv) in [Alvarez and Lippi \(2014\)](#) and [Lemma 1](#) we have that these elasticities are related by: $\eta_\lambda = 2\eta_\psi - 1$ and $\eta_{\sigma^2} = 1 - \eta_\psi$. Thus $\eta_\psi \hat{\psi} + (1 - \eta_\psi) (\hat{N}(\Delta p_i) + \hat{Var}(\Delta p_i)) + (2\eta_\psi - 1) \hat{N}(\Delta p_i) = \hat{Var}(\Delta p_i)$. Rearranging and canceling terms: $\eta_\psi \hat{\psi} + \eta_\psi \hat{N}(\Delta p_i) - \eta_\psi \hat{Var}(\Delta p_i) = 0$. Dividing by η_ψ we obtain that $\hat{\psi} = \hat{Var}(\Delta p_i) - \hat{N}(\Delta p_i)$. Additionally, since \bar{y} is a function of ψ/B , then we can write $\psi/n = B (Var(\Delta p_i)/N(\Delta p_i)) \Psi(n, \ell)$ for some function $\Psi(n, \ell)$.

That $\psi \rightarrow \infty$ as $\ell \rightarrow 1$ follows because $\mathcal{L}(\phi, n) \rightarrow 1$ as $\phi \rightarrow \infty$ and because, by Proposition 3-(i) in [Alvarez and Lippi \(2014\)](#), \bar{y} is increasing in ψ and has range and domain $[0, \infty)$. For $\lambda = 0$ and $N(\Delta p_i) > 0$ we obtain: $\frac{\psi}{n} = B \frac{V(\Delta p)}{N(\Delta p_i)} \frac{n}{2(n+2)}$. This follows from using the square root approximation of \bar{y} for small $\psi (\lambda + r)^2$, the expression for $N(\Delta p_i) = n \sigma^2 / \bar{y}$ and [Proposition 1](#), i.e. $N(\Delta p_i) Var(\Delta p_i) = \sigma^2$. To obtain the expression for $\Psi(n, 0)$ we use Proposition 6 in [Alvarez and Lippi \(2014\)](#) where it is shown that for $\lambda = 0$ then $Kur(\Delta p_i) = 3n/(n+2)$.

Proof. (of [Proposition 6](#)). For any $p \in \mathbb{R}^n$ with $\|p\|^2 \leq \bar{y}$, we write $m(p; \bar{y}, \sigma, \lambda)$ to emphasize the dependence on $(\bar{y}, \sigma, \lambda)$. A guess and verify strategy can be used to show the following

scaling property of the function m : Let $k > 0$, then for all $p \in \mathbb{R}^n$ with $\|p\|^2 \leq \bar{y}$:

$$m(kp; k^2\bar{y}, k\sigma, \lambda) = k m(p; \bar{y}, \sigma, \lambda) \quad \text{and} \quad m(p; \bar{y}, \sigma\sqrt{k}, \lambda k) = \frac{1}{k} m(p; \bar{y}, \sigma, \lambda).$$

It is straightforward to verify that this function satisfies the ODE and boundary conditions for $m(p)$ (see e.g. the one in the main text for the $n = 1$ case). Recall the homogeneity of $f(y)$ stated in [Lemma 2](#). Finally, note that the density $g(p)$ can be expressed as a function of the density $f(y)$ given in [equation \(6\)](#) and the density of the sum of n coordinates of a random variable uniformly distributed on a n dimensional hypersphere of square radius y , as obtained in Equation 21 in [Alvarez and Lippi \(2014\)](#). These properties applied to [equation \(19\)](#) establish the scaling property stated in the proposition.

Proof. (of [Proposition 7](#)). For the cases of $n = 1$ and $n = \infty$, in [Appendix P](#) we give closed form expressions for the kurtosis $Kur(\Delta p_i)$ for any $\ell \in (0, 1)$ and for the cumulative output effect, $\mathcal{M}(\delta)$ from which it is immediate to verify that they are proportional to each other, as stated in the proposition.

The next lemma gives a simple expression for $\mathcal{M}'(0)$, which holds for all $1 \leq n < \infty$ and $0 \leq \ell \leq 1$.

Lemma 3 *Let $\mathcal{M}(\cdot; n)$ be the area under the IRF of output and $f(\cdot; n)$ be the density of the invariant distribution for an economy with n products and parameters $(\bar{y}, \lambda, \sigma^2)$. Let $\mathcal{T}_{n+2}(y)$ be the expected time until either $y(t)$ hits \bar{y} or that until there is a free adjustment opportunity, whichever happens first, starting at $y(0) = y$, for an economy with $n + 2$ products and the same parameters $(\bar{y}, \lambda, \sigma^2)$. Then*

$$\mathcal{M}'(0; n) = \frac{1}{\epsilon} \int_0^{\bar{y}} \left[\mathcal{T}_{n+2}(y) + \frac{2}{n} \mathcal{T}'_{n+2}(y) y \right] f(y; n) dy \quad (25)$$

The function $\mathcal{T}_n(y)$ is characterized in the proof of [Proposition 3](#) where we give an explicit power series representation for this function. The proof of [Lemma 3](#) can be found in [Appendix K](#). It uses a characterization of $m(p)$ in terms of a two dimensional vector (z, y) , where z is the sum of the n coordinates of p . The function $m(z, y)$ solves a PDE whose solution can be expressed in terms of $\mathcal{T}_n(y)$.

For $1 < n < \infty$ and $\ell = 0$ we note that [Lemma 3](#) simplifies substantially since $\mathcal{T}_{n+2}(y) = (\bar{y} - y)/(2n\sigma^2)$, $Kur(\Delta p_i) = 3n/(2 + n)$, $N(\Delta p_i) = n\sigma^2/\bar{y}$, and f has a simple closed form expression (all expressions are given in [Alvarez and Lippi \(2014\)](#)). Using these expressions to explicitly solve for the right hand side of [equation \(25\)](#) it is immediate to verify that [equation \(22\)](#) holds, see [Appendix Q](#) for the details.

For $1 < n < \infty$ and $\ell = 1$, with $\lambda > 0$ and $\sigma^2 > 0$, using [Proposition 3](#) it must be the case that $\bar{y} = \infty$. In this case, $N(\Delta p_i) = \lambda\ell = \lambda$, and the distribution of price changes is independent across each of the n products, and given by a Laplace distribution, which has kurtosis 6. Likewise $\mathcal{T}_{n+2}(y) = 1/\lambda$ for all $y \geq 0$. Thus, using [equation \(25\)](#) we obtain the desired result.

Finally we consider the case of $1 < n < \infty$ and $0 < \ell < 1$. Using the representation shown in [Proposition 6](#) for $\mathcal{M}(\delta)$ and differentiating with respect to δ , and evaluating at $\delta = 0$, then $\mathcal{M}'(0)$ depends *only* on two parameters: n and ℓ . Likewise, using the property of f in

Proposition 4, the kurtosis of price changes also depends *only* on the same two parameters: n and ℓ . Therefore, for a given $n > 1$, the verification of **Proposition 7** requires to check that $Kur(\Delta p_i)/(6 N(\Delta p_i))$ and $\mathcal{M}'(0)$ are the same at all values of $\ell \in (0, 1)$. Using **Proposition 3**, it is equivalent to check the equality for any $1 < n < \infty$ and $0 < \phi < \infty$ where $\phi = \lambda \bar{y}/(n \sigma^2)$.

For $Kur(\Delta p_i)/(N(\Delta p_i))$, the left hand side of **equation (22)**, we have a closed form solution in **equation (34)**. This solution is derived in two steps. First we derive an expression for $Kur(\Delta p_i)$. This is done by noticing that

$$Kur(\Delta p_i) = \frac{\mathbb{E}(\Delta p_i^4(\tau) | y(0) = 0)}{Var(\Delta p_i)^2} = \frac{Q(0)}{\frac{\sigma^4}{N(\Delta p_i)^2}} = \frac{(\lambda/\sigma^2)^2 Q(0)}{(\mathcal{L}(\phi, n))^2}$$

where τ is the stopping time associated with a price change, and where $Q(y)$ is the expected fourth moment at the time of adjustment τ conditional on having today a squared price gap y , i.e.

$$Q(y) = \mathbb{E}(\Delta p_i^4(\tau) | y(0) = y) = \frac{3}{(n+2)n} \mathbb{E}(y^2(\tau) | y(0) = y)$$

where $y(\tau)$ is the value of the squared price gap at the stopping time. Notice that for $y \in [0, \bar{y}]$ the function $Q(y)$ obeys the o.d.e.:

$$\lambda Q(y) = \lambda \frac{3y^2}{(n+2)n} + Q'(y) n \sigma^2 + Q''(y) 2\sigma^2 y$$

with boundary condition $Q(\bar{y}) = \frac{3\bar{y}^2}{(n+2)n}$. The solution of Q has a power series representation which is easily obtained by matching coefficients and using the boundary conditions. The second step is to use that $Kur(\Delta p_i)/N(\Delta p_i) = (1/\lambda)\mathcal{L}(\phi, n) Kur(\Delta p_i)$ and the solution for \mathcal{L} in **Proposition 3**. This gives expression in the right hand side of **equation (22)**. See **Appendix D** for more details in the algebra.

For the right hand side of **equation (25)**, we first characterize $\mathcal{T}_{n+2}(y) + \frac{2}{n} \mathcal{T}'_{n+2}(y) y$ and $f(y; n)$. In the proof of **Proposition 3** we developed a power series representation of $\mathcal{T}_{n+2}(y)$. Using this power series it is immediate to obtain a power series representation of $\mathcal{T}_{n+2}(y) + \frac{2}{n} \mathcal{T}'_{n+2}(y) y$. This gives:

$$\mathcal{T}_{n+2}(y) + \frac{2}{n} \mathcal{T}'_{n+2}(y) y = \frac{\sum_{i=1}^{\infty} \frac{\Gamma(\frac{n}{2}+1)}{i! \Gamma(\frac{n}{2}+i+1)} \left[\left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i - \left(1 + \frac{2i}{n} \right) \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i \right]}{\sum_{i=0}^{\infty} \frac{\Gamma(\frac{n}{2}+1)}{i! \Gamma(\frac{n}{2}+i+1)} \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i} \quad (26)$$

See **Appendix N** for more details of the algebra.

For f we use the characterization in **equation (6)** in term of modified Bessel functions of the first and second kind. These functions have a power series representation, which we use

to solve for the two unknown constants C_1, C_2 . This gives:

$$f(y) = \frac{\left[\frac{\left(\frac{\lambda y}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i, \frac{n}{2}-1} \left(\frac{\lambda y}{2\sigma^2}\right)^i - \sum_{i=0}^{\infty} \beta_{i, 1-\frac{n}{2}} \left(\frac{\lambda y}{2\sigma^2}\right)^i \right]}{\left[\frac{\left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i, \frac{n}{2}-1} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i - \sum_{i=0}^{\infty} \beta_{i, 1-\frac{n}{2}} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i \right]} \quad (27)$$

$$\left[\frac{\left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i, \frac{n}{2}-1} \frac{\bar{y}}{i+n/2} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i - \sum_{i=0}^{\infty} \beta_{i, 1-\frac{n}{2}} \frac{\bar{y}}{i+1} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i}{\left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i, \frac{n}{2}-1} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i - \sum_{i=0}^{\infty} \beta_{i, 1-\frac{n}{2}} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i} \right]$$

where the two sequence of coefficients β are defined in term of Γ functions as

$$\beta_{i, \frac{n}{2}-1} \equiv \frac{1}{i! \Gamma(i + n/2)} \quad \text{and} \quad \beta_{i, 1-\frac{n}{2}} \equiv \frac{1}{i! \Gamma(i + 2 - n/2)} \quad \text{for } i = 0, 1, 2, \dots \quad (28)$$

Due to a singularity on the power expansion of the modified Bessel function of the second kind, the expression in [equation \(27\)](#) holds for all real $n \geq 1$, except when n is an even natural number. Yet the expression is continuous on n . See [Appendix C](#) for a step-by-step derivation.

Finally, using [equation \(26\)](#) and [equation \(27\)](#), rearranging terms and solving the resulting integrals we have:

Lemma 4 *The equality equation (22) is equivalent to*

$$\sum_{j=1}^{\infty} \frac{\gamma_j \frac{1}{1+j}}{\sum_{s=0}^{\infty} \gamma_s \frac{1}{1+s}} j = \sum_{j=1}^{\infty} \gamma_j \left(1 + \frac{2j}{n}\right) \times \quad (29)$$

$$\left(\left[\frac{\sum_{i=0}^{\infty} \xi_i \frac{1}{\frac{n}{2}+i+j}}{\sum_{i=0}^{\infty} \xi_i} - \frac{\sum_{i=0}^{\infty} \rho_i \frac{1}{i+1+j}}{\sum_{i=0}^{\infty} \rho_i} \right] / \left[\frac{\sum_{i=0}^{\infty} \xi_i \frac{1}{\frac{n}{2}+i}}{\sum_{i=0}^{\infty} \xi_i} - \frac{\sum_{i=0}^{\infty} \rho_i \frac{1}{i+1}}{\sum_{i=0}^{\infty} \rho_i} \right] \right),$$

where the sequences $\{\gamma_j, \xi_j, \rho_j\}_{j=0}^{\infty}$ are defined as

$$\gamma_j \equiv \frac{\Gamma\left(\frac{n}{2} + 1\right)}{j! \Gamma\left(\frac{n}{2} + 1 + j\right)} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^j, \quad \xi_j \equiv \frac{1}{j! \Gamma\left(j + \frac{n}{2}\right)} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^{\left(\frac{n}{2}+j-1\right)} \quad \text{and}$$

$$\rho_j \equiv \frac{1}{j! \Gamma\left(j + 2 - \frac{n}{2}\right)} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^j. \quad (30)$$

For each $n > 1$ and $\lambda \bar{y}/\sigma^2 > 0$ one can numerically evaluate the right and left hand side of [equation \(29\)](#) and check that they are equal. This verification is straightforward since both sides are simple functions of convergent power series, which are arbitrary well approximated by a finite sum (a simple Matlab code for the verification, called `solveMp0.m`, is available on our websites). As explained above, for $n = 2k$ and $k \in \mathbb{N}$ and $k \geq 1$, so that n is even, this expression should be understood as the limit for $n \rightarrow 2k$ (or, numerically, as the sum for values of n close to $2k$). \square

Proof. (of Proposition 8). The idea is to show that for any n, ℓ

$$Kur(\Delta p_i; \mu) = Kur(\Delta p_i; -\mu) , \quad N(\Delta p_i)(\mu) = N(\Delta p_i)(-\mu) , \quad \mathcal{M}(\delta; \mu) = -\mathcal{M}(-\delta; -\mu) \quad (31)$$

for all (μ, δ) in a neighborhood of $(0, 0)$. Note that differentiating the last expression with respect to δ , and evaluating it at $\delta = 0$ we obtain that $\mathcal{M}'(0; \mu) = \mathcal{M}'(0; -\mu)$. Hence we have that $Kur(\Delta p_i; \cdot)$, $N(\Delta p_i)(\cdot)$ and $\mathcal{M}'(0; \cdot)$ are symmetric functions of inflation around $\mu = 0$. Hence, if they are differentiable, they must have zero derivative with respect to inflation at zero inflation. Instead the symmetry in equation (31) follows from the symmetry on the firm's problem with respect to positive and negative drift. To understand where this symmetry comes from, we proceed in two steps. First we analyze the symmetry of the decision problem for the firm of Section 3.2. Second, we consider the approximation to the GE problem for values $\mu \neq 0$. All the arguments follow, essentially, a guess and verify strategy of a simple nature but with a heavy notation. Appendix M provides more details on the proof.

Proof. (of Proposition 9.) The proof proceeds by verification analyzing the condition for which every single firm for which $\|p\|^2 = y \leq \bar{y}$ before the shock will find that $\|p - \iota\delta\|^2 \geq \bar{y}$, where ι is a vector of ones. See Appendix J for a detailed derivation.

ADDITIONAL DOCUMENTATION (NOT FOR PUBLICATION)

Small and large price changes and
the propagation of monetary shocks

F. Alvarez , H. Le Bihan, and F. Lippi

June 16, 2014


B Data Appendix

This appendix provides further empirical evidence. [Section B.1](#) describes evidence for the US taken from scanner datasets. [Section B.2](#) offers more detailed statistical information on the French data, including a sectoral split and a robustness-to-trimming exercise. [Section B.3](#) explores the extent to which the statistical protocols used to measure prices are responsible for the small price changes, as suggested by [Eichenbaum et al. \(2014\)](#).

B.1 Evidence from US scanner datasets (weekly prices)

This appendix uses a large scanner data set, also used by [Eichenbaum, Jaimovich, and Rebelo \(2011\)](#), to measure the kurtosis of price changes in a dataset that allows to control for heterogeneity and measurement error in a more precise way than is doable with the typical CPI data. The data contains information on weekly average prices and quantities for over 100 stores (index s), 13,000 goods (index u) over 100 weeks (index t). Price changes are measured by the log changes, i.e. $\Delta p_{t,u,s} = 100(\log(p_{t,u,s}) - \log(p_{t-1,u,s}))$, i.e. the percentage price change (in log points). Since measured prices are weekly averages (measured by total revenues divided by quantity) a change from one week to the other may occur even in the absence of a true price change, if the proportion of customers with discount coupons changes. We think that this is the most prevalent type of measurement error in the scanner type data (where there are no unrecorded product substitutions or transcription errors).

Figure 6: US: Eichenbaum et al (2011) scanner data




kurtosis = 4.9 ; 11 million obs. kurtosis = 3.0 ; 8.9 million obs.

[Figure 6](#) presents the results for the $\Delta p_{i,u,s}$ before any treatment is done to the data (left panel) and after removing the price changes smaller than 1 cent (which for sure reflect a composition effect in the weekly prices, e.g. averaging customers with discount coupons and those without). When removing such price changes, kurtosis drops to 3.8. Standardizing the price changes at the store-good level (and trimming price changes smaller than 1 cent) further reduces kurtosis to around 2.8 (see [Alvarez, Lippi, and Pozzi \(2014\)](#) for a more detailed analysis). These patterns are not very sensitive to the specific trimming that is chosen.

We complement this evidence with a larger dataset covering more stores and more products, the Symphony IRI dataset described in [Bronnenberg, Kruger, and Mela \(2008\)](#). The dataset contains weekly scanner price and quantity data covering a panel of stores in 50 metropolitan areas from January 2001 to December 2011, with multiple chains of retailers for each market. The dataset includes grocery and drug chain data involving approximately 25%-30% of consumer packaged good sales in a grocery store and it contains around 2.4 billion transactions from over 170,000 products and around 3,000 stores. Each outlet has a time invariant identifier and for each retail outlet, weekly data are available at the UPC level. Goods are classified into 31 general product categories such as milk, coffee, beer, etc. Brand information is included but all private-label UPCs have the same brand identification. Detailed information about each good, such as volume and size, is also included. Each retailer reports the total dollar value of weekly sales, inclusive of retail features, displays and retailer coupons but not manufacturer coupons, for each UPC code as well as total units sold. Therefore, the average retail price for each UPC during that week can be recovered. [Figure 7](#) compares the raw data on price changes (no trimming and no standardization) with the data standardized at the store-good level and after discarding price changes outside the interval $0.1\% < |\Delta p_i| < 100\%$.

Figure 7: US: Symphony-IRI scanner data

Size distribution of non-zero Δp_i (based on average weekly prices)
All Δp_i Standardized & trimmed



kurtosis = 34.3 ; 820 million obs. kurtosis = 4.3 ; 610 million obs.

B.2 Details on data and further sectoral statistics for France

Some additional features of our data treatment of French CPI price records are as follows.

Dealing with product replacement. The dataset contains flags for product replacement as well as imputed prices which we use as follows to design our dataset. First, we discarded observations with item substitution, as item substitution may result into spurious values for price changes, if quality adjustment is not accounted for or imperfectly measured ([Berardi, Gautier, and Le Bihan \(2013\)](#) investigate the inclusion of information on item substitutions). Second, we replaced any “imputed price” in the dataset, by the previous price of the same

item in the same outlet present in the data, i.e. a carry-forward procedure. In the source dataset imputed prices are introduced by the INSEE when prices are missing.³² Imputed prices are constructed either using the carry-forward procedure, or imputing the average price change of similar goods observed in the close area. The latter procedure makes sense from the aggregate CPI point of view but is obviously ill-suited for characterizing price change at the individual level. We used the flag for imputed prices to locate and replace them by carry-forward prices. This procedure amounts to discarding imputed prices when computing the distribution of (non-zero) price changes.

Computing price changes and dealing with outliers. Price changes were computed as 100 times the log-difference in prices per unit. We compute a consistent price per unit by, when relevant, dividing prices by the indicator of quantity sold (package size). We removed outliers, which in our baseline analysis we define as price changes smaller in absolute value than 0.1 percent, or larger in absolute value than $100 \cdot \log(10/3)$. These thresholds are set as a first crude ways to deal with measurement errors. Some robustness checks are presented in [Table 6](#). The upper threshold for outliers is set with sales in mind, as we informally observe that price rebates as large as 70% are sometime advertised in sales periods. Our threshold allows for a price to decrease by up to 70% and subsequently return to its former level without discarding the observation. Price changes larger than this threshold are discarded as being outliers.³³

Identifying sales. The flag for sale allows to identify sales. Two kinds of sales-promotion discounts, that have a different status, exist in France: seasonal sales or temporary discounts. Seasonal sales ('soldes') are subject to administrative restrictions: the time period (twice a year) is decided by local authorities and price posting is subject to precise regulations. Temporary discounts are not subject to such restrictions but sales below cost are prohibited by commercial law. By contrast, selling below cost is allowed in the case of seasonal sales. On the sample period, seasonal sales are observed only in some specific categories of goods (mainly clothes). The proportion of price quotes that are flagged as seasonal sales is 0.76% and the proportion of temporary discounts amounts to 1.92%.

Main facts at sectoral level. The different sectors in the CPI have very different pricing patterns, as well documented in recent research. The purpose of this appendix section is to illustrate that the peakedness of the price change distribution is a fact observed in all sectors. [Table 4](#) documents pricing patterns fact using a breakdown into six broad economic sectors.³⁴ As previous research, we observe many sectoral specificities: prices change less often and rarely decrease in services; the size of price changes is smaller in services; energy prices change frequently and by small amounts; reflecting sales, the variance of price change is huge in clothes. However, noticeably a large kurtosis is observed in all sectors, one exception being clothes for which kurtosis (2.2) is lower than that of the Gaussian distribution. The fraction of small price changes, using one fourth of mean absolute price change as a threshold, ranges between 8% and 27% for all categories other than energy. Using a sector and type

³²Prices may be missing because of stock-outs, closed outlet due e.g. to holidays or seasonality in product availability, for instance.

³³An example of outlier is the fee for parking in the street, which is free in some cities in summer.

³⁴The breakdown we use (into food; durable goods; clothing & textile; other manufactured goods ; energy; services) is one we deem the most meaningful to capture price-setting idiosyncracies.


Table 4: Results by type of goods

Good type	Freq	Avg $ \Delta p_i $	Std (Δp_i)	Kur (Δp)	Frac25
Food	19.4	9.2	8.7	10.8	29.3
Durable goods	15.2	14.7	11.5	6.0	18.1
Clothing	11.0	42.5	19.3	2.2	10.2
Other manufactured goods	11.4	10.3	11.7	9.4	34.0
Energy	77.0	3.8	6.5	6.9	12.1
Services	6.5	7.8	11.4	17.6	21.3

Source is INSEE, monthly price records from French CPI, data from 2003:4 to 2011:4. Coverage is around 65% of CPI weight since rents, and prices of fresh food and centrally collected items (e.g. electricity, train and airplane tickets) are not included in the dataset. Freq. denotes monthly frequency of price change in percent. Size of price change Δp are the first-difference in the logarithm of price per unit, expressed in percent. Avg is average, Std standard deviation, Frac25 the share of absolute price change that are inferior to 0.25 Avg $[\Delta p_i]$, Kur denotes kurtosis. Observations with imputed prices or quality change are discarded. Moments are computed aggregating all prices changes using CPI weights at the product level.

of good partition, [Table 5](#) further documents that this fact is consistently observed at higher levels of disaggregation.

Figure 8: Distribution of standardized Price Adjustments by group of goods



Note: The figures uses the elementary CPI data from France 2003-2011 (see the text).

Table 5: Statistics by type of goods and outlet category (un-standardized price changes)

Good type	Outlet type	Freq	Avg $ \Delta p_i $	Std (Δp)	Kur (Δp_i)	Frac25
Food	Hypermarkets	27.56	8.89	8.68	10.25	30.79
Food	Supermarkets	18.84	9.84	9.20	10.57	30.36
Food	Traditional	7.52	7.84	6.66	11.68	15.63
Food	Services	7.14	9.45	8.14	7.52	12.06
Durable goods	Hypermarkets	15.82	13.35	11.45	6.36	21.02
Durable goods	Supermarkets	19.11	14.96	11.01	5.52	16.38
Durable goods	Traditional	7.93	14.77	13.15	7.08	22.02
Durable goods	Services	8.02	23.45	17.67	3.36	20.14
Clothing	Hypermarkets	8.09	45.13	22.21	1.89	17.41
Clothing	Supermarkets	9.55	43.23	19.19	2.20	10.79
Clothing	Traditional	12.68	41.85	18.77	2.24	7.31
Clothing	Services	10.86	41.20	18.86	1.87	12.53
Other manufactured goods	Hypermarkets	15.69	9.40	8.97	11.25	32.71
Other manufactured goods	Supermarkets	12.14	11.87	11.72	7.94	33.99
Other manufactured goods	Traditional	8.22	11.51	15.50	8.16	34.59
Other manufactured goods	Services	11.25	6.59	12.51	12.91	32.85
Energy	Hypermarkets	80.89	3.56	6.27	9.23	8.28
Energy	Supermarkets	76.43	3.56	6.30	8.50	8.60
Energy	Traditional	75.55	4.22	6.92	5.39	14.35
Energy	Services	71.93	3.35	6.01	4.69	8.99
Services	Hypermarkets	5.13	13.84	15.14	7.71	22.64
Services	Supermarkets	9.99	9.70	10.53	10.33	26.22
Services	Traditional	6.34	7.74	9.04	19.97	19.54
Services	Services	6.41	7.65	11.80	18.30	20.86

Source is INSEE, monthly price records from French CPI, data from 2003:4 to 2011:4. Coverage is around 65% of CPI weight since rents, and prices of fresh food and centrally collected items (e.g. electricity, train and airplane tickets) are not included in the dataset. Freq. denotes monthly frequency of price change in percent. Size of price change Δp are the first-difference in the logarithm of price per unit, expressed in percent. Avg is average, Std standard deviation, Frac25 the share of absolute price change that are inferior to 0.25 Avg $[\Delta p_i]$, Kur denotes kurtosis. Observations with imputed prices or quality change are discarded. Moments are computed aggregating all prices changes using CPI weights at the product level.

B.3 Small price changes and measurement error

This appendix examines to what extent the arguments of [Eichenbaum et al. \(2014\)](#) apply to our data and investigates the robustness of our findings to various criteria for trimming the data. Measurement errors may arise for several reasons. [Eichenbaum, Jaimovich, and Rebelo \(2011\)](#) and [Eichenbaum et al. \(2014\)](#) articulate two concerns about the small price change. First they notice that in scanner data studies the price level of an item is typically computed as the ratio of recorded weekly revenues to quantity sold. To the extent that there are temporary or individual specific discounts (say coupons), this will generate spurious small

Table 6: Robustness to trimming

Type of trimming	Flag	Freq.	Avg($ \Delta p_i $)	Std(Δp)	Frac25	Kur $[\Delta p_i]$	Kur $[z]$
$ \Delta p_i \leq 100 \cdot \log(2)$	1	17.1	8.5	14.7	28.9	10.2	7.3
Exc. flagged sales	2	14.8	5.0	7.7	18.8	13.6	8.6
$ \Delta p_i \leq 100 \cdot \log(10/3)$	3	17.2	9.1	16.5	30.3	12.9	9.0
$0.1 \leq \Delta p_i \leq 100 \cdot \log(2)$	4	16.9	8.6	14.8	28.5	10.1	7.2
$0.5 \leq \Delta p_i \leq 100 \cdot \log(2)$	5	16.5	8.8	15.0	27.1	9.8	6.9
$0.1 \leq \Delta p_i \leq 100 \cdot \log(10/3)$ & ex.sales	6	14.7	5.1	8.0	18.2	20.9	10.4
$0.1 \leq \Delta p_i \leq 100 \cdot \log(10/3)$	8	17.1	9.2	16.6	29.9	12.8	8.9
$1 \leq \Delta p_i \leq 100 \cdot \log(2)$	11	15.3	9.7	15.7	22.5	8.9	6.3

(Table, continued) Moments of standardized price change z (where $m \equiv \text{Avg}(|z|)$)

Type of trimming	Flag	Frac($< 0.25m$)	Frac($< 0.5m$)	Frac($> 2m$)	Frac($> 4m$)
$ \Delta p_i \leq 100 \cdot \log(2)$	1	22.0	39.3	13.1	1.8
Exc. flagged sales	2	20.6	38.6	12.6	2.0
$ \Delta p_i \leq 100 \cdot \log(10/3)$	3	22.3	39.6	12.9	1.8
$0.1 \leq \Delta p_i \leq 100 \cdot \log(2)$	4	21.9	39.1	13.1	1.7
$0.5 \leq \Delta p_i \leq 100 \cdot \log(2)$	5	20.9	38.4	12.8	1.6
$0.1 \leq \Delta p_i \leq 100 \cdot \log(10/3)$ & ex.sales	6	20.7	38.6	12.5	2.0
$0.1 \leq \Delta p_i \leq 100 \cdot \log(10/3)$	8	22.2	39.3	12.9	1.8
$1 \leq \Delta p_i \leq 100 \cdot \log(2)$	11	17.7	35.6	12.1	1.3

Source is INSEE, monthly price records from French CPI, data from 2003:4 to 2011:4. Coverage is around 65% of CPI weight since rents, and prices of fresh food and centrally collected items (e.g. electricity, train and airplane tickets) are not included in the dataset. Freq. denotes monthly frequency of price change in percent. Size of price change Δp are the first-difference in the logarithm of price per unit, expressed in percent. Avg is average, Std standard deviation, Frac25 the share of absolute price change that are inferior to $0.25 \text{ Avg}[|\Delta p_i|]$, Kur denotes kurtosis. Kur $[z]$ denotes kurtosis of the distribution of standardized price changes. Standardized price changes are computed at the category of good * type of outlet level. Observations with imputed prices or quality change are discarded. Moments are computed aggregating all prices changes using CPI weights at the product level. Each row describes a sub-sample constructed applying the filter described by the column “type of trimming”. “Ex. sales” exclude observations flagged as sales by the INSEE data collectors. The subsample with flag code 8 is taken as the baseline in the main text of the paper.

price changes.³⁵ Moreover [Eichenbaum et al. \(2014\)](#) highlight a related problem for some CPI items: they spot 27 items (named ELIS in the BLS terminology) that are problematic because these prices are typically computed as a Unit Value Index (a ratio of expenditure to quantity purchased), or they are not consistently recorded in the same outlet, or they are the price of a bundle of goods (for instance the sum of airplane fare and airport tax). We were able to match these items with their counterparts in our French dataset. Out of the 27 problematic items 15 are not present in our data because in the French CPI those

³⁵ Notice that in principle CPI data are immune from this type of measurement error, as these data are direct transaction prices observed by a field agent. Indeed, in the instance of a temporary discount, the CPI dataset will record either no price change, or the large price change of observed during the discount, if the field agent happens to be collecting data during the temporary discount. Further, the protocol of data collection requires that the field agent records the price faced by a regular customer, not benefiting from individual-specific discounts.

items are not recorded by a field agent but are centrally collected (thus not made available in the subset of CPI we have access to).³⁶ Concerning the 12 remaining items virtually no price record in the French CPI is computed as a Unit Value Index, which is hypothesized by Eichenbaum et al. (2014) as a major source of small price changes. Inspecting the patterns of price changes over these 12 potentially “problematic” items in our dataset shows that the amount of small price changes is not significantly different from the one detected over the rest of our sample. One exception is the price of “Residential water” where it can be suspected that many small variations in local taxes occur.³⁷

A second investigation on measurement error was developed by varying the upper and lower thresholds of small and large price changes used to define outliers. Results are displayed in Table 6. In each of the variants considered in Table 6, both kurtosis and the fraction of small price changes remain large. The lowest level of kurtosis obtains when we use the most stringent thresholds for outliers.

Finally, Table 7 compares the fraction of small price changes in US vs the French data. The table uses the same thresholds of Eichenbaum et al. (2014) to measure the fraction of small price changes. The presence of small price changes (in absolute value) is at first sight a more prominent fact in France than in the US. One factor that may contribute to explaining this pattern is the fact that sales are less prevalent in France. Measurement error, as discussed above, may play a role. We nevertheless observe that, if we define small price changes as relative to the mean average price change, rather than with an absolute threshold, the fraction of small price change appears to be lower in France than in the US, as shown in Table 7.

C Power series representation of density $f(y)$

From equation (6) we can write f as the product of a power of y and the sums of two modified Bessel functions of the first and second kind, multiplied by appropriate constants.

Consider then $n \geq 3$ and n odd, so that $\nu = n/2 - 1$ is not an integer. When n is even the expression for K_ν requires to evaluate the limit, so it is more complicated. Thus, we can write:

$$\left(\frac{\lambda y}{2\sigma^2}\right)^{\left(\frac{n}{4}-\frac{1}{2}\right)} I_{\frac{n}{2}-1}\left(2\sqrt{\frac{\lambda y}{2\sigma^2}}\right) = \left(\frac{\lambda y}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i, \frac{n}{2}-1} \left(\frac{\lambda y}{2\sigma^2}\right)^i$$

where

$$\beta_{i, \frac{n}{2}-1} \equiv \frac{1}{i! \Gamma(i + n/2)}$$

³⁶These items are Hospital room in-patient; Hospital in-patient services other than room ; Electricity; Utility natural gas service; Telephone services, local charges ; Interstate telephone services ; Community antenna or cable TV ; Cigarettes; Garbage and trash collection; Airline fares; New cars; New trucks; Ship fares; Prescription drugs and medical supplies; Automobile insurance.

³⁷Otherwise, on the bulk of consumption items, there are no local taxes in France, and the main, nation-wide, rate of the Value Added Tax rate did not move over the sample period.

Table 7: Fraction of small price changes: US and French CPI

Moments for the absolute value of price changes: $ \Delta p_i $				
	France	US	Normal	Laplace
Average $ \Delta p_i $	9.2	14.0		
Fraction of $ \Delta p_i $ below 1%	11.8	12.5		
Fraction of $ \Delta p_i $ below 2.5%	32.5	24.0		
Fraction of $ \Delta p_i $ below 5%	57.1	40.6		
Fraction of $ \Delta p_i $ below $(1/14) \cdot \mathbb{E}(\Delta p_i)$	2.4	12.5	4.5	6.9
Fraction of $ \Delta p_i $ below $(2.5/14) \cdot \mathbb{E}(\Delta p_i)$	13.5	24.0	11.3	16.4
Fraction of $ \Delta p_i $ below $(5/14) \cdot \mathbb{E}(\Delta p_i)$	28.7	40.6	22.4	30.0
Number of obs	1,542,586	1,047,547		

Note: For France the source is INSEE monthly price records from the French CPI (2003:4 to 2011:4). Coverage is around 65% of CPI weight since rents, and prices of fresh food and centrally collected items (e.g. electricity, train and airplane tickets) are not included in the dataset. Frequency of price change is monthly, in percent. Size of price change are the first-difference in the logarithm of price per unit, expressed in percent. Data are trimmed as in the baseline of [Table 1](#). Observations with imputed prices or quality change are discarded. Moments are computed aggregating all prices changes using CPI weights at the product level. The US data are taken from [Eichenbaum et al. \(2014\)](#) Table 1, and refer to “Posted price changes” from 1998:1 to 2011:6. The mean absolute size of price changes is taken from [Klenow and Kryvtsov \(2008\)](#) table III where data are from 1998:1 to 2005:1. Figures for the US are weighted and cover around 70% of the CPI (US CPI includes owners equivalent rents, while French CPI does not). In the third panel we compute the threshold for defining small price changes as fraction of the mean so as to match the US figures in column 2 of the second panel. The Normal and Laplace distributions used in the last two columns have a zero mean and, without loss of generality, standard deviation equal to one.

and for ν not an integer

$$\begin{aligned} \left(\frac{\lambda y}{2\sigma^2}\right)^{\left(\frac{n}{4}-\frac{1}{2}\right)} K_{\frac{n}{2}-1}\left(2\sqrt{\frac{\lambda y}{2\sigma^2}}\right) &= \frac{\frac{\pi}{2}}{\sin\left(\left(\frac{n}{2}-1\right)\pi\right)} \sum_{i=0}^{\infty} \beta_{i,1-\frac{n}{2}} \left(\frac{\lambda y}{2\sigma^2}\right)^i \\ &- \frac{\frac{\pi}{2}}{\sin\left(\left(\frac{n}{2}-1\right)\pi\right)} \left(\frac{\lambda y}{2\sigma^2}\right)^{\left(\frac{n}{4}-\frac{1}{2}\right)} I_{\frac{n}{2}-1}\left(2\sqrt{\frac{\lambda y}{2\sigma^2}}\right) \end{aligned}$$

where

$$\beta_{i,1-\frac{n}{2}} \equiv \frac{1}{i! \Gamma(i+2-n/2)}$$

This means we can write:

$$\begin{aligned} f(y) &= \left(C_I - \frac{\frac{\pi}{2}}{\sin\left(\left(\frac{n}{2}-1\right)\pi\right)} C_K\right) \left(\frac{\lambda y}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i,\frac{n}{2}-1} \left(\frac{\lambda y}{2\sigma^2}\right)^i \\ &+ C_K \frac{\frac{\pi}{2}}{\sin\left(\left(\frac{n}{2}-1\right)\pi\right)} \sum_{i=0}^{\infty} \beta_{i,1-\frac{n}{2}} \left(\frac{\lambda y}{2\sigma^2}\right)^i \end{aligned}$$

Since $f(0) > 0$ and

$$f(0) = C_K \frac{\frac{\pi}{2}}{\sin\left(\left(\frac{n}{2}-1\right)\pi\right)} \beta_{0,1-\frac{n}{2}} = C_K \frac{\frac{\pi}{2}}{\sin\left(\left(\frac{n}{2}-1\right)\pi\right)} \frac{1}{\Gamma(2-n/2)}$$

then $C_K > 0$. Then to set $f(\bar{y}) = 0$ we obtain:

$$\frac{C_I - \frac{\frac{\pi}{2}}{\sin\left(\left(\frac{n}{2}-1\right)\pi\right)} C_K}{-\frac{\frac{\pi}{2}}{\sin\left(\left(\frac{n}{2}-1\right)\pi\right)} C_K} = \frac{\sum_{i=0}^{\infty} \beta_{i,1-\frac{n}{2}} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i}{\left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i,\frac{n}{2}-1} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i}$$

Using the expressions for $f(0)$ and $f(\bar{y}) = 0$ we can then rewrite f as:

$$f(y) = -f(0) \Gamma\left(2 - \frac{n}{2}\right) \left(\sum_{i=0}^{\infty} \beta_{i,1-\frac{n}{2}} \left(\frac{\lambda y}{2\sigma^2}\right)^i\right) \times \left[\frac{\left(\frac{\lambda y}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i,\frac{n}{2}-1} \left(\frac{\lambda y}{2\sigma^2}\right)^i}{\left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i,\frac{n}{2}-1} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i} - \frac{\sum_{i=0}^{\infty} \beta_{i,1-\frac{n}{2}} \left(\frac{\lambda y}{2\sigma^2}\right)^i}{\sum_{i=0}^{\infty} \beta_{i,1-\frac{n}{2}} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i} \right]$$

Using that $1 = \int_0^{\bar{y}} f(y) dy$ we obtain an expression for $f(0)$ and replacing in the previous formula we obtain:

$$f(y) = \frac{\left[\frac{\left(\frac{\lambda y}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i,\frac{n}{2}-1} \left(\frac{\lambda y}{2\sigma^2}\right)^i}{\left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i,\frac{n}{2}-1} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i} - \frac{\sum_{i=0}^{\infty} \beta_{i,1-\frac{n}{2}} \left(\frac{\lambda y}{2\sigma^2}\right)^i}{\sum_{i=0}^{\infty} \beta_{i,1-\frac{n}{2}} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i} \right]}{\left[\frac{\left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i,\frac{n}{2}-1} \frac{\bar{y}}{i+n/2} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i}{\left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i,\frac{n}{2}-1} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i} - \frac{\sum_{i=0}^{\infty} \beta_{i,1-\frac{n}{2}} \frac{\bar{y}}{i+1} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i}{\sum_{i=0}^{\infty} \beta_{i,1-\frac{n}{2}} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i} \right]} \quad (32)$$

Remark. While this expression was obtained for $n \geq 2$ and n odd, it does work for any real huber $n \geq 2$ different from an even natural. Since it is continuous on n , the expression [equation \(32\)](#) can be used to obtain the values of f in the case of n is even by taking the limit as n approaches any even natural, or by evaluating at a real number very close to the desired even natural number.

D Power series representation of Kurtosis

Given $(\lambda, \sigma^2, \bar{y})$ the kurtosis of the steady state price distribution can be written as:

$$Kur(\Delta p_i) = \frac{Q(0)}{\frac{\sigma^4}{N(\Delta p_i)^2}} = \frac{(\lambda/\sigma^2)^2 Q(0)}{(\mathcal{L}(\phi, n))^2}$$

where $Q(y)$ is the expected fourth moment at the time of adjustment τ conditional on having today a squared price gap y , i.e.

$$Q(y) = \mathbb{E}(\Delta p_i^4(\tau) | y(0) = y) = \frac{3}{(n+2)n} \mathbb{E}(y^2(\tau) | y(0) = y)$$

where $y(\tau)$ is the value of the squared price gap at the stopping time and where, using results from [Alvarez and Lippi \(2014\)](#), we have that $Kur(\Delta p_i | y) = \frac{3n}{(n+2)}$ and the variance is $Var(\Delta p_i | ||p||^2 = y) = y/n$. Notice that for $y \in [0, \bar{y}]$ the function $Q(y)$ obeys the o.d.e.:

$$\lambda Q(y) = \lambda \frac{3y^2}{(n+2)n} + Q'(y) n\sigma^2 + Q''(y) 2\sigma^2 y$$

with boundary condition $Q(\bar{y}) = \frac{3\bar{y}^2}{(n+2)n}$. Assuming that $Q(y) = \sum_{i=0}^{\infty} a_i y^i$, matching coefficients, and writing them as function of a_0 one obtains:

$$\begin{aligned} a_1(a_0) &= \frac{a_0}{\frac{\sigma^2}{\lambda} n}, \quad a_2(a_0) = \frac{a_1(a_0)}{2\frac{\sigma^2}{\lambda}(n+2)}, \quad a_3(a_0) = \frac{a_2(a_0) - \frac{3}{(n+2)n}}{3\frac{\sigma^2}{\lambda}(n+4)} \text{ and} \\ a_{i+1}(a_0) &= \frac{a_i(a_0)}{(i+1)\frac{\sigma^2}{\lambda}(n+2i)} \text{ for } i \geq 3 \end{aligned}$$

Thus $Q(0) = a_0$ is determined as the solution to $\sum_{i=0}^{\infty} a_i(a_0) \bar{y}^i = \frac{3\bar{y}^2}{(n+2)n}$. After tedious but simple algebra this gives:

$$Q(0) = a_0 = \frac{3n}{(n+2)} \left(\frac{\sigma^2}{\lambda} \right)^2 \left[\frac{\phi^2 + \sum_{i=3}^{\infty} \left(\prod_{j=3}^i \frac{n}{j[n+2(j-1)]} \right) \phi^i}{1 + \sum_{i=1}^{\infty} \left(\prod_{j=1}^i \frac{n}{j[n+2(j-1)]} \right) \phi^i} \right]$$

where $\phi \equiv \frac{\lambda \bar{y}}{n\sigma^2}$.

Replacing $Q(0)$ into $Kur(\Delta p_i) = \frac{(\lambda/\sigma^2)^2 Q(0)}{\mathcal{L}^2}$ and using [equation \(5\)](#) for $\mathcal{L}(\phi, n)$ we get

$$Kur(\Delta p_i) = \frac{3n}{(n+2)} \left[\frac{\phi^2 + \sum_{i=3}^{\infty} \left(\prod_{j=3}^i \frac{n}{j[n+2(j-1)]} \right) \phi^i}{1 + \sum_{i=1}^{\infty} \left(\prod_{j=1}^i \frac{n}{j[n+2(j-1)]} \right) \phi^i} \right] \left(\frac{1 + \sum_{i=1}^{\infty} \left(\prod_{j=1}^i \frac{n}{j[n+2(j-1)]} \right) \phi^i}{\sum_{i=1}^{\infty} \left(\prod_{j=1}^i \frac{n}{j[n+2(j-1)]} \right) \phi^i} \right)^2$$

Thus

$$Kur(\Delta p_i) = \frac{3n}{(n+2)} \frac{\left(\phi^2 + \sum_{i=3}^{\infty} \left(\prod_{j=3}^i \frac{n}{j[n+2(j-1)]} \right) \phi^i \right) \left(1 + \sum_{i=1}^{\infty} \left(\prod_{j=1}^i \frac{n}{j[n+2(j-1)]} \right) \phi^i \right)}{\left(\sum_{i=1}^{\infty} \left(\prod_{j=1}^i \frac{n}{j[n+2(j-1)]} \right) \phi^i \right)^2} \quad (33)$$

For future reference note that $Kur(\Delta p_i)/N(\Delta p_i) = (1/\lambda)\mathcal{L}(\phi, n)Kur(\Delta p_i)$ so

$$\frac{Kur(\Delta p_i)}{N(\Delta p_i)} = \frac{1}{\lambda} \frac{3n}{(n+2)} \frac{\left(\phi^2 + \sum_{i=3}^{\infty} \left(\prod_{j=3}^i \frac{n}{j[n+2(j-1)]}\right) \phi^i\right)}{\sum_{i=1}^{\infty} \left(\prod_{j=1}^i \frac{n}{j[n+2(j-1)]}\right) \phi^i}$$

Using that

$$\prod_{j=1}^i \frac{n}{j[n+2(j-1)]} = \frac{(n/2)^i}{i!} \prod_{j=1}^i \frac{1}{[\frac{n}{2} + (j-1)]} = \frac{(n/2)^i}{i!} \frac{\Gamma(\frac{n}{2})}{\Gamma(\frac{n}{2} + i)}$$

we can write:

$$\begin{aligned} \frac{Kur(\Delta p_i)}{N(\Delta p_i)} &= \frac{1}{\lambda} \frac{3n}{(n+2)} \frac{\left(\phi^2 + 2\Gamma(\frac{n}{2} + 2) \left(\frac{2}{n}\right)^2 \sum_{i=3}^{\infty} \frac{1}{i!\Gamma(\frac{n}{2} + i)} (\phi n/2)^i\right)}{\Gamma(\frac{n}{2}) \sum_{i=1}^{\infty} \frac{1}{i!\Gamma(\frac{n}{2} + i)} (\phi n/2)^i} \\ &= \frac{1}{\lambda} \frac{3n}{(n+2)} \frac{2\Gamma(\frac{n}{2} + 2) \left(\frac{2}{n}\right)^2 \left((1/2) (1/\Gamma(\frac{n}{2} + 2)) \left(\frac{n}{2}\right)^2 \phi^2 + \sum_{i=3}^{\infty} \frac{1}{i!\Gamma(\frac{n}{2} + i)} (\phi n/2)^i\right)}{\Gamma(\frac{n}{2}) \sum_{i=1}^{\infty} \frac{1}{i!\Gamma(\frac{n}{2} + i)} (\phi n/2)^i} \\ &= \frac{1}{\lambda} \frac{12n}{(n+2)} \frac{2(n/2 + 1)(n/2)}{n^2} \frac{\left(\frac{1}{2\Gamma(\frac{n}{2} + 2)} (\phi n/2)^2 + \sum_{i=3}^{\infty} \frac{1}{i!\Gamma(\frac{n}{2} + i)} (\phi n/2)^i\right)}{\sum_{i=1}^{\infty} \frac{1}{i!\Gamma(\frac{n}{2} + i)} (\phi n/2)^i} \\ &= \frac{6}{\lambda} \frac{\sum_{i=2}^{\infty} \frac{1}{i!\Gamma(\frac{n}{2} + i)} (\phi n/2)^i}{\sum_{i=1}^{\infty} \frac{1}{i!\Gamma(\frac{n}{2} + i)} (\phi n/2)^i} \end{aligned}$$

So that

$$\frac{Kur(\Delta p_i)}{6N(\Delta p_i)} = \frac{1}{\lambda} \frac{\sum_{i=2}^{\infty} \frac{1}{i!\Gamma(\frac{n}{2} + i)} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i}{\sum_{i=1}^{\infty} \frac{1}{i!\Gamma(\frac{n}{2} + i)} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i} \quad (34)$$

From there it is immediate that for a fixed n , this ratio is increasing in $\lambda \bar{y}/\sigma^2$ and that for a fixed $\lambda \bar{y}/\sigma^2$, this ratio is increasing in n .

E Proof that $\lim_{\bar{y} \rightarrow \infty} \xi(\sigma^2, r + \lambda, n, \bar{y}) = 0$

Note that, by examining the definition of κ_i and the sums in the expression for ξ we have that:

$$\lim_{\bar{y} \rightarrow \infty} \xi(\sigma^2, r + \lambda, n, \bar{y}) = \lim_{\bar{y} \rightarrow \infty} \xi\left(1, 1, n, \frac{(r + \lambda) \bar{y}}{\sigma^2}\right)$$

so this limit cannot depend on $r + \lambda$ or σ^2 . Thus we denote it as:

$$\bar{\xi}(n) \equiv \lim_{\bar{y} \rightarrow \infty} \xi(1, 1, n, \bar{y})$$

So we have:

$$\bar{y} \approx \frac{\psi}{B} (r + \lambda) [1 - \bar{\xi}(n)] \quad \text{for large } \psi.$$

Now we show that $\bar{\xi}(n) = 0$. First we notice that the power series:

$$g(x) = \sum_{i=1}^{\infty} \prod_{s=1}^i \frac{1}{(s+2)(n+2s+2)} x^i$$

converges for all values of x since its coefficients satisfy the Cauchy-Hadamard inequality. Then we can write:

$$\xi(1, 1, n, \bar{y}) \equiv \frac{\frac{2(n+2)}{\bar{y}} \frac{1}{g(\bar{y})} + \frac{1}{g(\bar{y})} + \frac{1}{\bar{y}^2}}{\frac{2(n+2)}{\bar{y}} \frac{1}{g(\bar{y})} + 2 \frac{1}{g(\bar{y})} + \sum_{i=1}^{\infty} \omega(i, \bar{y}) (2+i)}$$

where the weights $\omega(i, \bar{y})$ are given by:

$$\omega(i, x) = \frac{\frac{x^i}{\prod_{s=1}^i (s+2)(n+2s+2)}}{\sum_{j=1}^{\infty} \prod_{s=1}^j \frac{1}{(s+2)(n+2s+2)} x^j}$$

Note that for higher x the weights of smaller i decrease relative to the ones for higher i . Now since $g(\bar{y}) \rightarrow \infty$ as $\bar{y} \rightarrow \infty$, then:

$$\bar{\xi}(n) = \frac{1}{\lim_{\bar{y} \rightarrow \infty} \sum_{i=1}^{\infty} \omega(i, \bar{y}) (2+i)}$$

To show that $\bar{\xi}(n) = 0$, suppose, by contradiction that is finite. Say, without loss of generality that equals $j+2$ for some integer j . Note that, by the form of the ω 's and because $g(\bar{y})$ diverges as \bar{y} gets large enough, then by any j and $\epsilon > 0$ there exist a y^* large enough so that $\sum_{i=1}^j \omega(i, \bar{y}) < \epsilon$ for any $\bar{y} > y^*$. Thus, the expected value must be larger than $2+j$.

Finally, we consider the case of $n \rightarrow \infty$. In this case we have that, the value function divided by n gives:

$$v = \min_T B \int_0^T \sigma^2 t e^{-(\lambda+r)t} dt + e^{-(r+\lambda)T} (\Psi + v)$$

where $\Psi = \lim_{n \rightarrow \infty} \psi/n$. The first order condition for T gives, for a finite T :

$$0 = (B \sigma^2 T - (r + \lambda) \Psi) - (r + \lambda) e^{-(r+\lambda)T} v \quad (35)$$

Now consider the case where $\Psi \rightarrow \infty$. Note that v is finite since $T = \infty$, a feasible strategy as a finite value. Also let $\bar{Y} = \sigma^2 T = \lim_{n \rightarrow \infty} \frac{\bar{y}(n)}{n}$. Note that as $\Psi \rightarrow \infty$ then \bar{Y} must also

diverge towards ∞ . Dividing the previous expression by Ψ :

$$\frac{\bar{Y}}{\Psi} = \frac{(r + \lambda)}{B} + (r + \lambda)e^{-(r+\lambda)T} \frac{v}{\Psi}$$

and taking the limits:

$$\lim_{\Psi \rightarrow \infty} \frac{\bar{Y}}{\Psi} = \frac{r + \lambda}{B} \quad . \quad \square$$

F Note on Solutions of value function $v(y)$, expected time to adjust $\mathcal{T}(y)$ and invariant density of the squared price gap $f(y)$.

First we state a proposition which gives an explicit closed form solution to the value function $v(y)$ in the inaction region, i.e. for $y \in (0, \bar{y})$ subject to $v(0) < \infty$. The solution is parameterized by $\beta_0 = v(0)$.

Proposition 10 *Let $\sigma > 0$. The ODE in equation (4) is solved by the analytical function: $v(y) = \sum_{i=0}^{\infty} \beta_i y^i$, for $y \in [0, \bar{y}]$ where, for any β_0 , the coefficients $\{\beta_i\}$ solve: $\beta_0 = \frac{n\sigma^2}{r} \beta_1$, $\beta_2 = \frac{(r+\lambda)\beta_1 - B}{2\sigma^2(n+2)}$, $\beta_{i+1} = \frac{r+\lambda}{(i+1)\sigma^2} \frac{1}{(n+2i)} \beta_i$ for $i \geq 2$.*

The function described in this proposition allows to fully characterize the solution of the firm's problem. One can use it to evaluate the two boundary conditions described above, value matching and smooth pasting, and define a system of two equations in two unknowns, namely β_0 and \bar{y} .

The alert reader may have noticed that to solve for the invariant density f we have followed a standard procedure, i.e. set a 2nd order ordinary linear difference equation (the Kolmogorov forward equation) and find its solutions in terms of two constant, and using two boundary conditions to find the value of the constants. Instead to solve for v and \mathcal{T} we have followed a different approach, we guess an infinite expansion around $y = 0$ and compute its coefficients. Additionally, it may have looked that we did not provide enough boundary conditions to be able to solve for \mathcal{T} and v . For instance, for \mathcal{T} we gave only one equation as boundary conditions, namely $\mathcal{T}(\bar{y}) = 0$. Here we explain that we could have followed the more standard route, which required an analysis of the behavior close to the $y = 0$ boundary, to set one constant to zero and also would have produced a less informative result, i.e. one in terms of modified Bessel functions. Nevertheless we include it here for completeness.

Note that $v(y)$, $\mathcal{T}(y)$ and $f(y)$ are solutions to a linear ODE on y whose homogeneous component, say $q(\cdot)$, solves :

$$y q''(y) + a q'(y) + b q(y) = 0 \tag{36}$$

for $y \in [0, \bar{y}]$, for (different) constants a and b , with different particular solution, and different boundary conditions. The general solution of the homogeneous [equation \(36\)](#) is given by:

$$q(y) = |b y|^{(1-a)/2} \left[C_1 I_\nu \left(2\sqrt{|b y|} \right) + C_2 K_\nu \left(2\sqrt{|b y|} \right) \right] \tag{37}$$

provided that $b y < 0$, i.e. that $b < 0$, where C_1 and C_2 are arbitrary constants, $\nu = |1-a|$ and where I_ν and K_ν are the modified Bessel functions of the first and second kind respectively. The values of $b = -\lambda/(2\sigma^2)$ in the three cases. The value of $a = n/2$ for \mathcal{T} and for v , which are the same Kolmogorov backward equation, and $a = -(n/2 - 2)$ for f , which is the Kolmogorov forward equation.

It is important to notice the behavior of $I_\nu(z)$ and $K_\nu(z)$ for values of $0 < z$ but very close to zero. We have:

$$I_\nu \sim \frac{1}{\Gamma(\nu+1)} \left(\frac{z}{2}\right)^\nu \quad (38)$$

and

$$K_\nu \sim \begin{cases} \frac{\Gamma(\nu+1)}{2} \left(\frac{2}{z}\right)^\nu & \text{if } \nu > 0 \\ -\log(z/2) - \gamma & \text{if } \nu = 0 \end{cases} \quad (39)$$

We thus have that each of the solution will behave as:

$$\begin{aligned} I_{|1-a|} (y^{1/2}) y^{(1-a)/2} &\sim \frac{1}{\Gamma(|1-a|+1)} \left(\frac{y^{1/2}}{2}\right)^{|1-a|} y^{(1-a)/2} \\ &= \frac{1}{\Gamma(|1-a|+1)} \left(\frac{1}{2}\right)^{|1-a|} y^{(1-a)/2+|1-a|/2} \end{aligned}$$

So if $1-a = -|1-a|$, i.e. if $1-a \leq 0$, the value of this product is finite at $y \downarrow 0$. Otherwise it diverges to ∞ . Likewise for $\nu = |1-a| > 0$:

$$\begin{aligned} K_{|1-a|} (y^{1/2}) y^{(1-a)/2} &\sim \frac{\Gamma(|1-a|+1)}{2} \left(\frac{2}{y^{1/2}}\right)^{|1-a|} y^{(1-a)/2} \\ &= \frac{\Gamma(|1-a|+1)}{2} \left(\frac{2}{1}\right)^{|1-a|} y^{(1-a)/2-|1-a|/2} \end{aligned}$$

So if $1-a = |1-a|$, i.e. if $1-a \geq 0$, the value of this product is finite at $y \downarrow 0$. Otherwise it diverges to ∞ . The case of $\nu = 0$ i.e. $a = 1$ is special, but $K_0(z)$ also diverges and $I_0(z)$ converges to a non-zero constant as $z \downarrow 0$.

Note that $v(0)$ and $\mathcal{T}(0)$ are both finite. For these two cases the Kolmogorov backward equation has $a = n/2$ so $1-a \geq 0$ iff $n \geq 2$. In these cases we have that C_2 , the constant associated with K_ν must be zero. We can use the constant C_1 to impose the boundary condition $\mathcal{T}(\bar{y}) = 0$ for \mathcal{T} and to have a one dimensional representation of v in the range of inaction given \bar{y} . Then we can use smooth pasting and value matching, i.e. two boundary conditions, to find the constants C_1 and \bar{y} .

Note that for f we don't require that $f(0)$ be zero, since the density at zero gap can be infinite if the y mean reverts to zero fast enough. Thus in this case we will, in general, have both constants be non-zero.

G The price response to a monetary shock

To compute the IRF of the aggregate price level we find the contribution to the aggregate price level of each firm at the time of the shock. They start with price gaps distributed according to g , the invariant distribution. Then the monetary shock displaces them, by subtracting the monetary shock δ to each of them. After that we divide the firms in two groups. Those that adjust immediately and those that adjust at some future time. Note that, for each firm in the cross section, it suffices to keep track only of the contribution to the aggregate price level of the first adjustment after the shock because after that one the future contributions are all equal to zero in expected value. Now we develop the notation to define the impulse response of the aggregate price level.

Let $g(p; n, \lambda/\sigma^2, \bar{y})$ be the density of firms with price gap vector $p = (p_1, \dots, p_n)$ at time $t = 0$, just before the monetary shock, which corresponds to the invariant distribution with constant money supply. The density g equals the density f of the steady state square norms of the price gaps given by [Lemma 2](#) evaluated at $y = p_1^2 + \dots + p_n^2$ times a correction for area of sphere and the different variables.³⁸ In particular we have

$$g\left(p_1, \dots, p_n; n, \frac{\lambda}{\sigma^2}, \bar{y}\right) = f\left(p_1^2 + \dots + p_n^2; n, \frac{\lambda}{\sigma^2}, \bar{y}\right) \frac{\Gamma(n/2)}{\pi^{n/2} (p_1^2 + \dots + p_n^2)^{(n-2)/2}} \quad (40)$$

To define the impulse response we introduce two extra pieces of notation. First we let $\{(\bar{p}_1(t, p), \dots, \bar{p}_n(t, p))\}$ the process for n independent BM, each one with variance per unit of time equal to σ^2 , which at time $t = 0$ start at p , so $\bar{p}_i(0, p) = p_i$. We also define the stopping time $\tau(p)$, also indexed by the initial value of the price gaps p as the minimum of two stopping times, τ_1 and $\tau_2(p)$. The stopping time τ_1 denotes the first time since $t = 0$ that jump occurs for a Poisson process with arrival rate λ per unit of time. The stopping time $\tau_2(p)$ denotes the first time that $\|\bar{p}(t, p)\|^2 > \bar{y}$. Thus $\tau(p)$ is the first time a price change occurs for a firm that starts with price gap p at time zero. The stopped process $\bar{p}(\tau(0), p)$ is the vector of price gaps at the time of price change for such a firm.

The impulse response for the aggregate price level, of which [Figure 9](#) displays several cases, can be written as:


$$\mathcal{P}(t, \delta; \sigma, \lambda, \bar{y}) = \Theta(\delta; \sigma, \lambda, \bar{y}) + \int_0^t \theta(\delta, s; \sigma, \lambda, \bar{y}) ds, \quad (41)$$

where $\Theta(\delta)$ gives the impact effect, the contribution of the monetary shock δ to the aggregate price level on impact, i.e. at the time of the monetary shock. The integral of the θ 's gives the remaining effect of the monetary shock in the aggregate price level up to time t , i.e. $\theta(\delta, s)ds$ is the contribution to the increase in the average price level in the interval of times $(s, s+ds)$ from a monetary shock of size δ . Instead the functions θ and Θ are easily defined in terms of the density g , the process $\{\bar{p}\}$ and the stopping times τ :

$$\Theta(\delta; \sigma, \lambda, \bar{y}) \equiv \int_{\|p(0) - \iota\delta\| \geq \bar{y}} \left(\delta - \frac{\sum_{j=0}^n p_j(0)}{n} \right) g\left(p(0); n, \frac{\lambda}{\sigma^2}, \bar{y}\right) dp_1(0) \cdots dp_n(0)$$

³⁸See Section 5 of [Alvarez and Lippi \(2014\)](#) for this result and the Online appendix for a derivation.

Figure 9: CPI response to a monetary shock of size $\delta = 1\%$



The figures represent an economy with $N(\Delta p_i) = 1.0$ and $std(\Delta p_i) = 0.10$.

and $\theta(\delta, t; \sigma, \lambda, \bar{y})$ is the density, i.e. the derivative with respect to t of the following expression:

$$\int_{\|p(0) - \iota\delta\| < \bar{y}} \mathbb{E} \left[-\frac{\sum_{j=0}^n \bar{p}_j(\tau(p), p)}{n} \mathbf{1}_{\{\tau(p) \leq t\}} \mid p = p(0) - \iota\delta \right] g \left(p(0); n, \frac{\lambda}{\sigma^2}, \bar{y} \right) dp_1(0) \cdots dp_n(0)$$

where ι is a vector of n ones. This expression takes each firm that has not adjusted price on impact, i.e. those with $p(0)$ satisfying $\|p(0) - \iota\delta\| < \bar{y}$, weights them by the relevant density g , displaces the initial price gaps by the monetary shock, i.e. sets $p = p(0) - \iota\delta$, and then looks at the (negative) of the average price gap at the time of the first price adjustment, $\tau(p)$, provided that the price adjustment has happened before or at time t . We make a few remarks about this expression. First, price changes equal the negative of the price gaps because price gaps are defined as prices minus the ideal price. Second, we define θ as a density because, strictly speaking, there is no effect on the price level due to price changes at *exactly* time t , since in continuous time there is a zero mass of firms adjusting at any given time. Third, we can disregard the effect of any subsequent adjustment because each of them has an expected zero contribution to the average price level. Fourth, the impulse response is based on the steady-state decision rules, i.e. adjusting only when $y \geq \bar{y}$ even after an aggregate shock occurs.

Given the results in [Proposition 3](#) -[Proposition 4](#) we can parametrize our model either in terms of $(n, \lambda, \sigma^2, \psi/B)$ or instead parametrize it, for each n , in terms of the implied observable statistics $(N(\Delta p_i), Std(\Delta p_i), \ell)$. These propositions show that this mapping is indeed one-to-one and onto. We refer to ℓ as an “observable” statistic, because we have shown that the “shape” of the distribution of price changes depends only on it.

Proposition 11 *Fix an economy whose firms produce n products and with steady state statistics $(N(\Delta p_i), Std(\Delta p_i), \ell)$. The cumulative proportional response of the aggregate price level $t \geq 0$ periods after a once and for all proportional monetary shock of size δ can be obtained from the one of an economy with one price change per period and with unitary standard deviation of price changes as follows:*

$$\mathcal{P}(t, \delta; N(\Delta p_i), Std(\Delta p_i)) = Std(\Delta p_i) \mathcal{P}\left(t N(\Delta p_i), \frac{\delta}{Std(\Delta p_i)}; 1, 1\right). \quad (42)$$

This proposition extends the result of Proposition 8 in Alvarez and Lippi (2014) to the case of $\ell \equiv \lambda/N(\Delta p_i) > 0$.³⁹

Proof. (of Proposition 11). The proof proceeds by verification. It is made of three parts. First we introduce a discrete-time, discrete-state version of the model. Second we show the scaling of time with respect to N_a , and finally the homogeneity of degree one with respect to $Std(\Delta p_i)$ and δ . The step by step passages are reported in the online Appendix I.

The proposition establishes that the shape of the impulse response is completely determined by 2 parameters: n and ℓ , whose comparative static is explored in Figure 9. Economies sharing these parameters but differing in terms of $N(\Delta p_i)$ or $Std(\Delta p_i)$ are immediately analyzed by rescaling the values of the horizontal and/or vertical axis. In particular, a higher frequency of price adjustments will imply that the economy “travels faster” along the impulse response function (this is the sense of the rescaling the horizontal axis). Instead, the effect of a larger dispersion of price changes is seen by rescaling the monetary shock δ by $Std(\Delta p_i)$ and by a proportional scaling of the vertical axis. A further simplification to the last result is given by next corollary, showing that for small values of the monetary shocks one can overlook the scaling by $Std(\Delta p_i)$ so that, for a given n and ℓ determining the shape, the most important parameter is the frequency of price changes $N(\Delta p_i)$:

Corollary 1 *For small monetary shocks $\delta > 0$, the impulse response is independent of $Std(\Delta p_i)$. Differentiating equation (42) gives:*

$$\mathcal{P}(t, \delta; N(\Delta p_i), Std(\Delta p_i)) = \delta \frac{\partial}{\partial \delta} \mathcal{P}(t N(\Delta p_i), 0; 1, 1) + o(\delta)$$

for all $t > 0$ and, since $f(\bar{y}) = 0$, then the initial jump in prices can be neglected, i.e.:

$$\mathcal{P}(0, \delta; N(\Delta p_i), Std(\Delta p_i)) \equiv \Theta_{n,\ell}(\delta; Std(\Delta p_i)) = o(\delta).$$

H Fat-tailed shocks

This appendix compares the baseline multi-product model with random free adjustment opportunities with an otherwise “equivalent” multi-product model with fat-tailed shocks to costs. We present three propositions which show that:

³⁹The proof in Alvarez and Lippi is constructive in nature, exploiting results from applied math on the characterization of hitting times for brownian motions in hyper-spheres, which is not longer valid for $\lambda > 0$. Here we use a different strategy which relies on limits of discrete-time, discrete state approximations.

1. If the fat-tailed shocks are sufficiently large, the threshold for adjustment is the same as in the model with random free adjustment opportunities.
2. The distribution of price changes with fat-tailed shock is different, since it includes the large shocks, and thus it contributes to kurtosis by mostly adding large price changes.
3. Since the model has more parameters, mainly the distribution of the fat-tailed shocks, it can capture more behavior, or putt it differently it is hard to identify the parameters with the same observations.

Set-up with fat-tailed shocks. Assume that the price gap for each product evolve as follows:

$$dp_i(t) = \sigma dW_i(t) + \xi_i(t) d\mathcal{N}(t) \quad \text{for } i = 1, \dots, n$$

where $\mathcal{N}(t)$ is the counter of a Poisson process with intensity $\lambda \geq 0$. When $d\mathcal{N}(t) = 1$, the price gap has a change of size ξ_i . The vector $\xi = (\xi_1, \dots, \xi_n)$, is drawn from a joint distribution with cdf Q , assumed to be symmetric around zero. Furthermore we assume that the marginal distribution of each of the coordinates of the vector ξ are identical. Each of the W_i are standard BMs, independent across products i . The realization of the Poisson counter \mathcal{N} is common across the n products. This stylized set-up is meant to capture a generalization (to any $n \geq 1$) of the fat-tailed shocks in [Midrigan's \(2011\)](#) model.

Value function. The state of the problem is $p = (p_1, \dots, p_n)$. For all $p \in \mathbb{R}^n$ the value function must solve the variational inequalities:

$$r v(p_1, \dots, p_n) \leq B \left[\sum_{i=1}^n p_i^2 \right] + \sum_{i=1}^n \frac{\sigma^2}{2} v_{ii}(p_1, \dots, p_n) \quad (43)$$

$$+ \lambda \int \dots \int \min \{0, \psi + v(0) - v(p_1 + \xi_1, \dots, p_n + \xi_n)\} dQ(\xi_1, \dots, \xi_n) ,$$

$$v(p_1, \dots, p_n) \leq v(0) + \psi . \quad (44)$$

with at least one of the two inequalities holding as equality at each vector $p \in \mathbb{R}^n$.

The variational inequality (43)-(44) has the advantage that it does not presume in the form of the control and of the inaction region, which is a delicate issue for a stopping time with fixed cost and jumps in the state. Nevertheless a function that solves this variational inequality must be the solution of the problem.

This problem has more parameters. As in the problem with free adjustment opportunities we have one integer and four positive scalars: n, B, σ^2, r, ψ . The new element on this formulation is the function $Q : \mathbb{R}^n \rightarrow [0, 1]$ for the distribution of the fat-tailed shocks.

No small fat-tailed shock. We assume that the shocks are bounded below. We consider distributions where:

$$0 < \underline{\xi} \equiv \inf \|\xi\| : (\xi_1, \dots, \xi_n) \in \text{supp } Q \text{ and } \xi \neq 0 , \quad (45)$$

so that the minimization is on the support of Q for which not all the coordinates are equal to zero. The assumption that $\underline{\xi} > 0$ is very natural for the case of one product to capture fat-tails. It is not clear what is the most natural generalization for multi-product case of $n > 1$. Note that the assumption so far allows that the components of ξ_i to be independent or not. In the case of independence, we can either assume that each coordinate of ξ_i as a strictly positive support, or otherwise assume that there is a mass point at zero and that the remaining of the support is strictly positive. In the latter case, the probability of the event in which all the coordinates are simultaneously zero, can be ignored but suitable rescaling λ .⁴⁰

Simple threshold policies. We say that a firm follows a simple threshold policy if there is a threshold $\bar{y} > 0$ for which the firm adjust its price the first time that $\|p\|^2 \geq \bar{y}$ reverting its price gap to 0 in all components. Moreover, we require that the firm change prices every time a fat-tailed shock arrives.

Note that a possibility is that for the general case of a stopping time with fixed cost and jumps in the state there is the possibility that the optimal policy will be given by a inaction region made of the union of disconnected sets, see [Alvarez and Lippi \(2013\)](#) for a discussion and references on the applied math literature. The next lemma gives an intermediate step to be used for the characterization of simple threshold policies in the proposition below. The lemma finds a lower bound on the support of the shocks, relative to the threshold for the norm of the state, so that the shocks will always take the post-shock state outside the region where it is smaller than the threshold.

Lemma 5 *Let p be a vector satisfying $\|p\|^2 \leq \bar{y}$, and consider the size of the square norm of the state after the occurrence of a large shock $\|p + \xi\|^2$. Then*

$$\|p + \xi\|^2 \geq \bar{y} \text{ for all } \xi \text{ for which } \|\xi\| \geq (1 + \sqrt{2}) \sqrt{\bar{y}}.$$

The next proposition gives a straightforward way to characterize simple threshold policies. It says that if the fat-tailed shocks are sufficiently large so that they always trigger an adjustment, then one can use the same formulas than for the model with free adjustment opportunities, for which we have a complete characterization of \bar{y} .

Proposition 12 *Optimality of simple threshold policies for any $n \geq 1$. Let $\bar{y} \geq 0$ be the optimal threshold for the problem with free adjustment opportunities at rate $\lambda \geq 0$ but without fat-tailed shocks. Then consider the problem with fat-tailed shocks ξ that occur with Poisson rate $\lambda \geq 0$ but without free adjustment opportunities. Assume that the support of the large shocks satisfies $\underline{\xi} \geq (1 + \sqrt{2}) \sqrt{\bar{y}}$. The optimal policy for this problem is a simple threshold policy with the same value \bar{y} as in the problem with free adjustment opportunities.*

The previous proposition highlights the similarities in the determination of the threshold \bar{y} between random menu cost and fat-tailed shocks. We remark that even if the policy is not

⁴⁰ Another case is the one in which only one product is subject to a large shock, a case we refer to a the isolated shock case. This is equivalent to make the Poisson shock independent for the arrival of the large changes to be independent across the n products.

simple, under mild conditions (such as independence across products) it will be of threshold type for the square norm of the vector; the difference is that characterization of the threshold requires a different analysis. The following results explore the difference implications for price changes for a given threshold.

Comparison of price changes. The distribution of price changes of a model with free-adjustment opportunities and one with fat-tailed shocks are different. The main difference is that in the fat tailed shock model considered above, every time that a ξ shock occur there are (some) *large* change in prices. Thus, fat-tailed shocks contribute to kurtosis mostly by having more frequent large shocks. Certainly, relative to the model with free-adjustment opportunities they contribute more to large price changes than to small price changes. In this context to have more frequent small price changes, the fat-tailed model relies on the multi product features, as in Midrigan (2011), as can be easily seen in the version with $n = 1$ in which the fat-tailed model has no small price changes. This implies that the peakedness of the distribution of price changes around $\Delta p = 0$ is mostly determined by the multi-product feature of the model. For a more thorough analysis we need to add specify more about the distribution Q .

Independent shock case. Assume that each of the component of ξ_i are independently drawn, and that satisfy equation (45). Thus, without loss of generality, assume that $\xi_i > 0$ with probability one for each product $i = 1, \dots, n$. Note that in this case the lower bound of the support in each dimension satisfy:

$$\underline{\xi}_i \geq \left(1 + \sqrt{2}\right) \sqrt{\bar{y}/n} \quad (46)$$

Note that in this case it is possible to have, in some component, very small price changes when there is a fat tail shock. Of course, if $\underline{\xi}_i$ is large enough that is not possible. In this case the marginal distribution is simpler to compute because it is the sum between the marginal distribution in the model with free adjustment opportunities (conditional on $\|p\|^2 < \bar{y}$ plus the (marginal) distribution of ξ_i .)

Proposition 13 *Assume that the fat-tailed shocks are independent across products and that $n \geq 3$. The resulting distribution of price changes is less peaked around small price changes when compared with the model with the same value of λ describing the arrival of free adjustment opportunities. In particular the level of the density is smaller around zero and the second derivative of this density around zero price changes is larger for the model with fat-tailed shocks.*

The proposition deals with the case of $n \geq 3$ because for $n = 2$ the distribution does not have a unique mode at $\Delta p_i = 0$, and indeed has density diverging to ∞ at values discreetly away from $\Delta p_i = 0$.

Lack of identification. The version of the model we wrote has more parameters than the equivalent model with free adjustment opportunities. In particular, there is a whole new function Q . Because of this, without looking at more evidence it allows many more possibilities. To illustrate this we take it to a extreme and show a lack of identification result.

Proposition 14 *Let w be an arbitrary distribution of price changes. There are parameters ψ and a function Q for which the model produces a distribution of price changes arbitrary close to the w .*

The proof of this proposition is trivial. Since we have shown that \bar{y} is decreasing in the cost ψ and that \bar{y} tends to zero as $\psi \downarrow 0$, then we let $\underline{\xi}$ be arbitrarily close to zero and allow almost all the price changes to happen at the time of large shocks, i.e. we can set $\Delta p_i = -\xi$. In other words, in a world with (almost) no menu cost, price changes will occur only because there are cost changes, and they will mirror them. Note that this is consistent with few price changes, because if cost changes happen infrequently so will price changes. This is clearly an extreme result, but highlights the need to think about identification of the objects on this version of the model.

Proofs.

Proof. (of Lemma 5)

$$\begin{aligned} \|p + \xi\|^2 &= \sum_{i=1}^n (p_i + \xi_i)^2 = \|p\|^2 + \|\xi\|^2 + 2 \sum_{i=1}^n \xi_i p_i \\ &\geq \|p\|^2 + \|\xi\|^2 - 2 \|p\| \|\xi\| \end{aligned}$$

where the inequality follows from the Cauchy-Schwarz inequality: $|\sum_{i=1}^n p_i \xi_i| \leq \|p\| \|\xi\|$. Thus if $\|p\|^2 \leq \bar{y}$ and $\|\xi\| \geq \kappa \sqrt{\bar{y}}$ then

$$\begin{aligned} \|p + \xi\|^2 &\geq \|p\|^2 + \|\xi\|^2 - 2 \|p\| \|\xi\| \geq \|\xi\| (\|\xi\| - 2 \|p\|) \\ &\geq \kappa \sqrt{\bar{y}} (\kappa \sqrt{\bar{y}} - 2 \sqrt{\bar{y}}) = \bar{y} \kappa (\kappa - 2) \end{aligned}$$

Hence taking $\kappa \geq 1 + \sqrt{2}$ we obtain the desired result. \square

Proof. (of Proposition 12) We have shown that the solution of the value function for the problem with free adjustment opportunities but without the large shocks can be obtained by solving the value function \hat{v} and the simple policy given by threshold y so that:

$$(r + \lambda) \hat{v}(p) = B \|p\|^2 + \frac{\sigma^2}{2} \sum_{i=1}^n \hat{v}_{ii}(p) + \lambda \hat{v}(0) \text{ for all } p : \|p\|^2 \leq \bar{y} \quad (47)$$

$$\hat{v}(p) = v(0) + \psi, \text{ and } \hat{v}_i(p) = 0 \text{ for all } p : \|p\|^2 = \bar{y} \quad (48)$$

Now consider the problem without free adjustment opportunities but with fat-tailed shocks. We use a guess and verify strategy. The first part obtains a value function which satisfies the pde in the inaction and the boundary conditions using the same threshold \bar{y} . Here we use Lemma 5 which implies that every fat-tailed shocks takes the state out the inaction region and hence leads to an adjustment. Then the value function in inaction and boundary

conditions are:

$$(r + \lambda) v(p) = B \|p\|^2 + \frac{\sigma^2}{2} \sum_{i=1}^n v_{ii}(p) + \lambda (v(0) + \psi) \text{ for all } p : \|p\|^2 \leq \bar{y} \quad (49)$$

$$v(p) = v(0) + \psi, \text{ and } v_i(p) = 0 \text{ for all } p : \|p\|^2 = \bar{y} \quad (50)$$

That v solves [equation \(49\)](#) and [equation \(50\)](#) follows by setting $v(p) = \hat{v}(p) + a$. The only difference is that when the Poisson shock occurs the adjustment cost ψ is paid. Subtracting one equation from the other in the inaction region:

$$(r + \lambda)a = \lambda\psi$$

so that $a = -\lambda\psi/(r + \lambda)$ or $v(p) = \hat{v}(p) + \lambda\psi/(r + \lambda)$. Furthermore, the boundary conditions are also satisfied since the constant either does not affect the derivative or cancel in both sides of the equation. Finally, one can use the shape of the function \hat{v} , which is increasing in $\|p\|^2$, to show that the variational inequalities [\(43\)](#)-[\(44\)](#) are satisfied. \square

Proof. (of [Proposition 13](#)) The proof proceed by obtain an expression for the marginal distribution of price changes for the case of fat-tailed shocks, and then examining both its second derivative and its level around zero price changes. First, consider the price changes conditional on $\|p\|^2 = y < \bar{y}$. This price changes have marginal distribution $\tilde{w}(x; y)$. To described this distribution we first introduce the distribution of the price gaps conditional on the norm square just before the large shock. As shown in the body of the paper it is given by

$$\omega(x_i; y) = \frac{1}{\text{Beta}\left(\frac{n-1}{2}, \frac{1}{2}\right) \sqrt{y}} \left(1 - \left(\frac{x_i}{\sqrt{y}}\right)^2\right)^{(n-3)/2} \quad (51)$$

In the case of fat-tailed shocks the price changes is the sum of the price gap before the shock and the shock, namely $x_i + \xi_i$ and hence its distribution is given by:

$$\tilde{w}(\Delta p_i; y) = \int_{-\infty}^{\infty} \omega(\Delta p_i - x; y) q(x) dx$$

where $q = Q'_i$ is the density of each of the coordinates of ξ_i . The second derivative of this conditional density evaluated at zero is:

$$\begin{aligned} \tilde{w}''(0; y) &= \int_{-\infty}^{\infty} \omega''(-x; y) q(x) dx = \int_{-\min\{\xi_i, \sqrt{y}\}}^{\min\{\xi_i, \sqrt{y}\}} \omega''(-x; y) q(x) dx \\ &= 2 \int_0^{\min\{\xi_i, \sqrt{y}\}} \omega''(x; y) q(x) dx > \omega''(0; y) \end{aligned} \quad (52)$$

where the second equation use the symmetry of \tilde{w} and of q around zero, as well as support of p_i and ξ_i . Note that for $n = 3$, the density \tilde{w} is uniform, so its second derivative is zero everywhere. For $n \geq 3$ it has a peak at $\Delta p_i = 0$ with a strictly negative second derivative.

For $n \geq 4$ the distribution is concave and then convex. The last inequality uses the properties described from \tilde{w} . The density of the distribution of price changes is given by

$$w(\Delta p_i) = \omega(\Delta p_i; \bar{y}) (1 - \ell) + \left[\int_0^{\bar{y}} \tilde{w}(\Delta p_i; y) f(y) dy \right] \ell \quad \text{for } n \geq 2 \quad . \quad (53)$$

where we use the density of the price gaps f is independent of the fat-tailed shocks to price gaps and where ℓ has the same definition as in the body of the paper. Thus

$$\begin{aligned} w''(0) &= \omega''(0; \bar{y}) (1 - \ell) + \left[\int_0^{\bar{y}} \tilde{w}''(0; y) f(y) dy \right] \ell \\ &> \omega''(0; \bar{y}) (1 - \ell) + \left[\int_0^{\bar{y}} \omega''(0; y) f(y) dy \right] \ell, \end{aligned} \quad (54)$$

and thus the second derivative is larger for the model with fat-tailed shocks.

Finally, the same steps imply that the level of the density at zero is smaller with fat-tailed shocks, i.e.:

$$\begin{aligned} w(0) &= \omega(0; \bar{y}) (1 - \ell) + \left[\int_0^{\bar{y}} \tilde{w}(0; y) f(y) dy \right] \ell \\ &< \omega(0; \bar{y}) (1 - \ell) + \left[\int_0^{\bar{y}} \omega(0; y) f(y) dy \right] \ell, \end{aligned} \quad (55)$$

since

$$\begin{aligned} \tilde{w}(0; y) &= \int_{-\infty}^{\infty} \omega(-x; y) q(x) dx = \int_{-\min\{\xi_i, \sqrt{y}\}}^{\min\{\xi_i, \sqrt{y}\}} \omega(-x; y) q(x) dx \\ &= 2 \int_0^{\min\{\xi_i, \sqrt{y}\}} \omega(x; y) q(x) dx < \omega(0; y) \end{aligned} \quad (56)$$

where we use that $\omega(\cdot; y)$ is single peaked for $n \geq 3$. \square

I Discrete Time Formulation for **Proposition 11**.

We start with discrete time version of the process for price gaps, with length of the time period Δ , which makes some of the arguments more accessible. Let N be

$$N(t + \Delta) = \begin{cases} N(t) & \text{with probability } (1 - \lambda\Delta) \\ N(t) + 1 & \text{with probability } \lambda\Delta \end{cases} \quad (57)$$

Thus, as $\Delta \downarrow 0$ this process converges to a continuous time Poisson counter with instantaneous intensity rate λ per unit of time. Let \bar{p}_i follow n drift-less random walks

$$\bar{p}_i(t + \Delta, p) = \begin{cases} \bar{p}_i(t, p) + \sigma \sqrt{\Delta} & \text{with probability } 1/2 \\ \bar{p}_i(t, p) - \sigma \sqrt{\Delta} & \text{with probability } 1/2 \end{cases} \quad (58)$$

where the initial condition satisfies:

$$\bar{p}_i(0) = p_i \text{ for } i = 1, \dots, n,$$

and where the n random walks are independent of each other and of the Poisson counter. As $\Delta \downarrow 0$ the process for \bar{p} converges to a Brownian motion whose changes have variance σ^2 per unit of time. We define the stopping time of the first price adjustment $\tau(p)$, conditional on the starting at price gap vector p at time zero, as:

$$\begin{aligned} \tau_1 &\equiv \min \{t = 0, \Delta, 2\Delta, \dots : N(j\Delta + \Delta) - N(j\Delta) = 1\}, \\ \tau_2(p) &\equiv \min \left\{ t = 0, \Delta, 2\Delta, \dots : \sum_{i=1}^n (\bar{p}_i(j\Delta + \Delta, p))^2 \geq \bar{y} \right\} \text{ and} \\ \tau(p) &\equiv \min \{\tau_1, \tau_2(p)\}. \end{aligned}$$

The function g is the density for the continuous time limit, i.e. the case where $\Delta \downarrow 0$. For small Δ , we can approximate the distribution of the *fraction* of firms with price gap vector p as the product of the density g and a correction to convert it into a probability, i.e a fraction. This gives:

$$g(p_1, \dots, p, n, \lambda/\sigma^2, \bar{y}) \left(\sigma\sqrt{\Delta}\right)^n$$

where the last term uses that in each dimension price gaps vary discretely in steps of size $\sigma\sqrt{\Delta}$. We can write the discrete time impulse response function as:

$$\mathcal{P}(t, \delta; \sigma, \lambda, \bar{y}, \Delta) = \Theta(\delta; \sigma, \lambda, \bar{y}, \Delta) + \sum_{s=\Delta}^t \theta(\delta, s; \sigma, \lambda, \bar{y}, \Delta) \Delta,$$

In this expression we can, without loss of generality, restrict t to be an integer multiple of Δ . We have divided the expression for θ by Δ , and hence multiplied its contribution back by Δ in \mathcal{P} , so that it has the interpretation of the contribution per unit of time to the IRF of price changes at time t , i.e. it has the units of a density. Moreover, in this manner the term has a non-zero limit, and the expression in \mathcal{P} converges to an integral. Thus we get the $\mathcal{P} = \lim \mathcal{P}(\Delta)$ as $\Delta \downarrow 0$. The functions θ and Θ are given by:

$$\Theta(\delta; \sigma, \lambda, \bar{y}, \Delta) \equiv \sum_{\|p(0) - \iota\delta\| \geq \bar{y}} \left(\delta - \frac{\sum_{j=0}^n p_j(0)}{n} \right) g\left(p(0); n, \frac{\lambda}{\sigma^2}, \bar{y}\right) \left(\sigma\sqrt{\Delta}\right)^n, \text{ and}$$

$$\begin{aligned} \theta(\delta, t; \sigma, \lambda, \bar{y}, \Delta) &\equiv \\ -\frac{1}{\Delta} \sum_{\|p(0) - \iota\delta\| < \bar{y}} \mathbb{E} \left[\frac{\sum_{j=0}^n \bar{p}_j(t, p)}{n} \mathbf{1}_{\{\tau(p)=t\}} \mid p = p(0) - \iota\delta \right] &g\left(p(0); n, \frac{\lambda}{\sigma^2}, \bar{y}\right) \left(\sigma\sqrt{\Delta}\right)^n \end{aligned}$$

Time scaling of the IRF with $N(\Delta p_i)$. For this (i) Note that if multiply the parameters σ^2 and λ by a constant $k > 0$, leaving \bar{y} unaltered, then $N(\Delta p_i)' = k N(\Delta p_i)$, where primes are used to denote the values that correspond to the scaled parameters. This follows directly

from the expression we derive for $N(\Delta p_i) = 1/T(0)$ in [Proposition 3](#). (ii) By [Proposition 4](#) with these changes the distribution of price changes implied by $(\sigma^2, \lambda, \bar{y})$ is exactly the same as the one implied by $(k\sigma^2, k\lambda, \bar{y})$. (iii) we change notation and write $(\sigma^2, \lambda, \bar{y})$ instead of $(\lambda, \sigma^2, \psi/B)$ and omit n . We establish that

$$\mathcal{P}_n \left(\frac{t}{k}, \delta; k\sigma^2, k\lambda, \bar{y} \right) = \mathcal{P}_n (t, \delta; \sigma^2, \lambda, \bar{y})$$

We will do so by establishing this proposition for the discrete time version of the IRF. Yet the result is immediate, since λ and σ^2 are the only two parameters which are rates per unit of time (the other parameters are n and \bar{y}), so by multiplying them by k we just scale time. The details can be found in the discrete time formulation, whose notation we develop below. We show that

$$\mathcal{P}(t, \delta; k\sigma^2, k\lambda, \bar{y}, \Delta/k) = \mathcal{P}(t/k, \delta; \sigma^2, \lambda, \bar{y}, \Delta) \quad (59)$$

We will do so by establishing this proposition for the discrete time version of the IRF. Let $\Delta' = \Delta/k$, $\sigma'^2 = \sigma^2 k$ and $\lambda' = \lambda k$. Note that, by construction $\sigma' \sqrt{\Delta'} = \sigma \sqrt{\Delta}$ and $\lambda'/(\sigma')^2 = \lambda/(\sigma)^2$. To establish this we first note that, for a given shock δ , Θ depends only on n , \bar{y} , $\sigma\sqrt{\Delta}$, and λ/σ^2 . This is because the invariant density g and the scaling factor to convert it into probabilities depends only on those parameters. Second we show that

$$\sum_{s=\Delta/k}^{t/k} \frac{\Delta}{k} \theta \left(s, \delta; k\sigma^2, k\lambda, \bar{y}, \frac{\Delta}{k} \right) = \sum_{s=\Delta}^t \Delta \theta (s, \delta; \sigma, \lambda, \bar{y}, \Delta)$$

This follows because for each s and $p(0)$

$$\begin{aligned} & \mathbb{E} \left[\frac{\sum_{j=0}^n \bar{p}_j (s, p)}{n} \mathbf{1}_{\{\tau(p)=s\}} \mid p = p(0) - \iota\delta; \sigma, \lambda, \Delta \right] \\ &= \mathbb{E} \left[\frac{\sum_{j=0}^n \bar{p}_j \left(\frac{s}{k}, p \right)}{n} \mathbf{1}_{\{\tau(p)=\frac{s}{k}\}} \mid p = p(0) - \iota\delta; \sigma', \lambda', \Delta' \right] \end{aligned}$$

where we include the parameters $(\lambda, \sigma^2, \Delta)$ as argument of the expected values. This itself follows because, using [equation \(57\)](#) and [equation \(58\)](#) then the processes for $\{\bar{p}_i\}$ are the same in the original time and in the time time scales by k since the probabilities of the counter to go up $\lambda'\Delta' = \lambda\Delta$ and the steps of the symmetric random walks $\sigma'\sqrt{\Delta'} = \sigma\sqrt{\Delta}$ are the same in the original time and the time scaled by k . In particular we have that

$$\bar{p}_j \left(\frac{s}{k}, p; \lambda', \sigma'^2, \Delta' \right) \equiv \bar{p}_j \left(\frac{s}{k}, p; k\lambda, k\sigma^2, \frac{\Delta}{k} \right) = \bar{p}_j (s, p; \lambda, \sigma^2, \Delta) = \hat{p}$$

with exactly the same probabilities for each price gap $\hat{p} \in \mathbb{R}$ and each time $s \geq 0$. Also, repeating the arguments used for Θ , we have $g(p(0); n, \frac{\lambda}{\sigma^2}, \bar{y}) (\sigma\sqrt{\Delta})^n = g(p(0); n, \frac{\lambda'}{\sigma'^2}, \bar{y}) (\sigma'\sqrt{\Delta'})^n$.

Thus, since [equation \(59\)](#) holds for all $\Delta > 0$, taking limits

$$\mathcal{P}\left(\frac{t}{k}, \delta; k\sigma^2, k\lambda, \bar{y}\right) = \lim_{\Delta \downarrow 0} \mathcal{P}\left(\frac{t}{k}, \delta; k\sigma^2, k\lambda, \bar{y}, \frac{\Delta}{k}\right) = \lim_{\Delta \downarrow 0} \mathcal{P}\left(t, \delta; \sigma^2, \lambda, \bar{y}, \Delta\right) = \mathcal{P}\left(t, \delta; \sigma^2, \lambda, \bar{y}\right)$$

Scaling of the IRF in the monetary shock with $Std(\Delta p_i)$. For this we use properties of the invariant distribution f , which are then inherited by g . In particular, we will compare the IRF with parameters $(\lambda, \sigma^2, \bar{y})$ with one with parameters $(\lambda', \sigma'^2, \bar{y}')$ where $\lambda' = \lambda$, $\sigma'^2 = k\sigma^2$ and $\bar{y}' = k\bar{y}$. With this choice we have $N(\Delta p_i)' = N(\Delta p_i)$ and thus $\ell = \lambda'/N(\Delta p_i)'$ since $\lambda\bar{y}/(n\sigma^2) = \lambda'\bar{y}'/(n\sigma'^2)$ (see [Proposition 3](#)). Then by [Proposition 1](#) we have that the standard deviation of price changes scales up with k , i.e.: $Std(\Delta p_i)' = \sqrt{k} Std(\Delta p_i)$. The main idea is that the invariant distribution corresponding to the \prime parameters is a radial expansion of the original, so that $\int_0^y f(x; \lambda, \sigma^2, \bar{y}) dx = \int_0^{yk} f(x; \lambda', \sigma'^2, \bar{y}') dx$ and thus $f(y, \lambda, \sigma^2, \bar{y}) = kf(yk, \lambda', \sigma'^2, \bar{y}')$. Indeed using [Lemma 2](#) we have:

$$f\left(y; \frac{\lambda}{\sigma^2}, \bar{y}\right) = kf\left(yk; \frac{\lambda}{k\sigma^2}, k\bar{y}\right) \equiv kf\left(yk; \frac{\lambda'}{\sigma'^2}, \bar{y}'\right). \quad (60)$$

Thus we have:

$$\begin{aligned} g\left(p_1, \dots, p_n, \frac{\lambda}{\sigma^2}, \bar{y}\right) &= f\left(p_1^2 + \dots + p_n^2; n, \frac{\lambda}{\sigma^2}, \bar{y}\right) \frac{\Gamma(n/2)}{2\pi^{n/2} (p_1^2 + \dots + p_n^2)^{(n-2)/2}} = \\ &= kf\left(k(p_1^2 + \dots + p_n^2); n, \frac{\lambda'}{\sigma'^2}, \bar{y}'\right) \frac{\Gamma(n/2) k^{(n-1)/2}}{2\pi^{n/2} (k(p_1^2 + \dots + p_n^2))^{(n-2)/2}} \\ &= g\left(\sqrt{k}(p_1, \dots, p_n); n, \frac{\lambda'}{\sigma'^2}, \bar{y}'\right) k^{(n-2)/2} k \end{aligned}$$

Using this for the discrete time formulation we have:

$$\begin{aligned} g\left(p; n, \frac{\lambda}{\sigma^2}, \bar{y}\right) (\sigma\sqrt{\Delta})^n &= g\left(\sqrt{k}p; n, \frac{\lambda'}{\sigma'^2}, \bar{y}'\right) (\sigma'\sqrt{\Delta})^n k^{(n-2)/2} k k^{-n/2} \\ &= g\left(\sqrt{k}p; n, \frac{\lambda'}{\sigma'^2}, \bar{y}'\right) (\sigma'\sqrt{\Delta})^n \end{aligned}$$

Note that $\{||p(0) - \iota\delta|| \geq \bar{y}\} = \{||\sqrt{k}p(0) - \iota\sqrt{k}\delta|| \geq \sqrt{k}\bar{y}\} = \{||\sqrt{k}p(0) - \iota\delta'|| \geq \bar{y}'\}$. Also

$$\left(\delta - \frac{\sum_{j=0}^n p_j(0)}{n}\right) \sqrt{k} = \left(\delta' - \frac{\sum_{j=0}^n \sqrt{k}p_j(0)}{n}\right)$$

Thus

$$\begin{aligned}
& \sqrt{k} \sum_{\|p(0) - \iota\delta\| \geq \bar{y}} \left(\delta - \frac{\sum_{j=0}^n p_j(0)}{n} \right) g \left(p(0); n, \frac{\lambda}{\sigma^2}, \bar{y} \right) (\sigma\sqrt{\Delta})^n \\
&= \sum_{\|\sqrt{k}p(0) - \iota\delta'\| \geq \bar{y}'} \left(\delta' - \frac{\sum_{j=0}^n \sqrt{k}p_j(0)}{n} \right) g \left(\sqrt{k}p(0); n, \frac{\lambda'}{\sigma'^2}, \bar{y}' \right) (\sigma'\sqrt{\Delta})^n
\end{aligned}$$

Using the definition of $\Theta(\cdot, \Delta)$:

$$\sqrt{k} \Theta(\delta; \sigma, \lambda, \bar{y}, \Delta) = \Theta \left(\sqrt{k} \delta; k\sigma^2, \lambda, k\bar{y}, \Delta \right) \equiv \Theta \left(\delta'; \sigma'^2, \lambda', \bar{y}', \Delta \right).$$

Since this holds for all Δ , by taking limits as $\Delta \downarrow 0$, we have shown the desired result for Θ . The result for θ follows the steps for g . We set $\Delta' = \Delta$ and note that for all $p(0) \in \mathbb{R}^n$, scaling factor $k > 0$ and time horizon $s > 0$:

$$\begin{aligned}
& \sqrt{k} \mathbb{E} \left[\frac{\sum_{j=0}^n \bar{p}_j(s, p)}{n} \mathbf{1}_{\{\tau(p)=s\}} \mid p = p(0) - \iota\delta; \sigma, \lambda, \Delta \right] \\
&= \mathbb{E} \left[\frac{\sum_{j=0}^n \bar{p}_j(s, p)}{n} \mathbf{1}_{\{\tau(p)=s\}} \mid p = \sqrt{k}p(0) - \iota\delta'; \sigma', \lambda', \Delta \right].
\end{aligned}$$

This follows because $\lambda' = \lambda$ and $\sigma'\sqrt{\Delta'} = \sqrt{k}\sigma\sqrt{\Delta}$, thus the each $p \in \mathbb{R}^n$ the paths $\sqrt{k}\bar{p}(s, p; \sigma, \lambda) = \bar{p}(s, \sqrt{k}p; \sigma', \lambda')$ occur with the same probabilities.

J Detailed **Proof.** of **Proposition 9.**

Proof. (of **Proposition 9.**) In general we have $\underline{\delta} = 2\sqrt{\bar{y}/n}$, since for a shock of this size every single firm for which $\|p\|^2 = y \leq \bar{y}$ before the shock will find that $\|p - \iota\delta\|^2 \geq \bar{y}$, where ι is a vector of ones. In particular we want to find out the smallest value of δ for which

$$\|p - \iota\delta\|^2 = \|p\|^2 - 2\delta \sum_i p_i + n\delta^2 \geq \bar{y}$$

for any $\|p\|^2 \leq \bar{y}$. Using that $\sum_i p_i \leq n\sqrt{y/n}$ for $y = \|p\|^2$ it is easy to establish the desired result.

We can rewrite it as $\underline{\delta} = 2\sqrt{\bar{y}/n} = 2\sqrt{\sigma^2/\lambda} \sqrt{\phi}$, which gives an equivalent way to write the expression for $\underline{\delta}$ as

$$\underline{\delta} = Std(\Delta p_i) 2 \sqrt{\frac{\phi}{\mathcal{L}(\phi, n)}} \text{ where } \phi \equiv \bar{y} \lambda / (n\sigma^2).$$

where $\phi(n, \ell) \equiv \bar{y}\lambda/(n\sigma^2)$ a function that depends only on ℓ and n , as shown in **Proposition 3.**

Using [Proposition 1](#) we have:

$$(N(\Delta p_i)/\lambda) \text{Var}(\Delta p_i) = \sigma^2/\lambda \text{ or } \sigma^2/\lambda = \text{Var}(\Delta p_i)/\ell$$

Combining the two equations we obtain the desired result.

Note that $\phi(\ell, n)/\ell = \phi/\mathcal{L}(\phi, n)$. Since $\mathcal{L}(\phi, n)$ is increasing in ϕ with $\lim_{\phi \rightarrow \infty} \mathcal{L}(\phi, n) = 1$, then $\lim_{\ell \rightarrow 1} \phi(\ell, n)/\ell = \infty$. To study the limit as $\ell \rightarrow 0$, using the functional form of \mathcal{L} , and taking a Taylor expansion of $\mathcal{L}(\phi, n) = \phi + o(\phi)$, thus

$$\frac{\phi}{\mathcal{L}(\phi, n)} = \frac{\phi}{\phi + o(\phi)} = \frac{1}{1 + o(\phi)/\phi},$$

and hence

$$\lim_{\ell \rightarrow 0} \frac{\phi(\ell, n)}{\ell} = \lim_{\phi \rightarrow 0} \frac{\phi}{\mathcal{L}(\phi, n)} = 1.$$

Omitting n to simplify the notation we have:

$$\frac{\partial}{\partial \phi} \left[\frac{\phi}{\mathcal{L}(\phi)} \right] = \frac{1}{\mathcal{L}(\phi)} \left[1 - \frac{\mathcal{L}'(\phi)\phi}{\mathcal{L}(\phi)} \right]$$

and rewriting $\mathcal{L}(\phi) = \frac{g(\phi)}{1+g(\phi)}$ we obtain: $\mathcal{L}'(\phi) = \frac{g'(\phi)}{[1+g(\phi)]^2}$ and thus

$$\frac{\mathcal{L}'(\phi)\phi}{\mathcal{L}(\phi)} = \frac{g'(\phi)}{(1+g(\phi))^2} \frac{(1+g(\phi))}{g(\phi)} \phi = \frac{g'(\phi)}{(1+g(\phi))} \frac{\phi}{g(\phi)}$$

since $g(\cdot)$ is convex and $g(0) = 0$ then $0 = g(0) \geq g(\phi) + g'(\phi)(0 - \phi)$ or $g(\phi) \leq g'(\phi)\phi$ $\frac{\mathcal{L}'(\phi)\phi}{\mathcal{L}(\phi)} \leq \frac{1}{1+g(\phi)} \leq 1$ and thus $\phi(\ell, n)/\ell$ is strictly increasing in ℓ for all $\ell \in (0, 1)$. \square


K Proof of [Lemma 3](#)

Proof. (of [Lemma 3](#).) We use the property of the n independent BM's to write m as a function of a pair (z, y) , where $z = \sum_i p_i$, as well as to write g as a function of (z, y) only. If each price gap follows an independent BM with common variance per unit of time σ^2 , then, applying Ito's Lemma one can show that the pair (y, z) follows:

$$\begin{aligned} dy(t) &= n\sigma^2 dt + 2\sigma\sqrt{y(t)} dW^a(t) \\ dz(t) &= \sqrt{n}\sigma \left[\frac{z(t)}{\sqrt{n}y(t)} dW^a(t) + \sqrt{1 - \left(\frac{z(t)}{\sqrt{n}y(t)} \right)^2} dW^b(t) \right] \end{aligned}$$

where W^a, W^b are 2 standard (univariate) independent BM's. So that $\mathbb{E}(dy)^2 = 4\sigma^2 y dt$, $\mathbb{E}(dz)^2 = n\sigma^2 dt$, and $\mathbb{E}(dz dy) = 2\sigma^2 z dt$.

Figure 10: Minimum size of monetary shock for full price flexibility



Hence we can write $\tilde{m}(p_1, \dots, p_n) = \tilde{m}(|p|^2, \sum_{i=1}^n p_i)$, in which case \tilde{m} solves the PDE :

$$\lambda \tilde{m}(z, y) = -z + \tilde{m}_y(z, y) n \sigma^2 + \tilde{m}_{zz}(z, y) \frac{n \sigma^2}{2} + \tilde{m}_{yy}(z, y) \frac{4 \sigma^2 y}{2} + \tilde{m}_{zy}(z, y) 2 \sigma^2 z$$

with boundary conditions: $\tilde{m}(z, \bar{y}) = 0$. We guess, and verify, that $\tilde{m}(z, y) = z \kappa_n(z)$ for some function $\kappa_n(\cdot)$ and where for emphasis we include the subindex n indicating the number of products. We then obtain:

$$\lambda \kappa_n(y) = -1 + \kappa'_n(y) (n+2) \sigma^2 + \kappa''_n(y) 2 \sigma^2 y$$

for all $0 \leq y \leq \bar{y}$ and $\kappa_n(\bar{y}) = 0$. Note that, except of the sign, this function obeys the same ODE and boundary conditions than the one for the time until adjustment $\mathcal{T}_{n+2}(y)$, which we solved to obtain \mathcal{L} as if there were $n+2$ products instead of n products, and hence we get:

$$\kappa_n(y) = -\mathcal{T}_{n+2}(y) \quad (61)$$

The joint density of the invariant distribution $h(z, y)$ can be written as:

$$h(z, y) = s(z|y) f(y)$$

where f is the invariant distribution of y and $s(z|y)$ is the density distribution of the sum of the coordinates of a uniform distribution on an n dimensional hypersphere with square norm

equal to y . In [Alvarez and Lippi \(2014\)](#) we have shown that this distribution is given by

$$s(z|y) = \frac{1}{\text{Beta}\left(\frac{n-1}{2}, \frac{1}{2}\right) \sqrt{ny}} \left(1 - \left(\frac{z}{\sqrt{yn}}\right)^2\right)^{(n-3)/2} \quad \text{for } z \in (-\sqrt{yn}, \sqrt{yn}) \quad (62)$$

Thus we can write

$$\mathcal{M}(\delta) = \frac{1}{\epsilon} \int_0^{\bar{y}} \int_{-\sqrt{ny}}^{\sqrt{ny}} \frac{1}{n} \tilde{m}(z - n\delta, y - 2z\delta + n\delta^2) h(z, y) dz dy \quad (63)$$

and where we can express the invariant distribution of (z, y) with density h . Differentiating this expression w.r.t. δ and evaluating it at $\delta = 0$:

$$\begin{aligned} \mathcal{M}'(0) &= -\frac{1}{n\epsilon} \int_0^{\bar{y}} \int_{-\sqrt{ny}}^{\sqrt{ny}} \left[n \frac{\partial \tilde{m}(z, y)}{\partial z} + \frac{\partial \tilde{m}(z, y)}{\partial y} 2z \right] h(z, y) dz dy \\ &= -\frac{1}{n\epsilon} \left[\int_0^{\bar{y}} n \kappa_n(y) f(y) dy + 2 \int_0^{\bar{y}} \kappa'_n(y) \int_{-\sqrt{ny}}^{\sqrt{ny}} z^2 s(z|y) dz f(y) dy \right]. \end{aligned}$$

Integrating z^2 w.r.t. s gives $\int_{-\sqrt{ny}}^{\sqrt{ny}} z^2 s(z|y) dz = y$ so

$$\begin{aligned} \mathcal{M}'(0) &= -\frac{1}{n\epsilon} \int_0^{\bar{y}} [n \kappa_n(y) + 2 \kappa'_n(y) y] f(y) dy \\ &= \frac{1}{\epsilon} \int_0^{\bar{y}} \left[\mathcal{T}_{n+2}(y) + \frac{2}{n} \mathcal{T}'_{n+2}(y) y \right] f(y) dy \end{aligned}$$

where the last equality uses [equation \(61\)](#). \square

L Proof of [Lemma 4](#)

Proof. (of [Lemma 4](#)) We can rewrite this expression as

$$\frac{\lambda \text{Kur}(\Delta p_i)}{6 N(\Delta p_i)} = \frac{\sum_{i=1}^{\infty} \frac{\Gamma(\frac{n}{2}+1)}{i! \Gamma(\frac{n}{2}+1+i)} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i \frac{1}{1+i}}{\sum_{i=0}^{\infty} \frac{\Gamma(\frac{n}{2}+1)}{i! \Gamma(\frac{n}{2}+1+i)} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i \frac{1}{1+i}} = \frac{\sum_{i=1}^{\infty} \gamma_i \frac{1}{1+i}}{\sum_{i=0}^{\infty} \gamma_i \frac{1}{1+i}} \quad (64)$$

Thus the equation

$$\frac{\lambda \text{Kur}(\Delta p_i)}{6 N(\Delta p_i)} = \int_0^{\bar{y}} \left[\lambda \left(\mathcal{T}_{n+2}(y) + \mathcal{T}'_{n+2}(y) y \frac{2}{n} \right) \right] f(y) dy \quad (65)$$

is equivalent to:

$$\frac{\sum_{i=1}^{\infty} \gamma_i \frac{1}{1+i}}{\sum_{i=0}^{\infty} \gamma_i \frac{1}{1+i}} - \frac{\sum_{i=1}^{\infty} \gamma_i}{\sum_{i=0}^{\infty} \gamma_i} = - \frac{\sum_{i=1}^{\infty} \gamma_i \left(1 + \frac{2i}{n}\right)}{\sum_{i=0}^{\infty} \gamma_i} \int_0^{\bar{y}} \left(\frac{y}{\bar{y}}\right)^i f(y) dy$$

We can write this equation as:

$$\begin{aligned} & \frac{(\sum_{i=0}^{\infty} \gamma_i) (\sum_{i=1}^{\infty} \gamma_i \frac{1}{1+i}) - (\sum_{i=1}^{\infty} \gamma_i) (\sum_{i=0}^{\infty} \gamma_i \frac{1}{1+i})}{(\sum_{i=0}^{\infty} \gamma_i \frac{1}{1+i}) (\sum_{i=0}^{\infty} \gamma_i)} \\ &= - \frac{\sum_{i=1}^{\infty} \gamma_i \left(1 + \frac{2i}{n}\right)}{\sum_{i=0}^{\infty} \gamma_i} \int_0^{\bar{y}} \left(\frac{y}{\bar{y}}\right)^i f(y) dy \end{aligned}$$

or

$$\begin{aligned} & \frac{(\gamma_0 + \sum_{i=1}^{\infty} \gamma_i) (\sum_{i=1}^{\infty} \gamma_i \frac{1}{1+i}) - (\sum_{i=1}^{\infty} \gamma_i) (\gamma_0 + \sum_{i=1}^{\infty} \gamma_i \frac{1}{1+i})}{\sum_{i=0}^{\infty} \gamma_i \frac{1}{1+i}} \\ &= - \left[\sum_{i=1}^{\infty} \gamma_i \left(1 + \frac{2i}{n}\right) \right] \int_0^{\bar{y}} \left(\frac{y}{\bar{y}}\right)^i f(y) dy \end{aligned}$$

or

$$\frac{\gamma_0 (\sum_{i=1}^{\infty} \gamma_i \frac{1}{1+i}) - (\sum_{i=1}^{\infty} \gamma_i) \gamma_0}{\sum_{i=0}^{\infty} \gamma_i \frac{1}{1+i}} = - \left[\sum_{i=1}^{\infty} \gamma_i \left(1 + \frac{2i}{n}\right) \right] \int_0^{\bar{y}} \left(\frac{y}{\bar{y}}\right)^i f(y) dy$$

and using that $\gamma_0 = 1$ and rearranging:

$$\sum_{i=1}^{\infty} \frac{\gamma_i \frac{1}{1+i}}{\sum_{j=0}^{\infty} \gamma_j \frac{1}{1+j}} i = \left[\sum_{i=1}^{\infty} \gamma_i \left(1 + \frac{2i}{n}\right) \right] \int_0^{\bar{y}} \left(\frac{y}{\bar{y}}\right)^i f(y) dy \quad (66)$$

Using the expression for f , and solving the integrals of terms by term we have:

$$\begin{aligned} & \sum_{j=1}^{\infty} \frac{\gamma_j \frac{1}{1+j}}{\sum_{s=0}^{\infty} \gamma_s \frac{1}{1+s}} j = \sum_{j=1}^{\infty} \gamma_j \left(1 + \frac{2j}{n}\right) \times \\ & \left(\left[\frac{\left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i, \frac{n}{2}-1} \frac{\bar{y}}{\frac{n}{2}+i+j} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i}{\left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i, \frac{n}{2}-1} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i} - \frac{\sum_{i=0}^{\infty} \beta_{i, 1-\frac{n}{2}} \frac{\bar{y}}{i+1+j} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i}{\sum_{i=0}^{\infty} \beta_{i, 1-\frac{n}{2}} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i} \right] / \right. \\ & \left. \left[\frac{\left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i, \frac{n}{2}-1} \frac{\bar{y}}{\frac{n}{2}+i} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i}{\left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^{\left(\frac{n}{2}-1\right)} \sum_{i=0}^{\infty} \beta_{i, \frac{n}{2}-1} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i} - \frac{\sum_{i=0}^{\infty} \beta_{i, 1-\frac{n}{2}} \frac{\bar{y}}{i+1} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i}{\sum_{i=0}^{\infty} \beta_{i, 1-\frac{n}{2}} \left(\frac{\lambda \bar{y}}{2\sigma^2}\right)^i} \right] \right) \end{aligned} \quad (67)$$

canceling the values of \bar{y} , and defining

$$\xi_i = \frac{1}{i! \Gamma(i + \frac{n}{2})} \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^{\left(\frac{n}{2} + i - 1\right)} \quad \text{and} \quad \rho_i = \frac{1}{i! \Gamma(i + 2 - \frac{n}{2})} \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i$$

$$\sum_{j=1}^{\infty} \frac{\gamma_j \frac{1}{1+j}}{\sum_{s=0}^{\infty} \gamma_s \frac{1}{1+s}} j = \sum_{j=1}^{\infty} \gamma_j \left(1 + \frac{2j}{n} \right) \times \quad (68)$$

$$\left(\left[\frac{\sum_{i=0}^{\infty} \xi_i \frac{1}{\frac{n}{2} + i + j}}{\sum_{i=0}^{\infty} \xi_i} - \frac{\sum_{i=0}^{\infty} \rho_i \frac{1}{i+1+j}}{\sum_{i=0}^{\infty} \rho_i} \right] / \left[\frac{\sum_{i=0}^{\infty} \xi_i \frac{1}{\frac{n}{2} + i}}{\sum_{i=0}^{\infty} \xi_i} - \frac{\sum_{i=0}^{\infty} \rho_i \frac{1}{i+1}}{\sum_{i=0}^{\infty} \rho_i} \right] \right)$$

M Detailed Proof. of Proposition 8.

First we turn to the steady state firm's problem considered in [Section 3.2](#). In that firm's problem we use the same discount rate r for any inflation rate μ . The reason for this is that the period return function is itself normalized by nominal wages which we assume that growth at a constant rate μ and that the nominal rate is equal to $r + \mu$, so that these two effect cancel. The price gap p_i is a real quantity, the difference between the ideal markup and the current markup, and has drift equal to minus the inflation rate due to the increase in the nominal wages. The period return is still $B||p||^2 \equiv B y$, but each of the product's price gap evolve as $dp_i(t) = -\mu dt + \sigma dW_i(t)$. In this problem it is not longer true that y is sufficient to index the state of the firm's problem, since the distribution of $y(t+dt)$ cannot be computed only knowing $y(t)$. While in [Alvarez and Lippi \(2014\)](#) we show that one can take the state to be (y, z) where z is the sum of the price gaps: $z = \sum_{i=1}^n p_i$, for the arguments here we keep the entire price gap vector $p \in \mathbb{R}^n$ as the state. In this case the inaction set is no longer a hyper-sphere, nor is the optimal return point to set a zero price gap for each of the products. We let $\mathcal{I}(\mu) \subset \mathbb{R}^n$ be the inaction set –so the firm adjust only if it receives a free adjustment opportunity or if it exist the inaction set. We regard $\mathcal{I}(z)$ as a correspondence parametrized by μ , and let $\hat{p}(\mu) \in \mathbb{R}^n$ be the optimal return point -which is identical across all products- a function parametrized by μ . Note that for any rectangle $\subset \mathbb{R}^n$ the uncontrolled price gaps satisfy that $\Pr \{p(t) - p(0) \in \mathbf{p} \mid \mu\} = \Pr \{-(p(t) - p(0)) \in \mathbf{p} \mid -\mu\}$. This equality uses that the increments of a standard brownian motion are normally distributed. Using this property, and the symmetry around zero of the period return function, it is easy to show that $\hat{p}(\mu) = -\hat{p}(-\mu)$. Also, one can see that if $p \in \mathcal{I}(\mu)$ then it must be the case that $-p \in \mathcal{I}(-\mu)$. From these two properties of the decision rules one concludes that $N(\Delta p_i)(\mu)$ and that any even centered moment of the distribution of the price changes, and hence its ratio such as kurtosis $Kur(\Delta p_i; \mu)$, is symmetric around $\mu = 0$. The same property is shown in [Alvarez, Lippi, and Paciello \(2011\)](#) for a closely related model. Likewise, the (negative) symmetry of $\mathcal{M}(\delta, \mu)$ follows by considering first the invariant distribution of price gaps, and then the dynamics of each one. For the invariant distribution of price gaps as defined in [Section G](#), whose density is denoted by $g(p; \mu)$, we note that $g(p; \mu) = g(-p; -\mu)$ –where we now indexed the density only by the inflation rate μ , allowing the optimal decision rule to change with it. Following the same steps we can construct the impulse response of prices $\mathcal{P}(t, \delta; \mu)$ which

we index in the same way as the density. We define this impulse response as the change in price level t periods after a once and for all shock δ to the path of the level of money that has occurred to an economy starting at the steady state distribution of price gaps. The price level is in $\mathcal{P}(\delta, t; \mu)$ is measured relative to what the prices would have been absence of a shock, where they would have been rising at a constant rate μ . Using the results previously established we have: $\mathcal{P}(t, -\delta; -\mu) = -\mathcal{P}(t, \delta; \mu)$. Using this property of the impulse response of the price level into definition of \mathcal{M} in [equation \(15\)](#), we obtain the desired (negative) symmetry of this function.

Second, we sketch the differences in the GE set-up when $\mu \neq 0$. In this case the same arguments yields that both nominal interest rates and wages growth at a constant rate μ independently of the distribution of prices at time zero. Additionally, the nominal profit function of the firm, once we replace the first order condition for the households for consumption, labor, and money, can be written as a function of the price gap (i.e. the deviation relative to the markup that maximizes static profits) and the period nominal wages. Hence, one can approximate the real profits (deflated by the money supply) in the same way as with zero inflation, obtaining the same second order approximation. Finally, the result in Proposition 7 in [Alvarez and Lippi \(2014\)](#) which states that GE feedback effects are of order higher than second order in the firm's problem applies almost with no changes.

N Power series representation of $\mathcal{T}_{n+2} + \mathcal{T}'_{n+2} y (2/n)$

[Lemma 3](#) shows that $\partial m / \partial \delta$ can be written in terms of \mathcal{T}_{n+2} , the expected time until a price adjustment, as characterized in [Proposition 3](#). In that proof we obtain the power series representation

$$\mathcal{T}_{n+2}(y) = \sum_{i=0}^{\infty} \alpha_{i, n+2} y^i$$

with

$$\alpha_{1, n+2} = \frac{1}{(\sigma^2/\lambda)(n+2)} \alpha_{0, n+2} - \frac{1}{\sigma^2(n+2)} = \frac{1}{(\sigma^2/\lambda)(n+2)} \left[\alpha_{0, n+2} - \frac{1}{\lambda} \right]$$

and for $i \geq 1$:

$$\alpha_{i+1, n+2} = \frac{\alpha_{i, n+2}}{(i+1)(\sigma^2/\lambda)(n+2+2i)} = \frac{\alpha_{i, n+2}}{(i+1)(\sigma^2/\lambda)(n/2+1+i)} \frac{1}{2} \left[\alpha_{0, n+2} - \frac{1}{\lambda} \right].$$

and using the properties of the Γ function:

$$\alpha_{i, n+2} = \frac{\Gamma(\frac{n}{2}+1)}{i! \Gamma(\frac{n}{2}+i+1)} \left(\frac{\lambda}{2\sigma^2} \right)^i \left[\alpha_{0, n+2} - \frac{1}{\lambda} \right]$$

Note that $\mathcal{T}_{n+2}(0) = \alpha_{0, n+2}$

Given the power series representation we have for all $y \in [0, \bar{y}]$:

$$\begin{aligned} \mathcal{T}_{n+2}(y) + \mathcal{T}'_{n+2}(y) y \frac{2}{n} &= \sum_{i=0}^{\infty} \alpha_{i,n+2} \left[1 + i \frac{2}{n} \right] y^i \\ &= \alpha_{0,n+2} + \left[\alpha_{0,n+2} - \frac{1}{\lambda} \right] \sum_{i=1}^{\infty} \frac{\Gamma\left(\frac{n}{2} + 1\right)}{i! \Gamma\left(\frac{n}{2} + i + 1\right)} \left[1 + i \frac{2}{n} \right] \left(\frac{\lambda y}{2\sigma^2} \right)^i \end{aligned}$$

Note that $\alpha_{0,n+2} = \mathcal{T}_{n+2}(0)$ with

$$\begin{aligned} \lambda \alpha_{0,n+2} = \ell &= \frac{\sum_{i=1}^{\infty} \left(\prod_{j=1}^i \frac{1}{j[n+2+2(j-1)]} \right) \left(\frac{\lambda \bar{y}}{\sigma^2} \right)^i}{1 + \sum_{i=1}^{\infty} \left(\prod_{j=1}^i \frac{1}{j[n+2+2(j-1)]} \right) \left(\frac{\lambda \bar{y}}{\sigma^2} \right)^i} = \frac{\sum_{i=1}^{\infty} \left(\prod_{j=1}^i \frac{1}{j[\frac{n}{2}+j]} \right) \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i}{1 + \sum_{i=1}^{\infty} \left(\prod_{j=1}^i \frac{1}{j[\frac{n}{2}+j]} \right) \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i} \\ &= \frac{\sum_{i=1}^{\infty} \frac{\Gamma\left(\frac{n}{2}+1\right)}{i! \Gamma\left(\frac{n}{2}+1+i\right)} \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i}{\sum_{i=0}^{\infty} \frac{\Gamma\left(\frac{n}{2}+1\right)}{i! \Gamma\left(\frac{n}{2}+1+i\right)} \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i} \end{aligned}$$

Thus we have:

$$\begin{aligned} \lambda \left(\mathcal{T}_{n+2}(y) + \mathcal{T}'_{n+2}(y) y \frac{2}{n} \right) &= \frac{\sum_{i=1}^{\infty} \frac{\Gamma\left(\frac{n}{2}+1\right)}{i! \Gamma\left(\frac{n}{2}+1+i\right)} \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i}{\sum_{i=0}^{\infty} \frac{\Gamma\left(\frac{n}{2}+1\right)}{i! \Gamma\left(\frac{n}{2}+1+i\right)} \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i} \\ &+ \left[\frac{\sum_{i=1}^{\infty} \frac{\Gamma\left(\frac{n}{2}+1\right)}{i! \Gamma\left(\frac{n}{2}+1+i\right)} \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i}{\sum_{i=0}^{\infty} \frac{\Gamma\left(\frac{n}{2}+1\right)}{i! \Gamma\left(\frac{n}{2}+1+i\right)} \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i} - 1 \right] \left[\sum_{i=1}^{\infty} \left[1 + i \frac{2}{n} \right] \frac{\Gamma\left(\frac{n}{2} + 1\right)}{i! \Gamma\left(\frac{n}{2} + i + 1\right)} \left(\frac{\lambda y}{2\sigma^2} \right)^i \right] \\ &= \frac{\sum_{i=1}^{\infty} \frac{\Gamma\left(\frac{n}{2}+1\right)}{i! \Gamma\left(\frac{n}{2}+1+i\right)} \left(\frac{1}{2} \right)^i \left(\frac{\lambda \bar{y}}{\sigma^2} \right)^i - \sum_{i=1}^{\infty} \frac{\Gamma\left(\frac{n}{2}+1\right)}{i! \Gamma\left(\frac{n}{2}+1+i\right)} \left[1 + i \frac{2}{n} \right] \left(\frac{\lambda y}{2\sigma^2} \right)^i}{\sum_{i=0}^{\infty} \frac{\Gamma\left(\frac{n}{2}+1\right)}{i! \Gamma\left(\frac{n}{2}+1+i\right)} \left(\frac{1}{2} \right)^i \left(\frac{\lambda \bar{y}}{\sigma^2} \right)^i} \\ &= \frac{\sum_{i=1}^{\infty} \frac{\Gamma\left(\frac{n}{2}+1\right)}{i! \Gamma\left(\frac{n}{2}+1+i\right)} \left[\left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i - \left(1 + \frac{2i}{n} \right) \left(\frac{\lambda y}{2\sigma^2} \right)^i \right]}{\sum_{i=0}^{\infty} \frac{\Gamma\left(\frac{n}{2}+1\right)}{i! \Gamma\left(\frac{n}{2}+1+i\right)} \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i} \end{aligned} \tag{69}$$

We can write this as:

$$\lambda \left(\mathcal{T}_{n+2}(y) + \mathcal{T}'_{n+2}(y) y \frac{2}{n} \right) = \frac{\sum_{i=1}^{\infty} \gamma_i}{\sum_{i=0}^{\infty} \gamma_i} - \frac{\sum_{i=1}^{\infty} \gamma_i \left(1 + \frac{2i}{n} \right) \left(\frac{y}{\bar{y}} \right)^i}{\sum_{i=0}^{\infty} \gamma_i} \tag{70}$$

where

$$\gamma_i = \frac{\Gamma\left(\frac{n}{2} + 1\right)}{i! \Gamma\left(\frac{n}{2} + 1 + i\right)} \left(\frac{\lambda \bar{y}}{2\sigma^2} \right)^i \tag{71}$$

O Details of the solution for the model with $n = 1$

Integrating the Bellman equation gives the following value function

$$V(p) = \frac{Bp^2 + \lambda V(0)}{\lambda + r} + \frac{B\sigma^2}{(\lambda + r)^2} + C \left(e^{p\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} + e^{-p\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} \right)$$

where we already used that $V(p) = V(-p)$. Notice that the value function has a minimum (and zero derivative) at $p = 0$, which is the optimal return point. The constant C and the threshold value \bar{p} are the values that solve the 2 equation system given by the value matching condition and the smooth pasting conditions.

The expected time to adjustment, $T(p)$ obeys the differential equation $\lambda T(p) = 1 + \frac{\sigma^2}{2} T''(p)$ with boundary condition $T(\bar{p}) = 0$. Given the symmetry of the law of motion for p , the function is symmetric, i.e. $T(p) = T(-p)$. Integrating gives $T(p) = \frac{1}{\lambda} \left(1 - \frac{e^{\sqrt{\frac{2\lambda}{\sigma^2}}p} + e^{-\sqrt{\frac{2\lambda}{\sigma^2}}p}}{e^{\sqrt{\frac{2\lambda}{\sigma^2}}\bar{p}} + e^{-\sqrt{\frac{2\lambda}{\sigma^2}}\bar{p}}} \right)$.

The distribution of price gaps $g(p)$ satisfies the Kolmogorov forward equation $0 = -\frac{2\lambda}{\sigma^2}g(p) + g''(p)$ for $0 < |p| \leq \bar{p}$. The density is symmetric, $g(p) = g(-p)$, and satisfies the boundary conditions: $g(\bar{p}) = 0$ and it integrates to one i.e. $2 \int_0^{\bar{p}} g(p) dp = 1$ where we used that it is symmetric.⁴¹

P \mathcal{M} and $kur(\Delta p_i)$ for $n = 1$ and $n = \infty$

This section discusses two limiting cases for which a tractable closed form expression can be derived which bracket the possible range of output effects. For each case we derive the implications for the cumulative output effect while considering the full range of values for $\ell \in (0, 1)$ and keeping the frequency and variance of price changes constant. We begin by stating the main results:

$$\mathcal{M}'(0) = \begin{cases} \frac{1}{\epsilon N(\Delta p_i)} \frac{(e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}})(e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}} - 2(1+\phi))}{(e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}} - 2)^2} & \text{where } \ell = \frac{e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}} - 2}{e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}}} \text{ and } n = 1 \\ \frac{1}{\epsilon N(\Delta p_i)} \left(\frac{1 - (1+\phi)e^{-\phi}}{(1 - e^{-\phi})^2} \right) & \text{where } \ell = 1 - e^{-\phi} \text{ and } n \rightarrow \infty \end{cases}$$

where different values of ϕ map monotonically into the fraction of free adjustments ℓ as shown in the display. We find the $n \rightarrow \infty$ case interesting because of its tractability and because, as shown in [Figure 5](#), it provides a benchmark for the cases where n is high (e.g. $n \cong 10$).

⁴¹The first boundary can be derived as the limit of the discrete time, discrete state, low of motion where each period is of length Δ and where p increases or decreases with probability $1/2$, so that $g(p) = \frac{1}{2}g(p + \Delta) + \frac{1}{2}g(p - \Delta)$. At the boundary \bar{p} this law of motion is $g(\bar{p}) = \frac{1}{2}g(\bar{p} - \Delta)$, which shows that $g(\bar{p}) \downarrow 0$ as $\Delta \downarrow 0$.

P.1 Analytical computation of \mathcal{M} in the case of $n = 1$

We give an analytical summary expression for the effect of monetary shocks in two interesting cases, those for one product, i.e. $n = 1$, and those for the large number of product, i.e. $n = \infty$. The summary expression is the area under the impulse response for output, i.e. the sum of the output above steady state after a monetary shock of size $\delta > 0$, which we denote as:

$$\mathcal{M}_n(\delta) = (1/\epsilon) \int_0^\infty [\delta - \mathcal{P}_n(\delta, t)] dt \quad (72)$$

where ϵ is the reciprocal of intertemporal elasticity of substitution, and where $\mathcal{P}_n(\delta, t)$ is the cumulative effect of monetary shock δ in the (log) of the price level after t periods. For large enough shocks, given the fixed cost of changing prices, the model display more price flexibility. Because of their preminence in the literature, and because of realism, we consider the case of small shocks δ by taking the first order approximation to [equation \(72\)](#), so we consider $\mathcal{M}_n(\delta) \approx \mathcal{M}'_n(0)\delta$.

For the case of $n = 1$ we obtain an analytical expression which, after normalizing by $N(\Delta p_i)$ depends only on $\lambda/N(\Delta p_i)$. Thus as $\lambda/N(\Delta p_i)$ ranges from 0 to 1 the model ranges from a version of the menu cost model of *Golosov and Lucas* to a version using *Calvo* pricing. The analytical expression is based upon the following characterization:

$$\mathcal{M}_1(\delta) = (1/\epsilon) \int_{-\bar{p}}^{\bar{p}-\delta} m(p_0) g(p_0 + \delta) dp_0 \quad (73)$$

where p_0 is the price gap *after* the monetary shocks and where $m(p)$ gives the contribution to the area under the IRF of firms that start with price gap, after the shock, equal to p_0 . Since the monetary shock happens when the economy is in steady state, the distribution right after the shock has the steady state density h displaced by δ . Immediately after the shock the firms with the highest price gap have price gap $\bar{p} - \delta$. Note that the integral in [equation \(73\)](#) does not include the firms that adjust on impact, those that before the shock have price gaps in the interval $[-\bar{p}, \bar{p} - \delta)$, whose adjustment does not contribute to the IRF. The definition of m is:

$$m(p) = -\mathbb{E} \left[\int_0^\tau p(t) dt \mid p(0) = p \right] \quad (74)$$

where τ is the stopping time denoting the first time that the firm adjusts its price. This function gives the integral of the negative of the price gap until the first price adjustment. This expression is based on the fact that those firms with negative price gaps, i.e. low markups, contribute positively to output being in excess of its steady state value, and those with high markups contribute negatively. Given a decision rule summarized by \bar{p} we can characterize m as the solution to the following ODE and boundary conditions:

$$\lambda m(p) = -p + \frac{\sigma^2}{2} m''(p) \text{ for all } p \in [-\bar{p}, \bar{p}] \text{ and } m(p) = 0 \text{ otherwise .} \quad (75)$$

The solution for the function m is:

$$m(p) = -\frac{p}{\lambda} + \frac{\bar{p}}{\lambda} \left(\frac{e^{\sqrt{2\phi}\frac{p}{\bar{p}}} - e^{-\sqrt{2\phi}\frac{p}{\bar{p}}}}{e^{\sqrt{2\phi}} - e^{-\sqrt{2\phi}}} \right) \quad \text{for all } p \in [-\bar{p}, \bar{p}] . \quad (76)$$

$\phi \equiv \lambda \bar{p}^2 / \sigma^2$. We have then:

$$\mathcal{M}(\delta) \approx \mathcal{M}'(0)\delta = (\delta/\epsilon) \int_{-\bar{p}}^{\bar{p}} m(p) g'(p) dp = (\delta/\epsilon) 2 \int_0^{\bar{p}} m(p) g'(p) dp \quad (77)$$

since $m(\bar{p})g(\bar{p}) = 0$. The last equality uses that m is negative symmetric, i.e. $m(p) = -m(-p)$, and that g is symmetric around zero. Using the expression for g in [Section 3.1](#)

$$g'(p) = -\frac{2\phi}{2\bar{p}^2 (e^{\sqrt{2\phi}} - 1)^2} \left(e^{\sqrt{2\phi}(2-\frac{p}{\bar{p}})} + e^{\sqrt{2\phi}\frac{p}{\bar{p}}} \right) \quad \text{for } p \in [0, \bar{p}] .$$

we obtain:

$$\begin{aligned} \mathcal{M}'(0)\delta &= \left(\frac{\delta}{\epsilon} \right) \frac{-2\phi}{\lambda (e^{\sqrt{2\phi}} - 1)^2} \left(\frac{e^{\sqrt{2\phi}} (2 + 2\phi - 2 \cosh(\sqrt{2\phi}))}{2\phi} \right) \\ &= \left(\frac{\delta}{\epsilon} \right) \frac{-2}{\lambda (e^{\sqrt{2\phi}} - 1)^2} \left(e^{\sqrt{2\phi}} \left(1 + \phi - \frac{e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}}}{2} \right) \right) \end{aligned}$$

Using the expression for $N(\Delta p_i)$ for the $n = 1$ and simple algebra we can rewrite it as:

$$\mathcal{M}'(0)\delta = \left(\frac{\delta}{\epsilon} \right) \frac{1}{N(\Delta p_i)} \frac{e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}}}{(e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}} - 2)^2} \left(e^{\sqrt{2\phi}} + e^{-\sqrt{2\phi}} - 2 - 2\phi \right) \quad (78)$$

which yields the cumulative output effect of a small monetary shock of size δ .⁴²

Kurtosis. We now verify that the expression can be equivalently obtained by computing the kurtosis, as stated in [Proposition 7](#). For notation convenience let $x \equiv \sqrt{2\phi}$. Using the distribution of price changes derived in [Section 3.1](#) and the definition of kurtosis we get

$$Kur(\Delta p_i) = \frac{2\ell \left(\frac{12}{x^4} - \frac{12+x^2}{x^2(e^{x/2} - e^{-x/2})^2} \right) + 1 - \ell}{\left(2\ell \left(\frac{1}{x^2} + \frac{1}{2-e^{-x}-e^x} \right) + 1 - \ell \right)^2} = \frac{12 - \frac{12x^2+x^4}{(e^{x/2}-e^{-x/2})^2} + x^4 \frac{1-\ell}{2\ell}}{2\ell \left(1 + \frac{x^2}{2-e^{-x}-e^x} + x^2 \frac{1-\ell}{2\ell} \right)^2}$$

⁴²As a check of this formula compute the case for $\phi = 0$, i.e. the cumulative output for the Golosov-Lucas model. In this case we let $\lambda = 0$ and $\bar{p} > 0$. In this case we have: $m(p) = -\frac{\bar{p}^2 p}{3\sigma^2} + \frac{p^3}{3\sigma^2}$. Also $g'(p) = -1/\bar{p}^2$ for $p \in (0, \bar{p}]$, so we have:

$$\mathcal{M}'(0)\delta = \left(\frac{\delta}{\epsilon} \right) \frac{2}{-3\sigma^2 \bar{p}^2} \int_0^{\bar{p}} [-\bar{p}^2 p + p^3] dp = \left(\frac{\delta}{\epsilon} \right) \frac{-2}{3\sigma^2 \bar{p}^2} \left[-\frac{\bar{p}^4}{2} + \frac{\bar{p}^4}{4} \right] = \left(\frac{\delta}{\epsilon} \right) \frac{2\bar{p}^2}{3\sigma^2} \frac{2}{8} = \left(\frac{\delta}{\epsilon} \right) \frac{1}{N(\Delta p_i)} \frac{1}{6}$$

which is the same value obtained by taking the limit for $\phi \rightarrow 0$ in the general expression above.

Recall from [Section 3.1](#) that $\ell = \frac{e^x + e^{-x} - 2}{e^x + e^{-x}}$ so that , after some algebra

$$Kur(\Delta p_i) = 6 \frac{e^x + e^{-x}}{(e^x + e^{-x} - 2)^2} (e^x + e^{-x} - 2 - x^2)$$

It is immediate that the kurtosis and the cumulative effect on output shown in [equation \(78\)](#) satisfy [Proposition 7](#).

P.2 Analytical computation of \mathcal{M} in the case of $n = \infty$

Define

$$Y_n(t, \delta) \equiv \frac{1}{n} \sum_{i=1}^n [p_i(t) - \delta] = Y_n(t, 0) - 2\delta \frac{\sum_{i=1}^n p_i(t)}{n} + \delta^2 .$$

where the $p_i(t)$ are independent of each other, start at $p_i(0) = 0$ and have normal distribution with $\mathbb{E}[p_i(t)] = 0$ and $Var[p_i(t)] = \sigma^2 t$. Then, by an application of the law of large numbers, we have:

$$Y_\infty(t, \delta) = Y_\infty(t, 0) + \delta^2 = t\sigma^2 + \delta^2$$

Letting $\bar{Y} \equiv \lim_{n \rightarrow \infty} \bar{y}(n)/n$ we can represent the steady state optimal decision rule as adjusting prices when t , the time elapsed since last adjustment, attains $T = \bar{Y}/\sigma^2$. We compute the density of the distribution of products indexed by the time elapsed since the last adjustment t and, abusing notation, we denote it by f . This distribution is a truncated exponential with decay rate λ and with truncation T , thus the density is:

$$f(t) = \lambda \frac{e^{-\lambda t}}{1 - e^{-\lambda T}} \quad \text{for all } t \in [0, T] .$$

The (expected) number of price changes per unit of time is given by the sum of the free adjustments and the ones that reach T , so

$$N(\Delta p_i) = \lambda + f(T) = \lambda \left[1 + \frac{e^{-\lambda T}}{1 - e^{-\lambda T}} \right] = \frac{\lambda}{1 - e^{-\lambda T}}$$

Note that, using the definition of T given above, $\lambda T = \bar{Y}\lambda/\sigma^2$ the parameter which indexes the shape of f and of the distribution of price changes. Since this figures prominently in this expressions we define:

$$\phi \equiv \lambda T = \frac{\bar{Y}\lambda}{\sigma^2} .$$

which is consistent with the definition of ϕ in [Proposition 3](#). Using this definition we get:

$$\ell = \frac{\lambda}{N(\Delta p_i)} = 1 - e^{-\phi} \quad \text{and thus} \quad N(\Delta p_i) = \frac{\lambda}{1 - e^{-\phi}}$$

Impulse Response of Prices to a monetary Shock. We can now define the impulse response. Note that after the monetary shock firms that have adjusted their prices t periods

ago, in average will adjust their price up by δ . This highlights that as $n \rightarrow \infty$ there is no selection.

Now we turn to the characterization of the impact effect Θ . In this case we have

$$Y_\infty(t, \delta) = Y_\infty(t, 0) + \delta^2 = t\sigma^2 + \delta^2 \geq \bar{Y} = \sigma^2 T \iff t \geq T - \delta^2/\sigma^2.$$

Thus the impact effect is:

$$\Theta(\delta) = \delta \int_{T-\delta^2/\sigma^2}^T f(t)dt = \delta \frac{e^{-\lambda T + \frac{\lambda}{\sigma^2} \delta^2} - e^{-\lambda T}}{1 - e^{-\kappa}} = \delta \frac{e^{-\kappa + \frac{\lambda}{\sigma^2} \delta^2} - e^{-\kappa}}{1 - e^{-\kappa}}$$

Using that $N(\Delta p_i) \text{Var}(\Delta p_i) = \sigma^2$ we can write:

$$\Theta(\delta) = \delta + \delta \frac{e^{-\kappa + \frac{\lambda}{N(\Delta p_i) \text{Var}(\Delta p_i)} \delta^2} - 1}{1 - e^{-\kappa}} = \delta + \delta \frac{\left(1 - \frac{\lambda}{N(\Delta p_i)}\right) e^{\frac{\lambda}{N(\Delta p_i) \text{Var}(\Delta p_i)} \delta^2} - 1}{\lambda/N(\Delta p_i)}$$

Note that

$$\lim \Theta(\delta) = \begin{cases} \delta \left(\frac{\delta}{\text{Std}(\Delta p_i)} \right)^2 & \text{as } \lambda/N(\Delta p_i) \rightarrow 0 \\ 0 & \text{as } \lambda/N(\Delta p_i) \rightarrow 1 \end{cases}$$

and in general

$$\frac{\Theta(\delta)}{\partial(\lambda/N(\Delta p_i))} = \delta \frac{e^{\frac{\lambda}{N(\Delta p_i) \text{Var}(\Delta p_i)} \delta^2} \left(\frac{\delta^2}{\text{Var}(\Delta p_i) N(\Delta p_i)} \left(1 - \frac{\lambda}{N(\Delta p_i)}\right) - 1 \right) + 1}{(\lambda/N(\Delta p_i))^2} < 0$$

whenever $\delta < 2 \text{Std}(\Delta p_i)$.

$$\begin{aligned} \theta(t) &= \delta e^{-\lambda t} \left[f(T - \delta^2/\sigma^2 - t) + \lambda \int_0^{T-\delta^2/\sigma^2-t} f(s)ds \right] \\ &= \delta e^{-\lambda t} \left[\lambda \frac{e^{-\lambda(T-\delta^2/\sigma^2-t)}}{1 - e^{-\lambda T}} + \lambda \int_0^{T-\delta^2/\sigma^2-t} \lambda \frac{e^{-\lambda s}}{1 - e^{-\lambda T}} ds \right] \\ &= \delta e^{-\lambda t} \left[\lambda \frac{e^{-\lambda(T-\delta^2/\sigma^2-t)}}{1 - e^{-\lambda T}} + \lambda \frac{1 - e^{-\lambda(T-\delta^2/\sigma^2-t)}}{1 - e^{-\lambda T}} \right] \\ &= \delta \frac{\lambda e^{-\lambda t}}{1 - e^{-\lambda T}} \left[e^{-\lambda(T-\delta^2/\sigma^2-t)} + 1 - e^{-\lambda(T-\delta^2/\sigma^2-t)} \right] \\ &= \delta \frac{\lambda e^{-\lambda t}}{1 - e^{-\lambda T}} \end{aligned}$$

We can interpret $\theta(t)dt$ as $\theta(t)$ times the number of firms that adjust its price at times (t, dt) . This is the sum of two terms. The first term is the fraction that adjust because they hit the boundary between t and $t + dt$. The second term is the fraction that have not yet adjusted times the fraction that adjust, λdt due to a free opportunity. Both terms are multiplied by

$e^{-\lambda t}$ to take into account those firms that have received a free adjustment opportunity before after the monetary shock but before t .

Thus we have:

$$\begin{aligned}\mathcal{P}_\infty(t, \delta) &= \Theta(\delta) + \delta \int_0^t \frac{\lambda e^{-\lambda s}}{1 - e^{-\lambda T}} ds = \Theta(\delta) + \delta \frac{1 - e^{-\lambda t}}{1 - e^{-\lambda T}} = \Theta(\delta) + \delta \frac{1 - e^{-\frac{\lambda}{N(\Delta p_i)} t N(\Delta p_i)}}{1 - e^{-\lambda T}} \\ &= \Theta(\delta) + \delta \frac{1 - e^{-\frac{\lambda}{N(\Delta p_i)} t N(\Delta p_i)}}{\lambda / N(\Delta p_i)}\end{aligned}$$

Using \mathcal{P}_∞ we can compute the IRF for output, and a summary measure for it, namely the area below it:

$$\begin{aligned}\mathcal{M}_\infty(\delta) &= \frac{1}{\epsilon} \int_0^T [\delta - \mathcal{P}_\infty(\delta, t)] dt \approx \delta \frac{1}{\epsilon} \int_0^T \left[1 - \frac{1 - e^{-\lambda t}}{1 - e^{-\lambda T}} \right] dt \\ &= \frac{\delta}{\epsilon} \left[T - \frac{T}{1 - e^{-\lambda T}} + \frac{1}{\lambda} \right] = \frac{\delta}{\epsilon} \left[-T \frac{e^{-\lambda T}}{1 - e^{-\lambda T}} + \frac{1}{\lambda} \right] \\ &= \frac{\delta}{\epsilon} \frac{1 - e^{-\lambda T}}{\lambda} \frac{1}{1 - e^{-\lambda T}} \left[-\lambda T \frac{e^{-\lambda T}}{1 - e^{-\lambda T}} + 1 \right] \\ &= \frac{\delta}{\epsilon N(\Delta p_i)} \frac{1}{1 - e^{-\phi}} \left[1 - \phi \frac{e^{-\phi}}{1 - e^{-\phi}} \right] = \frac{\delta}{\epsilon N(\Delta p_i)} \left[\frac{1 - (1 + \phi) e^{-\phi}}{(1 - e^{-\phi})^2} \right]\end{aligned}$$

where the approximation uses the expression for small δ , i.e. its first order Taylor's expansion.

Kurtosis. For completeness we also include here an expression for the kurtosis of the distribution of price changes in the case of $n = \infty$. Price changes are distributed as:

$$\mathbb{E} [(\Delta p_i)^2] = \sigma^2 / N(\Delta p_i) = \frac{\sigma^2}{\lambda} \frac{\lambda}{N(\Delta p_i)} = \frac{T \sigma^2}{T \lambda} \frac{\lambda}{N(\Delta p_i)} = T \sigma^2 \frac{1}{T \lambda} \frac{\lambda}{N(\Delta p_i)}$$

$$\begin{aligned}\mathbb{E} [(\Delta p_i)^4] &= 3 \frac{\lambda}{N(\Delta p_i)} \int_0^T \frac{(\sigma^2 t)^2 \lambda e^{-\lambda t}}{1 - e^{-\lambda T}} dt + \left(1 - \frac{\lambda}{N(\Delta p_i)} \right) 3 (\sigma^2 T)^2 \\ &= 3 \sigma^4 \left[\lambda \int_0^T t^2 e^{-\lambda t} dt + \left(1 - \frac{\lambda}{N(\Delta p_i)} \right) T^2 \right] \\ &= 3 \sigma^4 T^2 \left[\frac{2 - e^{-\lambda T} (\lambda T (\lambda T + 2) + 2)}{(T \lambda)^2} + \left(1 - \frac{\lambda}{N(\Delta p_i)} \right) \right]\end{aligned}$$

Kurtosis is then given by:

$$\begin{aligned}
\frac{\mathbb{E}[(\Delta p_i)^4]}{(\mathbb{E}[(\Delta p_i)^2])^2} &= 3 \frac{\frac{2-e^{-\lambda T}(\lambda T(\lambda T+2))}{(T\lambda)^2} + \left(1 - \frac{\lambda}{N(\Delta p_i)}\right)}{\left(\frac{1}{T\lambda}\right)^2 \left(\frac{\lambda}{N(\Delta p_i)}\right)^2} = 3 \frac{2 - e^{-\lambda T}(\lambda T(\lambda T+2) + 2) + (T\lambda)^2 \left(1 - \frac{\lambda}{N(\Delta p_i)}\right)}{\left(\frac{\lambda}{N(\Delta p_i)}\right)^2} \\
&= 3 \frac{(2 - e^{-\lambda T}2\lambda T - e^{-\lambda T}2)}{\left(\frac{\lambda}{N(\Delta p_i)}\right)^2} = 6 \frac{(1 - e^{-\lambda T}(1 + \lambda T))}{\left(\frac{\lambda}{N(\Delta p_i)}\right)^2} = 6 \frac{1 - e^{-\lambda T}(1 + \lambda T)}{(1 - e^{-\lambda T})^2} \\
&= 6 \frac{1 - e^{-\phi}(1 + \phi)}{(1 - e^{-\phi})^2}
\end{aligned}$$

It is immediate to use the expression for kurtosis and the one above for $\mathcal{M}_\infty(\delta)$ to verify [Proposition 7](#).

Q Special case of [Proposition 7](#) for $\ell = 0$.

For $\ell = 0$, or equivalently $\lambda = 0$, we use the result in [Alvarez and Lippi \(2014\)](#) for

$$\mathcal{T}_{n+2}(y) = \frac{\bar{y} - y}{(n+2)\sigma^2}$$

gives:

$$\mathcal{M}'(0) = \frac{1}{n\epsilon} \int_0^{\bar{y}} \left[\frac{n(\bar{y} - y) - 2y}{(n+2)\sigma^2} \right] f(y) dy$$

and using the following expression for f from [Alvarez and Lippi \(2014\)](#) :

$$\begin{aligned}
f(y) &= \frac{1}{\bar{y}} [\log(\bar{y}) - \log(y)] \text{ if } n = 2, \text{ and} \\
f(y) &= (\bar{y})^{-\frac{n}{2}} \left(\frac{n}{n-2} \right) \left[(\bar{y})^{\frac{n}{2}-1} - (y)^{\frac{n}{2}-1} \right] \text{ otherwise}
\end{aligned} \tag{79}$$

gives that:

$$\begin{aligned}
\mathcal{M}'(0) &= \frac{1}{n\epsilon} \frac{2\bar{y}n(n-2)}{(n^2-4)\sigma^2} = \frac{1}{\epsilon} \frac{n(n-2)}{2(n^2-4)} \frac{1}{[\sigma^2/(\bar{y}/n)]} = \frac{1}{\epsilon} \frac{n(n-2)}{2(n-2)(n+2)} \frac{1}{[\sigma^2/(\bar{y}/n)]} \\
&= \frac{1}{\epsilon} \frac{n}{2(n+2)} \frac{1}{N(\Delta p_i)} = \frac{1}{\epsilon} \frac{3n}{(n+2)} \frac{1}{6N(\Delta p_i)} = \frac{1}{\epsilon} \frac{Kurt(\Delta p_i)}{6N(\Delta p_i)}
\end{aligned}$$

since for $\lambda = 0$ then $Kurt(\Delta p_i) = 3n/(n+2)$ and $N(\Delta p_i) = \sigma^2/(\bar{y}/n)$ we verified the equality in [Proposition 7](#).

R Aggregation of heterogenous sectors

Assume that there are S sectors, each with an expenditure weight $e(s) > 0$, and with different parameters so that each have $N(s)$ price changes per unit of time, and a distribution of price changes with kurtosis $Kur(s)$. In this case, after repeating the arguments above for each sector and aggregating, we obtain that the area under the IRF of *aggregate* output for a small monetary shock δ is

$$\mathcal{M}(\delta) \cong \delta \mathcal{M}'(0) = \frac{\delta}{6\epsilon} \sum_{s \in S} \frac{e(s)}{N(s)} Kur(s) = \frac{\delta}{6\epsilon} D \sum_{s \in S} d(s) Kur(s) \quad (80)$$

where D is the expenditure-weighted average duration of prices $D \equiv \sum_{s \in S} \frac{e(s)}{N(s)}$ and the $d(s) \equiv \frac{e(s)}{N(s)D}$ are weights taking into account both relative expenditures and durations. In the case in which all sectors have the same durations then $d(s) = e(s)$ and \mathcal{M} is proportional to the kurtosis of the standardized data. Likewise, the same result applies if all sectors have the same kurtosis.⁴³ In general, if sectors are heterogenous in the durations (or expenditures), then the kurtosis of the sectors with longer duration (or expenditures) receive a higher weight in the computation of \mathcal{M} . For the French data, computation of the duration weighted kurtosis in [equation \(80\)](#) results in an increase of the order 15%, reflecting a correlation between kurtosis and duration of the same magnitude.

S A model with random cheap adjustment

This version of the model assumes that with probability λ per unit of time the menu cost is smaller than the regular adjustment, namely that it costs $b\psi$ with $b \in (0, 1)$. For simplicity we kept the analysis of the model with one product, i.e. $n = 1$.

Firm's problem. The firm's optimal policy now involves two thresholds: $0 < \underline{p} < \bar{p}$. If the price gap is small, i.e. if $|p| \in [0, \underline{p}]$ the firm optimally decides not to adjust the price, even if an opportunity for cheap adjustment occurs. If the price gap is large, i.e. if $|p| \in [\underline{p}, \bar{p})$, the firm adjusts the price only if a cheap adjustment opportunity arises. As in the case where $b = 0$, the firm adjust its price the first time that $|p|$ reaches \bar{p} .

Given the values of two thresholds \underline{p}, \bar{p} , the value function v can be describe as two functions holding in each segment, as follows:

$$\begin{aligned} r v_0(p) &= B p^2 + \frac{\sigma^2}{2} v_0''(p), \quad \text{for } p \in [0, \underline{p}] , \\ r v_1(p) &= B p^2 + \lambda [v_0(0) + b\psi - v_1(p)] + \frac{\sigma^2}{2} v_1''(p), \quad \text{for } p \in [\underline{p}, \bar{p}] \end{aligned}$$

where we use that the optimal return point upon adjustment is $v_0(0)$ and where used that by symmetry $v_i(p) = v_i(-p)$ for $i = 0, 1$.

⁴³The effect of heterogeneity in $N(\Delta p_i)$ on aggregation is well known, so that D is different from the average of $N(\Delta p_i)$'s, see for example [Carvalho \(2006\)](#) and [Nakamura and Steinsson \(2010\)](#).

The value function can be expressed as the sum of a particular solution and two solutions multiplied by constants K_0 and K_1 and the two parameters $0 < \underline{p}, \bar{p}$. The value function has the following boundary conditions $v_0(\underline{p}) = v_1(\underline{p})$ and $v_0(0) + \psi = v_1(\bar{p})$, as well as the smooth pasting conditions $v'_0(\underline{p}) = v'_1(\underline{p})$ and $0 = v'_1(\bar{p})$. Using the four boundary conditions one solve for both the value function (i.e. the constants K_i) and the thresholds \underline{p}, \bar{p} . We give the details in [Appendix S.1](#) and [Appendix S.2](#).

Frequency of price changes. To find the frequency of price changes we first introduce the expected time to adjustment function $T(p)$. This function obeys the following ODE:

$$0 = 1 + \frac{\sigma^2}{2} T''_0(p) \quad \text{for } 0 < |p| \leq \underline{p} \quad \text{and} \quad \lambda T_1(p) = 1 + \frac{\sigma^2}{2} T''_1(p) \quad \text{for } \underline{p} < |p| \leq \bar{p}$$

with $T_i(p) = T_i(-p)$, and boundary conditions $T_0(\underline{p}) = T_1(\underline{p})$, $T'_0(\underline{p}) = T'_1(\underline{p})$ and $T_1(\bar{p}) = 0$. Thus

$$T_0(p) = J - \frac{p^2}{\sigma^2} \quad \text{and} \quad T_1(p) = \frac{1}{\lambda} + K e^{\varphi|p|} + L e^{-\varphi|p|}$$

where the J, K, L are constant to be determined using the boundary conditions, and where $\varphi = \sqrt{2\lambda/\sigma^2}$. Thus, given thresholds \underline{p}, \bar{p} , solving for the function T boils down to solve three linear equations in three unknowns as detailed in [Appendix S.4](#). In particular the average number of adjustment per period is simply:

$$N(\Delta p_i) = \frac{1}{T_0(0)} = \frac{1}{J}, \quad (81)$$

Kurtosis of price changes. To measure the steady state kurtosis of price changes, we first solve for the density function for the price gaps $g(p) \in [0, \bar{p}]$. This density solves

$$\begin{aligned} 0 &= g''_0(p) \quad \text{for } 0 \leq |p| \leq \underline{p} \quad \text{and} \quad 0 = -\frac{2\lambda}{\sigma^2} g_1(p) + g''_1(p) \quad \text{for } \underline{p} < |p| \leq \bar{p} \quad \text{or} \\ g_0(p) &= C_1 + C_2 |p| \quad \text{for } 0 \leq |p| \leq \underline{p} \quad \text{and} \quad g_1(p) = C_3 e^{\varphi|p|} + C_4 e^{-\varphi|p|} \quad \text{for } \underline{p} \leq |p| \leq \bar{p} \end{aligned}$$

where the 4 constants solve the 4 equations $g_0(\underline{p}) = g_1(\underline{p})$, $g'_0(\underline{p}) = g'_1(\underline{p})$, $g_1(\bar{p}) = 0$ and $1/2 = \int_0^{\underline{p}} g_0(p) dp + \int_{\underline{p}}^{\bar{p}} g_1(p) dp$ which use that the density is differentiable. Given \underline{p}, \bar{p} the solution boils down to solve four linear equations in four unknowns, as detailed in [Appendix S.5](#).

Then using that only the fraction $2 \int_{\underline{p}}^{\bar{p}} g_1(p) dp$ of cheap adjustment opportunities will trigger an actual price change, the distribution of (non-zero) price changes $p \in [-\bar{p}, -\underline{p}] \cup [\underline{p}, \bar{p}]$ is symmetric and is given by (we only report the formulas for $x > 0$). Thus the distribution of (positive) price changes is

$$\text{Price changes} \sim \begin{cases} \text{density for a price change of size } p \in [\underline{p}, \bar{p}) & : \frac{\lambda}{N_a} g_1(p) \\ \text{mass point at } \bar{p} & : \frac{1}{2} - \frac{\lambda}{N_a} \int_{\underline{p}}^{\bar{p}} g_1(p) dp \end{cases}$$

The j – th moment of price changes for j even is

$$\mathbb{E}(\Delta p^j) = \frac{\lambda}{N_a} 2 \int_{\underline{p}}^{\bar{p}} x^j g_1(p) dp + \left(1 - \frac{\lambda 2 \int_{\underline{p}}^{\bar{p}} g_1(p) dp}{N_a}\right) \bar{p}^j$$

Using that $Var(\Delta p) N(\Delta p) = \sigma^2$, the kurtosis of price changes is given by:

$$Kur(\Delta p) = \frac{\mathbb{E}(\Delta p^4)}{(\sigma^2/N(\Delta p))^2}. \quad (82)$$

Area under impulse response. To find an expression for $\mathcal{M}'(0)$ we first define the contribution to the area under impulse response of a firm that starts with price gap p . Letting $m(p)$ the integral of the (minus) expected price gap until the first time the firms adjusts its price, and starting the economy with a distribution of price gaps with density f we have

$$\mathcal{M}(\delta) = \int_{-\bar{p}}^{\bar{p}} m(p - \delta) g(p) dp \quad (83)$$

and differentiating it:

$$\mathcal{M}'(0) = - \int_{-\bar{p}}^{\bar{p}} m'(p) g(p) dp \quad (84)$$

To obtain the solution for m we consider two functions in each segments which solves:

$$0 = -p + \frac{\sigma^2}{2} m_0''(p) \text{ for } 0 \leq p \leq \underline{p} \quad (85)$$

$$\lambda m_1(p) = -p + \frac{\sigma^2}{2} m_1''(p) \text{ for } \underline{p} \leq p \leq \bar{p} \quad (86)$$

The boundary conditions are that these functions meet in a continuously differentiable manner in the lower boundary, i.e. $m_0(\underline{p}) = m_1(\underline{p})$, $m_0'(\underline{p}) = m_1'(\underline{p})$, and that a price change occurs at the upper boundary, i.e. $m_1(\bar{p}) = 0$. The solution, with three constant of integration is:

$$m_0(p) = A_1 p + \frac{p^3}{3 \sigma^2} \quad (87)$$

$$m_1(p) = -\frac{p}{\lambda} + A_2 e^{p\varphi} + A_3 e^{-p\varphi} \quad (88)$$

Thus, given \underline{p}, \bar{p} boils down to solving three linear equations in three unknowns, as detailed in [Appendix S.6](#).

Hence, given any pair (\underline{p}, \bar{p}) we can find the solution for the density g , the solution to the function m and compute:

$$\mathcal{M}'(0) = -2 \int_0^{\bar{p}} m'(p) g(p) dp$$

Likewise, given any pair (\underline{p}, \bar{p}) , we can find the solution for g , $N(\Delta p)$ and compute $Kur(\Delta p)$ as in [equation \(82\)](#). In [Appendix S.7](#) we collect the solutions as function of the thresholds (\underline{p}, \bar{p}) and constants $(A_1, A_2, A_3, J, C_3, C_4)$. From this one can easily compute both expressions and check the equality in

$$\mathcal{M}'(0) = \frac{Kur(\Delta p)}{6N(\Delta p)}.$$

S.1 Solution of ode for value function in inaction

$$\begin{aligned} v_0(p) &= \frac{Bp^2}{r} + \frac{B\sigma^2}{r^2} + K_0 \left(e^{p\sqrt{\frac{2r}{\sigma^2}}} + e^{-p\sqrt{\frac{2r}{\sigma^2}}} \right) \\ v_1(p) &= \frac{Bp^2 + \lambda(v_0(0) + b\psi)}{\lambda + r} + \frac{B\sigma^2}{(\lambda + r)^2} + K_1 \left(e^{p\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} + e^{-p\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} \right) \end{aligned}$$

S.2 Solution for value function

Note that smooth pasting $v'_1(\bar{p}) = 0$ gives

$$0 = \frac{2B\bar{p}}{\lambda + r} + K_1 \sqrt{\frac{2(\lambda + r)}{\sigma^2}} \left(e^{\bar{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} - e^{-\bar{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} \right)$$

or K_1 as function of \bar{p}

$$K_1 = \frac{2B\bar{p}}{\lambda + r} \left[\sqrt{\frac{2(\lambda + r)}{\sigma^2}} \left(e^{-\bar{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} - e^{\bar{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} \right) \right]^{-1} \quad (89)$$

Using $v_0(0) = \frac{B\sigma^2}{r^2} + 2K_0$ and value matching $v_0(0) + \psi = v_1(\bar{p})$ gives

$$\frac{r}{\lambda + r} v_0(0) + \psi = \frac{\lambda b\psi + B\bar{p}^2}{\lambda + r} + \frac{B\sigma^2}{(\lambda + r)^2} + K_1 \left(e^{\bar{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} + e^{-\bar{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} \right)$$

or K_0 as function of \bar{p}

$$2rK_0 = B\bar{p}^2 - (\lambda(1 - b) + r)\psi - \frac{\lambda B\sigma^2}{r(\lambda + r)} + (\lambda + r)K_1 \left(e^{\bar{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} + e^{-\bar{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} \right) \quad (90)$$

Value matching at \underline{p} gives

$$\frac{B\underline{p}^2}{r} + \frac{B\sigma^2}{r^2} + K_0 \left(e^{\underline{p}\sqrt{\frac{2r}{\sigma^2}}} + e^{-\underline{p}\sqrt{\frac{2r}{\sigma^2}}} \right) = \frac{B\underline{p}^2 + \lambda(v_0(0) + b\psi)}{\lambda + r} + \frac{B\sigma^2}{(\lambda + r)^2} + K_1 \left(e^{\underline{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} + e^{-\underline{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} \right)$$

or an equation implicitly defining \underline{p} in terms of \bar{p}

$$\frac{B\underline{p}^2\lambda}{r(r + \lambda)} + \frac{B\sigma^2\lambda}{(\lambda + r)^2r} + K_0 \left(e^{\underline{p}\sqrt{\frac{2r}{\sigma^2}}} + e^{-\underline{p}\sqrt{\frac{2r}{\sigma^2}}} - \frac{2\lambda}{\lambda + r} \right) = \frac{\lambda b\psi}{\lambda + r} + K_1 \left(e^{\underline{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} + e^{-\underline{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} \right)$$

Given these 3 equations implicitly defining K_0, K_1, \underline{p} as function of \bar{p} , the smooth pasting at \underline{p} gives one equation in one unknown to solve for \bar{p} , namely

$$\left(\frac{2B}{r} - \frac{2B}{r+\lambda}\right) \underline{p} + \sqrt{\frac{2r}{\sigma^2}} K_0 \left(e^{\underline{p}\sqrt{\frac{2r}{\sigma^2}}} - e^{-\underline{p}\sqrt{\frac{2r}{\sigma^2}}} \right) = \sqrt{\frac{2(\lambda+r)}{\sigma^2}} K_1 \left(e^{\underline{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} - e^{-\underline{p}\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} \right)$$

S.3 Value function approximation

Recall

$$\begin{aligned} v_0(p) &= \frac{Bp^2}{r} + \frac{B\sigma^2}{r^2} + K_0 \left(e^{p\sqrt{\frac{2r}{\sigma^2}}} + e^{-p\sqrt{\frac{2r}{\sigma^2}}} \right) \\ v_1(p) &= \frac{Bp^2 + \lambda(v_0(0) + b\psi)}{\lambda+r} + \frac{B\sigma^2}{(\lambda+r)^2} + K_1 \left(e^{p\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} + e^{-p\sqrt{\frac{2(\lambda+r)}{\sigma^2}}} \right) \end{aligned}$$

We approximate the value functions $v_0(p), v_1(p)$ using a fourth order expansion around $p = 0$. We get

$$\begin{aligned} v_0(p) &= \frac{B\sigma^2}{r^2} + 2K_0 + \left(\frac{B}{r} + K_0\varphi_0^2 \right) p^2 + \frac{K_0}{12} \varphi_0^4 p^4 \\ v_1(p) &= \frac{\lambda(v_0(0) + b\psi)}{\lambda+r} + \frac{B\sigma^2}{(\lambda+r)^2} + 2K_1 + \left(\frac{B}{\lambda+r} + K_1\varphi_1^2 \right) p^2 + \frac{K_1}{12} \varphi_1^4 p^4 \\ \text{where } \varphi_0 &\equiv \sqrt{\frac{2r}{\sigma^2}} \quad \text{and} \quad \varphi_1 \equiv \sqrt{\frac{2(\lambda+r)}{\sigma^2}} \end{aligned}$$

The smooth pasting at \underline{p} , namely $v'_0(\underline{p}) - v'_1(\underline{p}) = 0$, gives

$$p \left[\left(\frac{B}{r} + K_0\varphi_0^2 \right) - \left(\frac{B}{\lambda+r} + K_1\varphi_1^2 \right) + (K_0\varphi_0^4 - K_1\varphi_1^4) \frac{p^2}{6} \right] = 0$$

which gives

$$\underline{p} = \pm \sqrt{\frac{\left(\frac{B}{\lambda+r} + K_1\varphi_1^2 \right) - \left(\frac{B}{r} + K_0\varphi_0^2 \right)}{(K_0\varphi_0^4 - K_1\varphi_1^4)/6}}$$

Similarly smooth pasting at \bar{p} gives

$$\bar{p} = \pm \sqrt{\frac{\left(\frac{B}{\lambda+r} + K_1\varphi_1^2 \right)}{-K_1\varphi_1^4/6}}$$

S.4 Boundary conditions for T_i

We have the following three linear equations for T_i :

$$\begin{aligned} -\frac{1}{\lambda} &= K e^{\varphi \bar{p}} + L e^{-\varphi \bar{p}} \\ -\frac{2\underline{p}}{\sigma^2} &= \varphi (K e^{\varphi \underline{p}} - L e^{-\varphi \underline{p}}) \\ J &= \frac{(\underline{p})^2}{\sigma^2} + \frac{1}{\lambda} + K e^{\varphi \underline{p}} + L e^{-\varphi \underline{p}} \end{aligned}$$

S.5 Density function

The 4 unknowns of the density function, using $g_1(\bar{p}) = 0$ and $g'_0(\underline{p}) = g'_1(\underline{p})$, give

$$C_3 = -C_4 e^{-2\varphi \bar{p}} \quad \text{and} \quad C_2 = -C_4 \varphi (e^{-2\varphi \bar{p} + \varphi \underline{p}} + e^{-\varphi \underline{p}})$$

Next, using $g_0(\underline{p}) = g_1(\underline{p})$ gives

$$C_1 = -C_2 \underline{p} - C_4 (e^{-2\varphi \bar{p} + \varphi \underline{p}} - e^{-\varphi \underline{p}}) = C_4 [e^{-2\varphi \bar{p} + \varphi \underline{p}} (\varphi \underline{p} - 1) + e^{-\varphi \underline{p}} (\varphi \underline{p} + 1)]$$

Finally we solve for C_4 by imposing $1/2 = \int_0^{\bar{p}} g_0(p) \, dp + \int_{\underline{p}}^{\bar{p}} g_1(p) \, dp$ i.e.

$$\frac{1}{2} = C_1 \underline{p} + \frac{1}{2} C_2 \underline{p}^2 + \frac{1}{\varphi} [C_3 (e^{\varphi \bar{p}} - e^{\varphi \underline{p}}) - C_4 (e^{-\varphi \bar{p}} - e^{-\varphi \underline{p}})]$$

or, substituting the expressions,

$$\begin{aligned} \frac{1}{2C_4} &= [e^{-2\varphi \bar{p} + \varphi \underline{p}} (\varphi \underline{p} - 1) + e^{-\varphi \underline{p}} (\varphi \underline{p} + 1)] \underline{p} - \frac{1}{2} \varphi (e^{-2\varphi \bar{p} + \varphi \underline{p}} + e^{-\varphi \underline{p}}) \underline{p}^2 \\ &\quad - \frac{1}{\varphi} [e^{-2\varphi \bar{p}} (e^{\varphi \bar{p}} - e^{\varphi \underline{p}}) + e^{-\varphi \bar{p}} - e^{-\varphi \underline{p}}] \end{aligned}$$

S.6 Equation for the solution of m

The boundary conditions are: $m_1(\bar{p}) = 0$, $m_1(\underline{p}) = m_0(\underline{p})$ and $m'_1(\underline{p}) = m'_0(\underline{p})$. They give a linear system of equations on A_1, A_2, A_3 :

$$0 = -\frac{\bar{p}}{\lambda} + A_2 e^{\bar{p}\varphi} + A_3 e^{-\bar{p}\varphi} \quad (91)$$

$$A_1 + \frac{(\underline{p})^2}{\sigma^2} = -\frac{1}{\lambda} + \varphi A_2 e^{\underline{p}\varphi} - \varphi A_3 e^{-\underline{p}\varphi} \quad (92)$$

$$A_1 \underline{p} + \frac{(\underline{p})^3}{3\sigma^2} = -\frac{\underline{p}}{\lambda} + A_2 e^{\underline{p}\varphi} + A_3 e^{-\underline{p}\varphi} \quad (93)$$

S.7 Algebraic details for main proposition

For the area under the IRF of output we get:

$$\begin{aligned}\mathcal{M}'(0) = & - 2 \int_0^{\bar{p}} \left[A_1 + A_3 \frac{p^2}{\sigma^2} \right] [C_1 + C_2 p] dp \\ & - 2 \int_{\underline{p}}^{\bar{p}} \left[-\frac{1}{\lambda} + \varphi A_2 e^{p\varphi} + \varphi A_3 e^{-p\varphi} \right] [C_3 e^{\varphi p} + C_4 e^{-\varphi p}] dp\end{aligned}$$

For the kurtosis of steady state price changes we get:

$$\begin{aligned}\frac{Kur(\Delta p)}{6 N(\Delta p)} &= N(\Delta p) \frac{\mathbb{E}(\Delta p^4)}{6 \sigma^4} \\ &= \frac{\lambda J 2 \int_{\underline{p}}^{\bar{p}} p^4 [C_3 e^{\varphi p} + C_4 e^{-\varphi p}] dp + \left(1 - \frac{\lambda 2 \int_{\underline{p}}^{\bar{p}} [C_3 e^{\varphi p} + C_4 e^{-\varphi p}] dp}{N_a} \right) \bar{p}^4}{6 J \sigma^4} \\ &= \frac{\lambda 2}{6 \sigma^4} \int_{\underline{p}}^{\bar{p}} p^4 [C_3 e^{\varphi p} + C_4 e^{-\varphi p}] dp + \frac{1}{6 J \sigma^4} - \frac{\lambda 2}{6 \sigma^4} \int_{\underline{p}}^{\bar{p}} \bar{p}^4 [C_3 e^{\varphi p} + C_4 e^{-\varphi p}] dp \\ &= \frac{\lambda 2}{6 \sigma^4} \int_{\underline{p}}^{\bar{p}} (p^4 - \bar{p}^4) [C_3 e^{\varphi p} + C_4 e^{-\varphi p}] dp + \frac{1}{6 J \sigma^4}\end{aligned}$$

Documents de Travail

480. E. Mengus, "Honoring Sovereign Debt or Bailing Out Domestic Residents: A Theory of Internal Costs of Default," March 2014
481. C. Labonne and G. Lamé, "Credit Growth and Bank Capital Requirements: Binding or Not?," March 2014
482. S. Gilchrist and B. Mojon, "Credit Risk in the Euro area," April 2014
483. G. Vuillemeys and R. Breton, "Endogenous Derivative Networks," April 2014
484. G. Clette, R. Lecat and A.-O.-A. Jiddou, "How do firms adjust production factors to the cycle?," April 2014
485. M. Bussière, B. Camara, F.-D. Castellani, V. Potier and J. Schmidt, "Shock Transmission Through International Banks - Evidence From France," May 2014
486. A. Monfort, J.-P. Renne and G. Roussellet, "A Quadratic Kalman Filter," May 2014
487. P. Benczúr, G. Kátay, Á. Kiss and O. M. Rácz, "Income Taxation, Transfers and Labour Supply at the Extensive Margin," June 2014
488. R. Jimborean and A. Kelber, "Foreign direct investment drivers and growth in Central and Eastern Europe in the aftermath of the 2007 global financial crisis," June 2014
489. F. Pegoraro, A. F. Siegel and L. Tiozzo 'Pezzoli, "International Yield Curves and Principal Components Selection Techniques: An Empirical Assessment," June 2014
490. F. Pegoraro, A. F. Siegel and L. Tiozzo 'Pezzoli, "Specification Analysis of International Treasury Yield Curve Factors," June 2014
491. J.-S. Mésonnier and A. Monks, "Did the EBA Capital Exercise Cause a Credit Crunch in the Euro Area?," June 2014
492. F. Alvarez, H. Le Bihan and F. Lippi, "Small and large price changes and the propagation of monetary shocks," June 2014

Pour accéder à la liste complète des Documents de Travail publiés par la Banque de France veuillez consulter le site : www.banque-france.fr

For a complete list of Working Papers published by the Banque de France, please visit the website: www.banque-france.fr

Pour tous commentaires ou demandes sur les Documents de Travail, contacter la bibliothèque de la Direction Générale des Études et des Relations Internationales à l'adresse suivante :

For any comment or enquiries on the Working Papers, contact the library of the Directorate General Economics and International Relations at the following address :

BANQUE DE FRANCE
49- 1404 Labolog
75049 Paris Cedex 01
tél : 0033 (0)1 42 97 77 24 ou 01 42 92 63 40 ou 48 90 ou 69 81
email : 1404-ut@banque-france.fr